

DELL**QUOTATION****QUOTE #: 609372850****Customer #: 1805735****Contract #: 48ABO****Customer Agreement #: DIR-SDD-890-TX****Quote Date: 1/9/12****Date: 1/9/12 11:06:10 AM****Customer Name: RED FORT BEND COUNTY IT**

TOTAL QUOTE AMOUNT:	\$88,789.94		
Product Subtotal:	\$88,789.94		
Tax:	\$0.00		
Shipping & Handling:	\$0.00		
Shipping Method:	Ground	Total Number of System Groups:	4

GROUP: 1	QUANTITY: 2	SYSTEM PRICE: \$4,812.74	GROUP TOTAL: \$9,625.48
Base Unit:		PowerEdge R410 Chassis w/ up to 4 Hot-Plug Hard Drives,LCD diagnostics (224-8690)	
Processor:		Shipping Material,PowerEdge R410 (330-4137)	
Memory:		8GB Memory (4x2GB), 1333MHz Single Rank LV RDIMMs for 1 Processor, Optimized (317-5883)	
Video Card:		Intel XeonE5620 2.4Ghz, 12M Cache,Turbo, HT, 1066MHz Max Mem (317-4112)	
Video Memory:		No Second Processor (311-3928)	
Video Memory:		Single Processor Only (317-1277)	
Hard Drive:		HD Multi-Select (341-4158)	
Hard Drive Controller:		PERC H700 Adapter, RAID Controller 512MB Cache (342-0728)	
Hard Drive Controller:		PERC H700 Cable for Hot Plug Chassis (342-2519)	
Operating System:		Windows Server 2008 R2 SP1, Standard Edition, Includes 5 CALS (421-5425)	
Mouse:		300GB 15K RPM SA SCSI 6Gbps 3.5in Hotplug Hard Drive (342-2078) - Quantity 3	
Modem:		iDRAC6 Enterprise (313-7837)	
CD-ROM or DVD-ROM Drive:		Optical Cable R410 (313-7834)	
CD-ROM or DVD-ROM Drive:		DVD ROM, SATA, INTERNAL (313-9126)	
Sound Card:		Bezel (313-7839)	
Documentation Diskette:		Electronic System Documentation and OpenManage DVD Kit (330-4148)	
Feature		RAID 5 for PERC6i/H700 Controllers (342-2709)	
Feature		ReadyRails Sliding Rails with CableManagement Arm (330-4140)	
Service:		Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (989-2524)	
Service:		ProSupport : 7x24 HW / SW Tech Support and Assistance , 5 Year (989-2714)	
Service:		Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)	
Service:		Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (994-2710)	
Service:		Dell Hardware Limited Warranty Plus On Site Service Extended Year (994-6058)	
Service:		Dell Hardware Limited Warranty Plus On Site Service Initial Year (994-6627)	
Service:		MISSION CRITICAL PACKAGE: Enhanced Services, 5 Year (994-6687)	
Installation:		Installation of a Dell Server, Storage or Peripheral Device, PE Server LWT (985-0947)	
Support:		Proactive Maintenance Service, PE, 1 Event per yr, 1yr (988-7407)	

Misc:	Power Supply, Redundant, 500W (330-4141)
Misc:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)
Misc:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)

GROUP: 2	QUANTITY: 10	SYSTEM PRICE: \$5,123.26	GROUP TOTAL: \$51,232.60
Base Unit:	PowerEdge R410 Chassis w/ up to 4 Hot-Plug Hard Drives,LCD diagnostics (224-8690)		
Processor:	Shipping Material,PowerEdge R410 (330-4137)		
Memory:	8GB Memory (4x2GB), 1333MHz Single Rank LV RDIMMs for 1 Processor, Optimized (317-5883)		
Video Card:	Intel Xeon E5640 2.66Ghz, 12M Cache,Turbo, HT, 1066MHz Max Mem (317-4110)		
Video Memory:	No Second Processor (311-3928)		
Video Memory:	Single Processor Only (317-1277)		
Hard Drive:	HD Multi-Select (341-4158)		
Hard Drive Controller:	PERC H700 Adapter, RAID Controller 512MB Cache (342-0728)		
Hard Drive Controller:	PERC H700 Cable for Hot Plug Chassis (342-2519)		
Operating System:	Windows Server 2008 R2 SP1, Standard Edition, Includes 5 CALS (421-5425)		
Mouse:	300GB 15K RPM SA SCSI 6Gbps 3.5in Hotplug Hard Drive (342-2078) - Quantity 3		
Modem:	iDRAC6 Enterprise (313-7837)		
CD-ROM or DVD-ROM Drive:	Optical Cable R410 (313-7834)		
CD-ROM or DVD-ROM Drive:	DVD ROM, SATA, INTERNAL (313-9126)		
Sound Card:	Bezel (313-7839)		
Documentation Diskette:	Electronic System Documentation and OpenManage DVD Kit (330-4148)		
Feature	RAID 5 for PERC6i/H700 Controllers (342-2709)		
Feature	ReadyRails Sliding Rails with CableManagement Arm (330-4140)		
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (989-2524)		
Service:	ProSupport : 7x24 HW / SW Tech Support and Assistance , 5 Year (989-2714)		
Service:	Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)		
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (994-2710)		
Service:	Dell Hardware Limited Warranty Plus On Site Service Extended Year (994-6058)		
Service:	Dell Hardware Limited Warranty Plus On Site Service Initial Year (994-6627)		
Service:	MISSION CRITICAL PACKAGE: Enhanced Services, 5 Year (994-6687)		
Installation:	Installation of a Dell Server, Storage or Peripheral Device, PE Server LWT (985-0947)		
Support:	Proactive Maintenance Service, PE, 1 Event per yr, 1yr (988-7407)		
Misc:	Power Supply, Redundant, 500W (330-4141)		
Misc:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)		
Misc:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)		

GROUP: 3	QUANTITY: 1	SYSTEM PRICE: \$9,147.32	GROUP TOTAL: \$9,147.32
Base Unit:	PE R710 with Chassis for Up to 6, 3.5-Inch Hard Drives (224-8462)		
Processor:	PowerEdge R710 Shipping (330-4124)		
Memory:	24GB Memory (6x4GB), 1333MHz Dual Ranked LV RDIMMs for 1 Proc, Optimized (317-7359)		
Monitor:	Embedded Broadcom, GB Ethernet NICS with TOE (430-1764)		
Monitor:	Embedded Broadcom, GB Ethernet NICS with TOE and ISCSI Offload Enabled (430-2970)		
Video Card:	Intel Xeon X5672 3.20GHz, 12M Cache, 6.40 GT/s QPI, 4C (317-6157)		
Video Memory:	No Second Processor (311-3928)		
Video Memory:	PowerEdge R710 Heat Sink for 1Processor (317-1224)		

Hard Drive:	HD Multi-Select (341-4158)
Hard Drive Controller:	PERC H700 Integrated RAID Controller, 512MB Cache, x6 (342-0649)
Floppy Disk Drive:	Power Saving BIOS Setting (330-3491)
Floppy Disk Drive:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)
Floppy Disk Drive:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)
Operating System:	Windows Server 2008 R2 SP1, Standard Edition, Includes 5 CALS (421-5425)
Mouse:	300GB 15K RPM SA SCSI 6Gbps 3.5in Hotplug Hard Drive (342-2078) - Quantity 2
Mouse:	600GB 15K RPM SA SCSI 6Gbps 3.5in Hotplug Hard Drive (342-2056) - Quantity 4
NIC:	Broadcom 5709 Dual Port 1GbE NIC w/TOE iSCSI, PCIe-4 (430-3260)
Modem:	iDRAC6 Enterprise (467-8648)
CD-ROM or DVD-ROM Drive:	DVD+/-RW, SATA, INTERNAL (313-9090)
Sound Card:	Bezel (313-7517)
Speakers:	Riser with 2 PCIe x8 + 2 PCIe x4 Slot (320-7886)
Documentation Diskette:	Electronic System Documentation and OpenManage DVD Kit (330-3485)
Feature	RAID 1/RAID 5 for H700 or PERC 6/i Controllers (341-8704)
Feature	ReadyRails Sliding Rails With CableManagement Arm (330-3477)
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (988-4964)
Service:	ProSupport : 7x24 HW / SW Tech Support and Assistance , 5 Year (988-5154)
Service:	Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (993-2200)
Service:	Dell Hardware Limited Warranty Plus On Site Service Initial Year (993-8447)
Service:	Dell Hardware Limited Warranty Extended Year (993-8458)
Service:	MISSION CRITICAL PACKAGE: Enhanced Services, 5 Year (993-8507)
Installation:	Installation of a Dell Server, Storage or Peripheral Device, PE Server MWT (984-1068)
Support:	Proactive Maintenance Service, PE, 1 Event per yr, 1yr (988-7407)
Misc:	High Output Power Supply Redundant, 870W (330-3475)
Misc:	No Power Cord (310-9057)

GROUP: 4	QUANTITY: 2	SYSTEM PRICE: \$9,392.27	GROUP TOTAL: \$18,784.54
Base Unit:	PE T610 Rack Chassis for Up to Eight 3.5-Inch Hard Drives and Intel 56XX Processors (224-8472)		
Processor:	PowerEdge T610 Shipping (330-4119)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	DIMM Blank for PowerEdge T610 (317-0266)		
Memory:	12GB Memory (3x4GB), 1333MHz Dual Ranked LV RDIMMs for 1 Proc, Optimized (317-7332)		
Monitor:	Embedded Broadcom, GB Ethernet NICS with TOE (430-1764)		
Monitor:	LOM NICs are TOE, iSCSI Ready (430-2969)		
Video Card:	Intel Xeon X5672 3.20GHz, 12M Cache, 6.40 GT/s QPI, 4C (317-6157)		
Video Memory:	No Second Processor (311-3928)		
Video Memory:	PowerEdge T610 Heat Sink for 1Processor (317-0342)		
Hard Drive:	HD Multi-Select (341-4158)		
Hard Drive Controller:	PERC H700 Integrated RAID Controller, 512MB Cache (342-0694)		

Floppy Disk Drive:	Power Saving BIOS Setting (330-3491)
Floppy Disk Drive:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)
Floppy Disk Drive:	Power Cord, C13 to C14, PDU Style, 12 Amps, 4 meter, Qty 1 (330-3152)
Operating System:	Windows Server 2008 R2 SP1, Standard Edition, Includes 5 CALS (421-5425)
Mouse:	600GB 15K RPM SA SCSI 6Gbps 3.5in Hotplug Hard Drive (342-2056) - Quantity 6
Mouse:	300GB 15K RPM SA SCSI 6Gbps 3.5in Hotplug Hard Drive (342-2078) - Quantity 2
NIC:	Broadcom 5709 Dual Port 1GbE NIC w/TOE iSCSI, PCIe-4 (430-3260)
Modem:	iDRAC6 Enterprise (467-8648)
CD-ROM or DVD-ROM Drive:	DVD+/-RW, SATA, INTERNAL (313-9097)
CD-ROM or DVD-ROM Drive:	Optical SATA for PowerEdge T610/T710 (330-4219)
Documentation Diskette:	Electronic System Documentation and OpenManage DVD Kit (330-3554)
Feature	RAID 0 for H700, PERC 6/i, H200 or SAS 6/iR Controllers (341-8775)
Feature	ReadyRails Sliding Rails With CableManagement Arm for Rack Configuration (330-3551)
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, 4 Year Extended (988-4554)
Service:	ProSupport : 7x24 HW / SW Tech Support and Assistance , 5 Year (988-4744)
Service:	Thank you choosing Dell ProSupport. For tech support, visit http://support.dell.com/ProSupport or call 1-800-9 (989-3439)
Service:	Mission Critical Package: 4-Hour 7x24 On-Site Service with Emergency Dispatch, Initial Year (993-1790)
Service:	Dell Hardware Limited Warranty Plus On Site Service Initial Year (993-8337)
Service:	Dell Hardware Limited Warranty Extended Year (993-8338)
Service:	MISSION CRITICAL PACKAGE: Enhanced Services, 5 Year (993-8397)
Installation:	Installation of a Dell Server, Storage or Peripheral Device, PE Server LWT (985-0947)
Support:	Proactive Maintenance Service, PE, 1 Event per yr, 1yr (988-7407)
Misc:	High Output Power Supply Redundant, 870W (330-3549)
Misc:	Power Cord, NEMA 5-15P to C13, 15 amp, wall plug, 10 feet / 3 meter (310-8509)
Misc:	Power Cord, NEMA 5-15P to C13, 15 amp, wall plug, 10 feet / 3 meter (310-8509)
	CFI,Information,CSRouting,Eligible,Factory Install (375-3088)
	CFI,9104CG,Information, ORDRDY,Factory Install (375-0789)
	CFI Bypass EIDO (364-7502)
	CFI Routing SKU (365-0257)
	CFI Titan Code for CFI FIDA orBypass SI (364-1846)
	CFI,Information,Hard Drive,Install Increasing Order,Factory Install (361-1722)
	CFI,Rollup,Integration, OR-Raid,Without OS,Serv (366-4303)
	CFI,Information Only, Raid5,4Hard Drive,Factory Install (361-4537)
	CFI,Multi,Information, RAID1, 2HD,Factory Install (361-6553) - Quantity 2

SALES REP:	Brad Kline	PHONE:	512-513-8843
Email Address:	John_Kline@Dell.com	Phone Ext:	5138843

Please review this quote carefully. If complete and accurate, you may place your order online at www.dell.com/quote (use quote number above). POs and payments should be made to **Dell Marketing L.P.**

If you do not have a separate agreement with Dell that applies to your order, please refer to www.dell.com/terms as follows:

If purchasing for your internal use, your order will be subject to *Dell's Terms and Conditions of Sale-Direct* including Dell's U.S. Return Policy, at www.dell.com/returnpolicy#total. If purchasing for resale, your order will be subject to *Dell's Terms and Condition of Sale for Persons or Entities Purchasing to Resell*, and other terms of Dell's PartnerDirect program at www.dell.com/partner.

If your order includes services, visit www.dell.com/servicecontracts for service descriptions and terms.

Quote information is valid for U.S. customers and U.S. addresses only, and is subject to change. Sales tax on products shipped is based on "Ship To" address, and for downloads is based on "Bill To" address. Please indicate any tax-exempt status on your PO, and fax your exemption certificate, with seller listed as *Dell Marketing L.P.*, to Dell's Tax Department at 800-433-9023. Please include your Customer Number.

For certain products shipped to end-users in California, a [State Environmental Fee](#) will be applied. For Asset Recovery/Recycling Services, visit www.dell.com/assetrecovery.