

**Fort Bend County Tabulation**  
**Bid 14-034**  
**Term Contract for Purchase and Hauling of Earthen Type Road Materials**

**Term: April 1, 2014 through March 31, 2015**

**Recommendation: Award to all bidders meeting specifications**

<b>Asphalt Stabilized Base, THD #292, Black Base without RAP, Price Per Ton</b>										
<b>Lawson 11266-material Lawson 11267-laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed Concrete</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Proline Materials</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>
Plant	53.00	52.00							51.75	
Plant										
Plant										
Plant to Jobsite-1st mile	2.80	3.00							3.00	
Each add'l mile	0.22	0.18							0.15	
Laydown	20.00	No Bid		20.00				15.00		
Plant Location	Mo City	Rosenberg							Rosenberg	
Minimum								800 tons		
<b>Asphalt Stabilized Base, THD #292, Black Base with RAP, Price Per Ton</b>										
<b>Lawson 11268-material Lawson 11269-laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Proline Materials</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>
Plant	49.00	46.00							44.75	
Plant										
Plant										
Plant to Jobsite-1st mile	2.80	3.00							3.00	
Each add'l mile	0.22	0.18							0.15	
Laydown	20.00	No Bid		20.00				15.00		
Plant Location	Mo City	Rosenberg							Rosenberg	
Minimum								800 tons		

Cement Stabilized Sand, THD & PT #400.5 Portland Cement, Type I, 2 sack minimum, Price Per Ton										
Lawson 11270-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant			14.75		18.50					
Plant to Jobsite-1st mile			1.40		2.80					
Each add'l mile			0.25		0.25					
Laydown										
Plant Location			Richmond		Richmond					
Per 1/2 sack cement			1.50		2.50					

Flexible Base, must be free of foreign materils (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete, Price Per Ton										
Lawson 11271-material Lawson 11272-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant	13.47		16.00							
Plant to Jobsite-1st mile	2.80		1.50							
Each add'l mile	0.22		0.25							
Laydown	20.00		No bid	20.00				20.00		
Plant Location	Mo City		Fresno							
Minimum								500 tons		

[illegible][illegible]

Hot Mix Asphaltic Concrete Pavement, THD #340, Type D without RAP, Price Per Ton										
Lawson 11275-material Lawson 11276-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant	61.00	58.00							57.75	
Plant										
Plant										
Plant to Jobsite-1st mile	2.80	3.00							3.00	
Each add'l mile	0.22	0.18							0.15	
Laydown	20.00	No bid		20.00				15.00		
Plant Location	Mo City	Rosenberg							Rosenberg	
Minimum								800 tons		

Hot Mix Asphaltic Concrete Pavement, THD #340, Type D with RAP, Price Per Ton										
Lawson 11277-material Lawson 11278-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant	56.00	52.00							50.75	
Plant										
Plant										
Plant to Jobsite-1st mile	2.80	3.00							3.00	
Each add'l mile	0.22	0.18							0.15	
Laydown	20.00	No bid		20.00				15.00		
Plant Location	Mo City	Rosenberg							Rosenberg	
Minimum								800 tons		

Hot Mix-Cold Laid, Asphaltic Concrete Pavement, Type D, THD #350, Price Per Ton										
Lawson 11279-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant									95.00	
Plant to Jobsite-1st mile									3.00	
Each add'l mile									0.15	
Laydown										
Plant Location									Rosenberg	
Minimum										

Precoated Coverstone, PB-3, Price Per Ton										
Lawson 11280-material Lawson 11281-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant									39.75	
Plant										
Plant to Jobsite-1st mile									3.00	
Each add'l mile									0.15	
Laydown								25.00		
Plant Location									Rosenberg	
Minimum								500 tons		

Precoated Coverstone, PB-4 & PB-5, Price Per Ton										
Lawson 11282-material Lawson 11283-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant									39.75	
Plant										
Plant to Jobsite-1st mile									3.00	
Each add'l mile									0.15	
Laydown								25.00		
Plant Location									Rosenberg	
Minimum								500 tons		

Recycled Asphalt, Screened, 3" Diameter Maximum, Price Per Ton										
Lawson -material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant										
Plant to Jobsite-1st mile										
Each add'l mile										
Laydown										
Plant Location										
Minimum										

Type A Hydrated Lime, THD #264, 90.0% Ca(OH) 2 Min., Delivered in Closed Tankers, Price Per Ton										
Lawson 11284-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Delivered and applied						152.00				

Pulverizing Existing Asphalt and/or Base Road , Price Per Foot										
Lawson number beside each item	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Up to 2" Depth <b>11285</b>				1.45				1.50		
Up to 4" Depth <b>11286</b>				2.45				2.50		
Up to 6" Depth <b>11287</b>				3.45				3.50		
Up to 8" Depth <b>11288</b>				4.45				4.50		
Up to 10" Depth <b>11289</b>				5.45				5.50		
Up to 12" Depth <b>11290</b>				6.45				6.50		
Up to 14" Depth <b>11291</b>				7.45				7.50		
Pulverizing existing <b>11292</b>				3.95				4.00		
Transported by FBC <b>11293</b>				50.00				75.00		
Transported by Contractors vehicles <b>11294</b>				10.00				25.00		







Asphalt Aggregate, limestone Type D, 7/16" by #4 Graduation, Price Per Ton										
Lawson 11298 material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant										24.75
Plant to Jobsite-1st mile										3.00
Each add'l mile										0.21
Plant Location										Rosenberg
Comment										3/4"

Type C, Hot Mix Asphaltic Concrete Pavement: THD #341, Class A Aggregates with PG7622 Oil, Price Per Ton										
Lawson 11299-material Lawson 11300-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Gulf Coast Stabilized Materials	Lhoist North America	Proline Materials	Silva Division of James Const.	Tarmac Division of James Const.	Vulcan Materials
Plant	95.00	65.00							72.00	
Plant to Jobsite-1st mile	2.80	3.00							3.00	
Each add'l mile	0.22	0.18							0.15	
Laydown	20.00	No bid		20.00				15.00	Rosenberg	
Plant Location	Mo City	Rosenberg								
Minimum								800 tons		



[illegible]