

**Fort Bend County Tabulation  
 Bid 15-053  
 Term Contract for Purchase and Hauling of Earthen Type Road Materials**

**Term: April 1, 2015 through March 31, 2016**

**Recommendation: Award to all bidders meeting specifications**

<b>Asphalt Stabilized Base, THD #292, Black Base without RAP, Price Per Ton</b>											
<b>Lawson 11266- material Lawson 11267- laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed Concrete</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant	56.00	50.00							54.75		
Plant											
Plant											
Plant to Jobsite-1st mile	3.00	3.25							3.00		
Each add'l mile	0.20	0.20							0.20		
Laydown	No Bid	14.00		20.00				25.00			
Plant Location	Mo City	Rosenberg							Rosenberg		
Minimum		\$5.25 haul & 800 tons						800 tons			

<b>Asphalt Stabilized Base, THD #292, Black Base with RAP, Price Per Ton</b>											
<b>Lawson 11268-material Lawson 11269-laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant	51.00	42.50							46.50		
Plant											
Plant											
Plant to Jobsite-1st mile	3.00	3.25							3.00		
Each add'l mile	0.20	0.20							20.00		
Laydown	No Bid	14.00		20.00				25.00			
Plant Location	Mo City	Rosenberg							Rosenberg		
Minimum		\$5.25 haul & 800 tons						800 tons			

<b>Cement Stabilized Sand, THD &amp; PT #400.5 Portland Cement, Type I, 2 sack minimum, Price Per Ton</b>											
<b>Lawson 11270-material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant			18.00		23.35						
Plant to Jobsite-1st mile			2.50		3.08						
Each add'l mile			0.25		0.25						
Laydown											
Plant Location			Richmond		Richmond						
Per 1/2 sack cement			2.50		2.75						



<b>Gravel, River Unwashed, 5/8" Diameter Maximum, Price Per Yard</b>											
<b>Lawson 11274-material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant							18.00			14.50	
Plant to Jobsite-1st mile							3.30			3.00	
Each add'l mile							0.26			0.21	
Plant Location							Garwood			Wallis	

<b>Hot Mix Asphaltic Concrete Pavement, THD #340, Type D without RAP, Price Per Ton</b>											
<b>Lawson 11275-material Lawson 11276-laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant	63.00	62.00							60.00		
Plant											
Plant											
Plant to Jobsite-1st mile	3.00	3.25							3.00		
Each add'l mile	0.20	0.20							0.20		
Laydown	No bid	14.00		20.00				25.00			
Plant Location	Mo City	Rosenberg							Rosenberg		
Minimum		\$5.25 haul & 800 tons						800 tons			



<b>Precoated Coverstone, PB-3, Price Per Ton</b>											
<b>Lawson 11280- material Lawson 11281- laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant									69.25	19.00	
Plant											
Plant to Jobsite-1st mile									3.00	0.16	
Each add'l mile									0.20	0.16	
Laydown								25.00			
Plant Location									Rosenberg	Dabney	
Minimum								500 tons			

<b>Precoated Coverstone, PB-4 &amp; PB-5, Price Per Ton</b>											
<b>Lawson 11282- material Lawson 11283- laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant									69.25	20.00	
Plant											
Plant to Jobsite-1st mile									3.00	0.16	
Each add'l mile									0.20	0.16	
Laydown								25.00			
Plant Location									Rosenberg	Dabney	
Minimum								500 tons			

<b>Recycled Asphalt, Screened, 3" Diameter Maximum, Price Per Ton</b>											
<b>Lawson -material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant			30.00								
Plant to Jobsite-1st mile			2.50								
Each add'l mile			0.25								
Laydown											
Plant Location			Fresno								
Minimum											

<b>Type A Hydrated Lime, THD #264, 90.0% Ca(OH) 2 Min., Delivered in Closed Tankers, Price Per Ton</b>											
<b>Lawson 11284-material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Delivered and applied						152.00					

<b>Pulverizing Existing Asphalt and/or Base Road , Price Per Foot</b>											
<b>Lawson number beside each item</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Up to 2" Depth <b>11285</b>				1.55				2.00			
Up to 4" Depth <b>11286</b>				2.55				3.00			
Up to 6" Depth <b>11287</b>				3.55				4.00			
Up to 8" Depth <b>11288</b>				4.55				5.00			
Up to 10" Depth <b>11289</b>				5.55				6.00			
Up to 12" Depth <b>11290</b>				6.55				7.00			
Up to 14" Depth <b>11291</b>				7.55				8.00			
Pulverizing existing <b>11292</b>				4.05				4.50			
Transported by FBC <b>11293</b>				50.00				100.00			
Transported by Contractors vehicles <b>11294</b>				10.00				50.00			





<b>Asphalt Aggregate, limestone Type D, 7/16" by #4 Graduation, Price Per Ton</b>											
<b>Lawson 11298 material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant							35.00			25.50	
Plant to Jobsite-1st mile							4.05			No Bid	
Each add'l mile							0.26			No Bid	
Plant Location							Rosenberg			Mykawa	
Comment							End Dump			D/F Blend	

<b>Type C, Hot Mix Asphaltic Concrete Pavement: THD #341, Class A Aggregates with PG7622 Oil, Price Per Ton</b>											
<b>Lawson 11299-material Lawson 11300-laydown</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant	95.00	72.00							90.00		
Plant to Jobsite-1st mile	3.00	3.25							3.00		
Each add'l mile	0.20	0.20							0.20		
Laydown	No bid	14.00		20.00				25.00	Rosenberg		
Plant Location	Mo City	Rosenberg									
Minimum		\$5.25 haul & 800 tons						800 tons			



<b>Bullrock, 3" x 5", Price Per Ton</b>											
<b>Lawson 11303-material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant		20.50	25.50				35.00			29.00	
Plant to Jobsite-1st mile		2.90	3.50				4.05			No bid	
Each add'l mile		0.20	0.25				0.26			No bid	
Laydown		No bid	No bid							No bid	
Plant Location		Katy	Fresno				Rosenberg			Mykawa	
Installation			No bid	20.00			No bid			No bid	
Minimum		\$5.00 haul									

<b>Rip Rap, Grade 1, 12" to 18", Price Per Ton</b>											
<b>Lawson 11304-material</b>	<b>American Materials</b>	<b>Century Asphalt</b>	<b>Cherry Crushed</b>	<b>Durwood Greene</b>	<b>Gulf Coast Stabilized Materials</b>	<b>Lhoist North America</b>	<b>Martin Marietta</b>	<b>Silva Division of James Const.</b>	<b>Tarmac Division of James Const.</b>	<b>Vulcan Materials</b>	<b>Waller County Asphalt</b>
Plant		26.00	29.75							43.00	
Plant to Jobsite-1st mile		2.90	2.50							No bid	
Each add'l mile		0.20	0.25							No bid	
Installation		No bid	No bid	20.00						No bid	
Plant Location		Katy	Holmes Rd							Mykawa	
Minimum		\$5.00 haul									
Comment										8" - 18'	