

REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

On this 5th day of January, 2016, Commissioners Court came on to be heard and reviewed the accompanying notice of CenterPoint Energy Job Location 27602 WESTRIDGE CREEK LANE, KATY, TX 77494 Date 12/21/2015 Bond No. 22-022-417, Permit No. 2015-4727 to make use of certain Fort Bend County property subject to, "A Revised Order Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners Court of Fort Bend County, Texas the 3rd day of August, 1987, recorded in Volume _____ of the Minutes of the Commissioners Court of Fort Bend County, Texas, to the extent that such order is not inconsistent with Article 1436a, Vernon's Texas Civil Statutes. Upon Motion of Commissioner _____, seconded by Commissioner _____, duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said notice of said above purpose is hereby acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said notice be placed on record according to the regulation order thereof.

Notes:

1. Evidence of review by the Commissioners Court must be kept on the job site and failure to do so constitutes grounds for job shutdown.
2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. when construction is completed and ready for final inspection
 Mail notices to: Permit Administrator
 Fort Bend County Engineering
 301 Jackson Street
 Richmond, Texas 77469
 281-633-7500
3. This permit expires one (1) year from date of permit if construction has not commenced.

By: Rich J Stangle, PE, PTOE
for County Engineer

Presented to Commissioners Court and approved.
Recorded in Volume _____
Minutes of Commissioners Court


By: N/A
Drainage District Engineer/Manager

Clerk of Commissioners Court


By: _____
Deputy

GENERAL NOTES:

1. MAINTAIN MIN. DEPTH OF 3' UNLESS OTHERWISE SPECIFIED.
2. FIELD LOCATE AND VERIFY ALL EXISTING FEEDS, MAINS AND SERVICES.
3. USE GAUGES TO MONITOR AND MAINTAIN FEEDS AND PRESSURE.
4. COORDINATE SERVICE LOCATION WITH IGNACIO GUERRERO AT 281-341-4936.



PERMIT



NO SCALE

LEGEND AND NOTES

EXISTING MAIN
 PROP. 4" IP PLGA SVC
 SDR 11.5, PE 2406/2708
 W.O.#76196983

50'

GENERAL NOTES:

- 1. USE ALL TRACER WIRE FOR ALL RESIDENTIAL.
- 2. USE #14 TRACER WIRE FOR SHORT BURIES UP TO 300' AND #11 OTHER THAN BURIALS UP TO 300'.
- 3. USE #14 TRACER WIRE WITH ALL BORES LONGER THAN 300'.
- 4. USE #8 TRACER WIRE AS REFERRED FOR LONG-BURIAL CROSSINGS AND OTHER SPECIAL SITUATIONS.
- 5. VERIFY ALL EXISTING SERVICES AND UTILITIES PRIOR TO WORK.

TEST PRESSURE TO 100 PSIG
 PERMIT FT. BEND
 NOTIFICATION #1403736406
 X, Y Loc: 3000433.26, 707326.51

PROJECT NO.	CS-20080724	DATE	12/23/2016
PROJECT NAME	IM#48324	ESTIMATED COST \$	11,957.00
DATE ISSUED	02/29/2016	CONTRIBUTION \$	
START DATE		ESTIMATED COMPLETE DATE	
PURPOSE AND ACCESSIBILITY TO SERVE SCHOOL IN KATY, TX.			
RECOMMENDED BY:		DATE:	
APPROVED BY:		DATE:	

**27602 WESTRIDGE CREEK LN
 KATY, TX**



DRAWN BY: C. GARCIA
 DATE: 07/25/08
 SHEET NO.: 1
 PROJECT NO.: EB5-151572

Texas Region - Houston Gas Engineering

