

REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

On this 9th day of February, 2016, Commissioners Court came on to be heard and reviewed the accompanying notice of Jier LLC / Comcast of Houston, LLC
Job Location 16425 Old Richmond Rd, Sugar Land, TX 77498
Date 1/28/2016 Bond No. 104865058, Permit No. 2016-5260 to make use of certain Fort Bend County property subject to, "A Revised Order Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners Court of Fort Bend County, Texas the 3rd day of August, 1987, recorded in Volume _____ of the Minutes of the Commissioners Court of Fort Bend County, Texas, to the extent that such order is not inconsistent with Article 1436a, Vernon's Texas Civil Statutes. Upon Motion of Commissioner _____, seconded by Commissioner _____, duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said notice of said above purpose is hereby acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said notice be placed on record according to the regulation order thereof.

Notes:

- 1. Evidence of review by the Commissioners Court must be kept on the job site and failure to do so constitutes grounds for job shutdown.
- 2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. when construction is completed and ready for final inspectionMail notices to: Permit Administrator
Fort Bend County Engineering
301 Jackson Street
Richmond, Texas 77469
281-633-7500
- 3. This permit expires one (1) year from date of permit if construction has not commenced.

By: _____
County Engineer

Presented to Commissioners Court and approved.
Recorded in Volume

By: N/A

Drainage District Engineer/Manager

Minutes of Commissioners Court
Clerk of Commissioners Court

By: _____
Deputy




SHEET INDEX	
1	COVER SHEET
2	PLAN AND SECTION SHEET
3	TRAFFIC CONTROL PLAN

PROPOSED CONDUIT AND AERIAL CABLE ALIGNMENT ALONG MCKASKLE ROAD
 EAST OF OLD RICHMOND ROAD FOR APPROX. 269 FEET.

PROJECT
 LOCATION



VICINITY MAP
 KEY MAP NO. 567-C-D



- NOTES :
1. THE CONTRACTOR SHALL CONTACT TEXAS ONE CALL SYSTEM AT 1-800-245-4545 MIN. 48 HOURS BEFORE DIGGING.
 2. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL UNDERGROUND FACILITIES BEFORE COMMENCING WORK AND AGREE TO BE FULLY RESPONSIBLE FOR ALL DAMAGES CAUSED BY HIS FAILURE TO EXACTLY LOCATE AND PRESERVE ALL UNDERGROUND FACILITIES.
 3. NO MORE TRENCH OPENED AT ONE TIME THAN CAN BE BACKFILLED AND COMPACTED IN 10" LIFTS AT THE END OF EACH DAY. (NO TRENCH LEFT OPENED OVERNIGHT)
 4. ALL EXCESS EXCAVATION TO BE REMOVED FROM THE ROAD RIGHT-OF-WAY AT THE END OF EACH DAY.
 5. DITCHES TO BE OPENED AT THE END OF EACH DAY TO ASSURE ADEQUATE DRAINAGE.
 6. ROAD MUST BE KEPT OPEN TO TRAFFIC AND CONTRACTOR MUST PROVIDE ADEQUATE FLAGMEN, SIGNALS, ETC., TO PROVIDE COMPLETE SAFETY TO THE PUBLIC.
 7. IF IT BECOMES NECESSARY FOR EQUIPMENT TO OPERATE ON A PORTION OF THE PAVEMENT, PRECAUTIONS MUST BE TAKEN TO PREVENT ANY DAMAGE WHATSOEVER TO THE PAVEMENT.
 8. CONDITION OF ROAD UPON COMPLETION OF JOB SHALL BE AS GOOD OR BETTER THAN PRIOR TO STARTING.
 9. CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE NATIONAL ELECTRICAL SAFETY CODE (NEC) REQUIREMENTS, CENTERPOINT ENERGY ELECTRIC POLE ATTACHMENT GUIDELINES & PROCEDURES AND ALL APPLICABLE LOCAL REQUIREMENTS AND REGULATIONS FOR PLACEMENT OF AERIAL CABLE FACILITIES: 18' MIN. VERTICAL CLEARANCE



DESIGNED BY: JER, LLC
 DRAWN BY: WDK
 DWG. NO. JT-29130-ALI - MCKASKLE ROAD
 SHEET NO. 2 OF 3

COMCAST SHALL INSTALL A 1-2" CONDUIT ALONG THE NORTH ROW OF MCKASKLE ROAD FROM 512' EAST OF CL OLD RICHMOND ROAD, EAST FOR 53 LF, RISERING UP AN EXISTING POLE, CONTINUING AS AN AERIAL CABLE FOR 155 LF, RISERING DOWN AN EXISTING POLE AND RESUMING AS A 1-2" DUCT FOR 61 LF FOR A TOTAL DISTANCE OF 269 LF.



Comcast
 7033 AIRPORT BLVD.
 HOUSTON, TX 77061-3812

LAMBERT: 4752A1
 DATE: 07/27/2016
 KEY MAP NO. 567-C-D
 SCALE: NTS

- SPECIAL TRAFFIC REQUIREMENTS**
- Contractor shall provide and install traffic control devices in conformance with part V of the Texas Manual on Uniform Traffic Control Devices (Texas MUTCD, most recent edition with revisions) during construction.
 - No lane shall be closed during the hours of 7:00 AM to 8:00 AM and 4:00 PM to 6:30 PM Monday thru Friday.
 - An off-duty Uniformed Police Officer is required to direct traffic when lanes are blocked.
 - Contractor shall cover open pavement excavations with anchored steel plates during non-working hours. The plates shall be secured with steel cables and shall be secured to pavement next to excavation during non-working hours.
 - Approved copies of Traffic Control Plans and lane closure permits shall be available for inspection at job site at all times.
 - If the contractor chooses to use a different method of "Traffic Control Plans" during the construction, they shall submit a Traffic Control Plan to the County Traffic Section for approval ten working days prior to implementation.
 - Plans shall be drawn to scale on reproducible mylar and sealed by a Licensed Engineer in the State of Texas. The plans shall be submitted to the County Traffic Section at least 10 working days prior to the start of construction.



- LEGEND**
- PLASTIC DRUM (see spacing for channelizing devices)
 - OFF-DUTY UNIFORMED POLICE OFFICER
 - TYPE III BARRICADE
 - FLASHING ARROW PANEL



Jier, LLC



Doug Krause 01/21/16
 TRAFFIC CONTROL PLAN
 MCKASKLE ROAD
 (TYPICAL)
 SHEET NO. 3 OF 3 SCALE: N.T.S.

MCKASKLE ROAD
 (30 MPH)

Key Map #567-C,D