

REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

On this 6th day of September, 2016, Commissioners Court came on to be heard and reviewed the accompanying notice of CenterPoint Energy Job Location 9722 Gaston Road A&B, Katy, TX 77494 Date 4/28/1988 Bond No. 22-022-417, Permit No. 2016-9122 to make use of certain Fort Bend County property subject to, "A Revised Order Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners Court of Fort Bend County, Texas the 3rd day of August, 1987, recorded in Volume _____ of the Minutes of the Commissioners Court of Fort Bend County, Texas, to the extent that such order is not inconsistent with Article 1436a, Vernon's Texas Civil Statutes. Upon Motion of Commissioner _____, seconded by Commissioner _____, duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said notice of said above purpose is hereby acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said notice be placed on record according to the regulation order thereof.

Notes:

1. Evidence of review by the Commissioners Court must be kept on the job site and failure to do so constitutes grounds for job shutdown.
2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. when construction is completed and ready for final inspectionMail notices to: Permit Administrator
Fort Bend County Engineering
301 Jackson Street
Richmond, Texas 77469
281-633-7500
3. This permit expires one (1) year from date of permit if construction has not commenced.

By:

Charles O. A1
County Engineer

Presented to Commissioners Court and
approved.
Recorded in Volume _____

Minutes of Commissioners Court

By:

N/A

Drainage District Engineer/Manager

Clerk of Commissioners Court

By:

Deputy

Engineering Department

Phone: (281) 633-7500

Permit No. 2016-9122

X (1) Complete Application Form:

X	c. Plans and specifications
---	-----------------------------

X Perpetual bond currently posted.

Performance bond submitted.

Cashier's Check


Amount:

Date _____


Charles O. Day
Assistant County Engineer

8/29/16
Date


DISCLAIMER: The use of this standard is governed by the Texas Engineering Practices Act. No warranty of any kind is made by TxDOT for any purpose whatsoever, liability assumed or responsibility for the consequences resulting from its use.



TCP (1-1a)
Conventional Roads



TCP (1-1b)
Conventional Roads



TCP (1-1c)
Conventional Roads

LEGEND

Type 3 BoroCode	Channelizing Device
Truck Mounted Attenuator (TMA)	Truck Mounted Attenuator (TMA)
Trailer Mounted Flashing Arrow Board	Trailer Mounted Flashing Arrow Board
Sign	Sign
Flag	Flag

TYPICAL USAGE

MOBILE	SHORT TERM STATION	INTERMEDIATE STATION	LONG TERM STATION
✓	✓	✓	✓

GENERAL NOTES

- Flare attached to signs where shown are required.
- All traffic control devices illustrated are required, except those indicated otherwise.
- In the case of routine maintenance work, when approved by the Engineer.
- Inertive work vehicles or other equipment should be parked near the work area.
- A Shadow Vehicle with a TMA should be used anytime it can be positioned affecting the performance or quality of the work. If workers are not present for the duration of the work, the Shadow Vehicle should be used to present the work area.
- Additional Shadow Vehicles with TMA may be positioned off the paved surface, next to those shown in order to protect wider work spaces.
- Shadow Vehicle for shoulder work on divided highway, interchange and freeways.
- “ROAD WORK AHEAD” signs may be used in place of C20-10 roadways.

TABLE 1: Suggested Minimum Stopping Distances

Speed (mph)	Stopping Distance (ft)	On a Level Surface (ft)	On a 2% Grade (ft)	On a 4% Grade (ft)	On a 6% Grade (ft)	On a 8% Grade (ft)	On a 10% Grade (ft)
30	150	150	150	150	150	150	150
35	175	175	175	175	175	175	175
40	200	200	200	200	200	200	200
45	225	225	225	225	225	225	225
50	250	250	250	250	250	250	250
55	275	275	275	275	275	275	275
60	300	300	300	300	300	300	300
65	325	325	325	325	325	325	325
70	350	350	350	350	350	350	350
75	375	375	375	375	375	375	375

* Conventional Roads Only
** Taper lengths have been rounded off.
*** Length of taper 1:1. Width of Offset (FT). Speeded Speed (MPH).

Texas Department of Transportation
Traffic Services Division

TRAFFIC CONTROL PLAN
CONVENTIONAL ROAD
SHOULDER WORK

TCP (1-1)-12

Project No.	Section	Sheet No.	Total Sheets
30-1001	Interchange 133	133	133