PLAT RECORDING SHEET

PLAT NAME:	Walnut Cr	eek Section Seventeen
	-	
PLAT NO:		
ACREAGE:	15.215	
LEAGUE:	Wiley Martin	n League
ABSTRACT NU	JMBER: <u>56</u>	
NUMBER OF B	BLOCKS:	3
NUMBER OF LOTS:		49
NUMBER OF R	RESERVES:	6
OWNERS: Fr	iendswood De	velopment Company
		Totophion Company
2		
(DEPUTY CLERK)	
(- Z. C. A CEEMIN		

COUNTY OF FORT BEND

We. FRIENDSWOOD DEVELOPMENT COMPANY, acting by and through John W. Hammond, Vice President of LENNAR TEXAS HOLDING COMPANY, a Texas Corporation, its General Partner, owner hereinafter referred to as Owners of the 15. 215 acre tract described in the above and foregoing map of WALNUT CREEK SECTION SEVENTEEN, do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions and notations on said maps or plat and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs and assigns to warrant and forever defend the title to the land so

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements, or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements from a plane sixteen feet (16'0") above ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10'0") for ten feet (10'0") back to back ground easements or eight feet (8'0") for fourteen feet (14'0") back to back ground easements or seven feet (7'0") for sixteen feet (16'0") back-to-back ground easements, from a plane sixteen feet (16'0") above ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30'0") in width.

FURTHER, We do hereby declare that all parcels of land designated as lots on this plat are intended for the construction of single family residential dwelling units thereon and shall be restricted for same under the terms and conditions of such restrictions filed separately.

FURTHER. We do hereby covenant and agree that all of the property within the boundaries of this plat shall be restricted to prevent the drainage of any septic tanks into any public or private street, road or alley or any drainage ditch, either directly

FURTHER, We do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws, and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purpose of construction and maintenance of drainage facilities and structures.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek, or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, Owners do hereby certify that we are the owners of all property immediately adjacent to the boundaries of the above and foregoing plat of WALNUT CREEK SECTION SEVENTEEN where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing plat and do hereby make and establish all building setback lines and dedicate to the use of the public forever all public utility easements shown in said adjacent acreage.

FURTHER, We do hereby acknowledge the receipt of the "Orders for Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004 and any subsequent amendments.

IN TESTIMONY WHEREOF, FRIENDSWOOD DEVELOPMENT COMPANY has caused these presents to be signed by John W. Hammond, Vice President of LENNAR TEXAS HOLDING COMPANY, a Texas Corporation, its General Partner.

LENNAR HOMES OF TEXAS LAND AND CONSTRUCTION, LTD., a Texas Limited Partnership dba Friendswood Development Company

> By: LENNAR TEXAS HOLDING COMPANY. a Texas Corporation,

COUNTY OF HARRIS

STATE OF TEXAS

BEFORE ME, the undersigned authority, on this day personally appeared John W. Hammond, Vice President of LENNAR TEXAS HOLDING COMPANY, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein and herein set out, and as the act and deed of said Corporation.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this

YOLANDA BARAJAS Notary ID # 4912704 My Commission Expires September 29, 2020

Notary Public in and for


I, Douglas W. Turner, am authorized under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made on the ground under my supervision; that except as shown, all boundary corners, angle points, points of curvature and other points of reference have been marked with iron pipes or rods (or other objects of a permanent nature) having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.



This is to certify that the City Planning Commission of the City of Rosenberg, Texas, has approved this plat and subdivision of WALNUT CREEK SECTION SEVENTEEN in conformance with the laws of the State of Texas and the ordinances of the City of

This is to certify that the City Council of the City of Rosenberg, Texas, has approved this plat and subdivision of WALNUT CREEK SECTION SEVENTEEN in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as

I, BRIAN D. GEROULD, A Professional Engineer licensed in the State of Texas do hereby certify that this plat meets the requirements of Fort Bend County to the best of my knowledge.



1. B.L. indicates a building line A.E. indicates an aerial easement

U.E. indicates a utility easement STM. S.E. indicates a storm sewer easement W.L.E. indicates a water line easement W.M.E. indicates a water meter easement S.S.E. indicates a sanitary sewer easement

VOL., PG. indicates Volume, Page F.B.C.P.R. indicates Fort Bend County Public Records F.B.C.M.R. indicates Fort Bend County Map Records F.B.C.D.R. indicates Fort Bend County Deed Records

O.P.R.F.B.C. indicates Official Public Records of Fort Bend County ESMT. indicates an easement

H.L. & P. indicates Houston Lighting and Power F.H.E. indicates a fire hydrant easement

TEMP. indicates temporary • indicates a found 5/g" iron rod

D.E. indicates a drainage easement

o indicates a set 5/8" iron rod with plastic cap stamped "IDS" (unless otherwise noted) indicates a street name change

2. The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Grid Coordinates (NAD 83) and may be brought to surface by applying the following combined scale factor: 1.000132378.

3. All non-perimeter easements on property lines are centered unless otherwise noted.

4. All bearings are based on the Texas Coordinate System of 1983, South Central Zone.

5. Unless otherwise indicated, the building lines (B.L.) whether one or more, shown on this subdivision plat are established to evidence compliance with the applicable provisions of the City of Rosenberg, Texas, in effect at the time of this plat.

6. Walnut Creek Section SEVENTEEN is located within UNSHADED ZONE X per FEMA Flood Insurance Rate Map (FIRM) Panel 48157C0265L which bears an effective date of April 2, 2014. The nearest base flood elevation is 78.00' (NAVD 88).

7. All property to drain into the drainage easement only through an approved drainage structure.

8. The minimum slab elevation shall be 82.50', eighteen inches (18") above the 100-year flood plain elevation, or eighteen inches (18") above natural ground, or eighteen inches (18") above the top of curb at the front of the lot or twelve inches (12") above maximum ponding elevation, whichever is higher. The top of slab elevation at any point on the perimeter of the slab shall not be less than eighteen inches (18") above natural ground.

9. The drainage system for this subdivision is designed in accordance with the "Fort Bend County Drainage Criteria Manual" which allows street ponding with intense rainfall events.

10. All drainage easements are to be kept clear of fences, buildings, vegetation and other obstructions to the operation and maintenance by the drainage facility.

11. Sidewalks shall be built or caused to be built through restrictive covenants not less than five (5) feet in width on both sides of all dedicated public rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with the A.D.A.

12. This plat lies within Fort Bend County lighting ordinance zone No. LZ2

13. Lots are restricted to single family residential use.

14. This plat lies wholly within Fort Bend County Municipal Utility District No. 152, Fort Bend Subsidence District, Fort Bend County Drainage District, Lamar Consolidated I.S.D., the ETJ of the City of Rosenberg and Fort Bend County.

15. BENCHMARK: AW4239, an NGS disk with the stamping W 811 1943, located 13.0 miles northeast from Guy, Texas as follows. 7.65 miles northeast along Farm Road 1994 from the junction with State Highway 36 in Guy, thence 5.35 miles northeast along Farm Road 762, at the junction of Smithers Lake Road 49.5 feet southeast of the center line of Farm Road 762, 42.0 feet southwest of the center line of Smithers Lake Road, 11.5 feet east-southeast of a T junction telephone pole with a metal box and guy wire, 10.0 feet east-southeast of a fence corner post, 3.0 feet southwest of a fence, 8.9 feet southeast of a fence, 8.9 feet southeast of a witness post, about level with the road, and set in the top of a concrete post projecting 0.2 foot above the ground. NAVD 88 (2001 ADJ.) ELEVATION = 75.10

PROJECT BENCHMARK: A bronze disk will be set in concrete 5 feet south of the north R.O.W. line of Walnut Manor Lane at the intersection with Laurel Shadows Lane.

TEMPORARY BENCHMARK: A benchmark will be set near the Walnut Creek Section Sixteen plat boundary corner in the east R.O.W. line of Shoal Valley Lane.

16. Each lot shall have a minimum five (5) foot interior side lot set back line

17. A minimum distance of 10' shall be maintained between residential dwellings.

18. Elevations used for delineating contour lines are based upon U.S.C. & G.S. Datum, NAVD 88 (2001 ADJ.).

19. This plat was prepared to meet City of Rosenberg and Fort Bend County requirements.

20. One-foot reserve dedicated to the public in fee as a buffer separation between the side and end of streets where such streets abut adjacent property. The condition of such dedication being that when the adjacent property is subdivided or re-subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purposes and the fee title thereto shall revert to and revest in the dedicator, his heirs, assigns or successors.

21. This plat was prepared from information furnished by Stewart Title Company, File No. 17157035520, Effective Date March 1, 2017. The surveyor has not abstracted the above property.

22. Approval of this plat will expire one year from City Council approval if not recorded in the real property records of the County of Fort Bend.

23. Five eighths inch (5/8") iron rods three feet (3') in length are set on all perimeter boundary corners, all angle points, all points of curvature and tangency, and all block corners, unless otherwise noted.

24. There are no pipelines and/or pipeline easements within the limits of the proposed subdivision.

25. Lot 34 of Block 1 is denied direct access to Thornberry Springs Lane.

26. Restrictions: Those recorded in/under Clerk's File No. 2005095085 of the Official Public Records of Fort Bend County, Texas; but omitting any covenants, condition, or restriction, if any, based on race, color, religion, sex, handicap, familial status or national origin unless and to the extent that the covenant, condition or restriction (a) is exempt under Title 42 of the United States Code or (b) relates to handicap, but does not discriminate against handicapped persons.

27. All Drainage Easements are to be maintained by the Municipal Utility District, F.B.C.M.U.D. No. 152.

28. All Landscaping and Open Space Reserves are to be maintained by the Home Owner's Association.

PARK LAND DEDICATION TABLE


TOTAL NUMBER OF LOTS: 49 LOTS PUBLIC PARK REQUIREMENT: 49 LOTS/160 = 0.31 AC. PUBLIC PARK DEDICATION: 0 PRIVATE PARK CREDIT PROVIDED WITH THE RECREATION CENTER. RECREATION SITE IS ±3.9 ACRES. NO. OF PLATTED LOTS THUS FAR (SEC. 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 15, 16 AND 17) = 788 LOTS. 788/2 = 394 LOTS

25 LOTS X \$350.00/LOT = \$8.750.00

394 LOTS/160 = 2.46 ACRES OF CREDIT USED.

PARK LAND DEDICATION: 49 LOTS/2 = 25 LOTS

MONEY IN LIEU OF PUBLIC



N.T.S. KEY MAP: 645D & 646A

I, Richard W. Stolleis, County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

> Richard W. Stolleis, P.E. **Fort Bend County Engineer**

Vincent M. Morales, Jr. Precinct 1, County Commissioner	W.A. "Andy" Meyers Precinct 3, County Commissioner
Robert E. Hebert County Judge	
Grady Prestage Precinct 2, County Commissioner	James Patterson Precinct 4, County Commissioner
I, Laura Richard, County Clerk in and instrument with its certificate of authe	for Fort Bend County, hereby certify that the foregoing ntication was filed for recordation in my office on
instrument with its certificate of authe	for Fort Bend County, hereby certify that the foregoing ntication was filed for recordation in my office on o'clockM. Filed in plat number(s)
instrument with its certificate of authe	ntication was filed for recordation in my office on

WALNUT CREEK SECTION SEVENTEEN

A SUBDIVISION OF

15.215 ACRES CONTAINING


49 LOTS, 3 BLOCKS AND 6 RESTRICTED RESERVES

WILEY MARTIN LEAGUE, A-56 FORT BEND COUNTY, TEXAS

OWNER: FRIENDSWOOD DEVELOPMENT COMPANY

PLANNER: BGE KERRY R. GILBERT & ASSOCIATES


ENGINEER:




13430 NW. Freeway, Suite 700 Houston, Tx. 77040 713.462.3178

JUNE 28, 2017 IDS JOB NO. 0371-165-00

Sheet 1 of 3





	RESERVE TABLE							
	RESERVE NAME	AREA ACRES	AREA SQ. FT.	RESTRICTED TO				
\bigcirc	RESTRICTED RESERVE A	0.050	2,164	LANDSCAPING/ OPEN SPACE/ UTILITIES				
\bigcirc B	RESTRICTED RESERVE B	1.583	68,954	LANDSCAPING/ OPEN SPACE/ UTILITIES				
(c)	RESTRICTED RESERVE C	0.055	2,389	LANDSCAPING/ OPEN SPACE/ UTILITIES				
O	RESTRICTED RESERVE D	0.134	5,853	LANDSCAPING/ OPEN SPACE/ UTILITIES				
Œ	RESTRICTED RESERVE E	0.257	11,198	LANDSCAPING/ OPEN SPACE/ UTILITIES				
Œ	RESTRICTED RESERVE F	0.048	2,105	LANDSCAPING/ OPEN SPACE/ UTILITIES				

LOT WID	TH TABLE	PARCEL NAME	SQUARE FEET	ACRES
WIDTH <u><</u> 60'	0 LOTS (0%)	B1-1	9037	0.208
WIDTH > 60'	49 LOTS (100%)	B1-2	8963	0.206
TOTAL LOTS	49 LOTS	B1-3	14872	0.341
		B1-4	14693	0.337
		B1-5	9097	0.209
		B1-6	7923	0.182
		B1-7	8891	0.204
		B1-8	8355	0.192
		B1-9	8341	0.192
		B1-10	8903	0.204
		B1-11	9888	0.227
		B1-12	10275	0.236
		B1-13	9072	0.208
		B1-14	9366	0.215
		B1-15	8890	0.204
		B1-16	8192	0.188
		B1-17	8447	0.194
		B1-18	8988	0.206
		B1-19	10161	0.233
		B1-20	9351	0.215
		B1-21	8204	0.188
		B1-22	7589	0.174
		B1-23	8934	0.205
		B1-24	9296	0.213
		B1-25	9342	0.215
		B1-26	11276	0.259
		B1-27	13191	0.303
		B1-28	8981	0.206
		B1-29	8887	0.204
		B1-30	8024	0.184
		B1-31	7824	0.180
		B1-32	7537	0.173
		B1-33	8130	0.187
		B1-34	9964	0.229
		B2-1	8106	0.186
		B2-2	7826	0.180
		B2-3	7818	0.180
		B2-4	7826	0.180
		B2-5	7818	0.180
		B2-6	7826	0.180
		B2-7	7810	0.179
		B2-8	7818	0.180
		B2-9	8493	0.195
		B3-1	9663	0.222
		B3-2	9663	0.222

0.222

0.222 0.210

0.211

9663

9153 9203

B3-3

B3-5

		LINE TABLE			LINE TABLE CURVE TABLE					
\dashv	LINE	BEARING	LENGTH	CURVE	DELTA	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD DISTANCE
s	L1	S77°45'57"E	39.49'	C1	1°48'34"	290.00'	9.16'	4.58'	N83°47'37"W	9.16'
s l	L2	N74°06'37"E	32.30'	C2	0°55'24"	290.00'	4.67'	2.34'	S45°00'52"E	4.67'
\dashv	L3	S11°08'32"E	42.73'	C3	3°57'18"	1030.00'	71.10'	35.56'	N54°21'55"W	71.09'
S	L4	S14°01'35"W	67.07'	C4	88°11'52"	30.00'	46.18'	29.07'	N12°14'40"W	41.75'
S	L5	S85°50'22"W	55.90'	C5	0°17'33"	830.00'	4.24'	2.12'	N31°42'30"E	4.24'
S	L6	S66°54'53"W	45.90'	C6	92°05'44"	30.00'	48.22'	31.12'	S77°36'36"W	43.20'
S	L7	S48°49'36"W	76.04'	C7	90°00'00"	30.00'	47.12'	30.00'	N11°20'34"W	42.43'
_	L8	S24°55'52"W	58.61'	C8	90°00'03"	30.00'	47.12'	30.00'	S78°39'28"W	42.43'
	L9	S05°04'43"W	58.61'	C9	3°52'13"	1000.00'	67.55'	33.79'	N58°16'40"W	67.54'
	L10	S14°46'26"E	58.61'	C10	12°50'17"	800.00'	179.25'	90.00'	S25°08'35"W	178.88'
	L11	S34°37'35"E	58.61'	C11	25°27'47"	300.00'	133.32'	67.78'	S05°59'33"W	132.23'
	L12	N45°28'34"W	52.07'	C12	7°07'06"	1000.00'	124.24'	62.20'	N48°49'42"W	124.16'
	L13	N30°47'26"W	85.48'	C13	32°17'46"	300.00'	169.10'	86.86'	N04°18'31"E	166.87'
	L14	N26°12'53"W	52.27'	C14	16°13'54"	800.00'	226.64'	114.08'	N12°20'28"E	225.88'
	L15	N19°21'43"W	50.08'	C15	90°17'13"	320.00'	504.26'	321.61'	N00°19'57"W	453.68'
	L16	N13°15'14"W	50.08'	C16	28°06'57"	320.00'	157.03'	80.13'	S58°52'08"W	155.46'
	L17	N07°08'45"W	50.08'	C17	24°11'04"	320.00'	135.07'	68.56'	S85°01'08"W	134.07'
	L18	N01°02'17"W	50.08'	C18	62°10'55"	25.00'	27.13'	15.08'	N02°33'59"E	25.82'
	L19	N05°04'12"E	50.08'	C19	242°10'55"	50.00'	211.34'	82.92'	S87°26'01"E	85.63'
	L20	N11°10'41"E	50.08'	C20	12°50'17"	770.00'	172.53'	86.63'	N25°08'35"E	172.17'
	L21	N17°17'10"E	50.08'	C21	14°40'15"	270.00'	69.14'	34.76'	N11°23'19"E	68.95'
	L22	N23°23'39"E	50.08'	C22	48°30'10"	25.00'	21.16'	11.26'	N20°11'53"W	20.54'
1	L23	N29°30'03"E	50.06'	C23	265°12'48"	50.00'	231.44'	54.36'	N88°09'26"E	73.60'
	L24	N33°32'23"E	42.11'	C24	38°32'29"	25.00'	16.82'	8.74'	S21°29'35"W	16.50'
_	L25	N37°36'44"E	81.00'	C25	16°30'06"	330.00'	95.04'	47.85'	S10°28'24"W	94.71'
	L26	N56°20'34"W	24.97'	C26	12°50'17"	830.00'	185.97'	93.38'	S25°08'35"W	185.59'
_	L27	N58°26'16"W	60.00'	C27	5°45'21"	1030.00'	103.47'	51.78'	S49°30'35"E	103.43'
	L28	N56°20'34"W	60.00'	C28	79°31'26"	30.00'	41.64'	24.96'	S86°23'37"E	38.38'
\dashv	L29	N56°20'34"W	54.26'	C29	11°50'30"	350.00'	72.34'	36.30'	N59°45'55"E	72.21'
4	L30	S07°06'40"W	60.00'	C30	69°50'21"	25.00'	30.47'	17.45'	N30°46'00"E	28.62'
	L31	S33°39'26"W	81.20'	C31	24°36'35"	330.00'	141.74'	71.98'	N08°09'07"E	140.66'
_	L32	S56°20'34"E	20.00'	C32	11°57'07"	770.00'	160.62'	80.60'	N14°28'51"E	160.33'
_	L33	N45°11'21"W	30.00'	C33	52°07'07"	25.00'	22.74'	12.23'	N17°33'16"W	21.97'
\perp	L34	N20°27'24"E	98.42'	C34	263°56'50"	50.00'	230.34'	55.58'	N88°21'36"E	74.35'
	L35	S85°46'29"E	6.74'	C35	33°08'43"	25.00'	14.46'	7.44'	S23°45'39"W	14.26'
	L36	N33°39'26"E	14.87'	C36	13°16'06"	830.00'	192.21'	96.54'	S13°49'21"W	191.78'
	L37	S33°39'26"W	81.20'	C37	19°19'57"	270.00'	91.10'	45.99'	S10°47'26"W	90.67'
	L38	N20°27'24"E	98.42'	C38	98°03'37"	25.00'	42.79'	28.79'	S47°54'21"E	37.75'
	L39	S20°27'24"W	98.42'	C39	14°02'50"	350.00'	85.81'	43.12'	S89°54'45"E	85.59'
				C40	139°51'16"	290.00'	707.87'	793.63'	S25°22'28"W	544.77'
				C41	81°08'42"	350.00'	495.69'	299.69'	N04°54'13"W	455.29'
				C42	82°28'40"	30.00'	43.19'	26.30'	N05°34'12"W	39.55'



15.215 ACRES

49 LOTS, 3 BLOCKS AND 6 RESTRICTED RESERVES

OUT OF THE WILEY MARTIN LEAGUE, A-56 FORT BEND COUNTY, TEXAS

OWNER: FRIENDSWOOD DEVELOPMENT COMPANY
681 GREENS PARKWAY, SUITE 220 - HOUSTON, TEXAS 77067 - PHONE: 281-975-1000

PLANNER: BGE KERRY R. GILBERT & ASSOCIATES
23501 CINCO RANCH BOULEVARD, SUITE A-250 - KATY, TEXAS 77494 - (281) 579-0340



13430 NW. Freeway, Suite 700 Houston, Tx. 77040 713.462.3178 TBPE F-002726 TBPLS 10110700

JUNE 28, 2017 IDS JOB NO. 0371-165-00