PLAT RECORDING SHEET

| PLAT NAME: | Tamarron Trace Section 3 Street Dedication |
|---------------|---|
| | |
| | |
| DI ATINO | |
| PLAT NO: | |
| ACREAGE: | 5.254 |
| LEAGUE: | A. G. Sharpless Survey, Micajah Autrey Survey |
| | |
| | |
| ABSTRACT NU | JMBER: 322, 100 |
| | |
| | |
| NUMBER OF B | BLOCKS: 0 |
| | |
| NUMBER OF L | LOTS: 0 |
| NUMBER OF R | RESERVES: 0 |
| OWNERS: D. | R. Horton-Texas, Ltd. a Texas Limited Partnership |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| (DEPUTY CLERK | |

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSES FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11'6") FOR TEN FEET (10'0") PERIMETER GROUND EASEMENTS OR SEVEN FEET, SIX INCHES (7'6") FOR FOURTEEN FEET (14'0") PERIMETER GROUND EASEMENTS OR FIVE FEET, SIX INCHES (5'6") FOR SIXTEEN FEET (16'0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED, HEREON, WHEREBY THE AERIAL EASEMENT TOTALS TWENTY ONE FEET, SIX INCHES (21'6") IN WIDTH.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSES FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10' 0") FOR TEN FEET (10' 0") BACK—TO—BACK GROUND EASEMENTS, OR EIGHT FEET (8' 0") FOR FOURTEEN FEET (14' 0") BACK—TO—BACK GROUND EASEMENTS OR SEVEN FEET (7' 0") FOR SIXTEEN FEET (16' 0") BACK—TO—BACK GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16' 0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENT TOTALS THIRTY FEET (30' 0") IN WIDTH.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT IS HEREBY RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY OR INDIRECTLY.

FURTHER, OWNERS DO HEREBY DEDICATE TO THE PUBLIC A STRIP OF LAND TWENTY (20) FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL BAYOUS, CREEKS, GULLIES, RAVINES, DRAWS, AND DRAINAGE DITCHES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES. FORT BEND COUNTY OR ANY OTHER GOVERNMENTAL AGENCY SHALL HAVE THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSES OF CONSTRUCTION AND MAINTENANCE OF DRAINAGE FACILITIES AND STRUCTURES.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS SUBDIVISION AND ADJACENT TO ANY DRAINAGE EASEMENT, DITCH, GULLY, CREEK OR NATURAL DRAINAGE WAY SHALL HEREBY BE RESTRICTED TO KEEP SUCH DRAINAGE WAYS AND EASEMENTS CLEAR OF FENCES, BUILDINGS, EXCESSIVE VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AND THAT SUCH ABUTTING PROPERTY SHALL NOT BE PERMITTED TO DRAIN DIRECTLY INTO THIS EASEMENT EXCEPT BY MEANS OF AN APPROVED DRAINAGE STRUCTURE.

FURTHER, OWNERS DO HEREBY CERTIFY THAT THEY ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION OF TAMARRON TRACE SECTION 3 STREET DEDICATION WHERE BUILDING SETBACK LINES OR PUBLIC UTILITY EASEMENTS ARE TO BE ESTABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION AND DO HEREBY MAKE AND ESTABLISH ALL BUILDING SETBACK LINES AND DEDICATE TO THE USE OF THE PUBLIC, ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID ADJACENT ACREAGE.

FURTHER, OWNERS DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS' COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT

IN TESTIMONY WHEREOF, D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED PARTNERSHIP, HAS CAUSED THESE PRESENTS TO BE SIGNED BY CHRIS LINDHORST, ITS PRESIDENT, THEREUNTO

D.R. HORTON-TEXAS, LTD. A TEXAS LIMITED PARTNERSHIP

BY: CHRIS LINDHORST, PRESIDENT

STATE OF TEXAS COUNTY OF FORT BEND

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED CHRIS LINDHORST, PRESIDENT OF D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED PARTNERSHIP, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED

GIVEN UNDER MY HAND AND SFAL OF OFFICE,

THIS _____ DAY OF OCTOBER_____, 20

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS



I, GARY D. NUTTER, A REGISTERED PROFESSIONAL LAND SURVEYOR, AM REGISTERED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT; WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND; THAT ALL BOUNDARY CORNERS, ANGLE POINTS, POINTS OF CURVATURE AND OTHER POINTS OF REFFRENCE HAVE BEEN MARKED WITH IRON (OR OTHER SUITABLE PERMANENT METAL) PIPES OR RODS HAVE AN OUTSIDE DIAMETER OF NOT LESS THAN FIVE EIGHTHS (5/8) INCH AND A LENGTH OF NOT LESS THAN THREE (3) FEET WITH PLASTIC CAP MARKED "LJA ENG" UNLESS OTHERWISE NOTED. (SEE NOTE 17)

GARY D. NUTTER, R.P.L.S.
REGISTERED PROFESSIONAL LAND SURVEYOR
TEXAS REGISTRATION NO. 5659

Page and the second of the second sec

I, MELONY F. GAY, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE

MELONY F. GAY, P.E. LICENSED PROFESSIONAL ENGINEER TEXAS LICENSE NO. 85459



An Moleca

Carlos Carlos

AUSTIN WEANT, VICE-CHAIR

JEFF W. ROBERTS, MAYOR

THANK CORDON OFFORD CITY SECRETARY

BEING 5.254 ACRES OF LAND LOCATED IN THE MICAJAH AUTRY SURVEY, ABSTRACT 100 AND THE A. G. SHARPLESS SURVEY, ABSTRACT 322, FORT BEND COUNTY, TEXAS, MORE PARTICULARLY BEING A PORTION OF THAT CERTAIN CALLED 631.26 ACRE TRACT AND THAT CERTAIN CALLED 30.53 ACRE TRACT (DESCRIBED AS TRACT III) CONVEYED TO D. R. HORTON — TEXAS, LTD BY AN INSTRUMENT OF RECORD UNDER FILE NUMBER 2013000056 OF THE OFFICIAL PUBLIC RECORDS OF SAID FORT BEND COUNTY (F.B.C.O.P.R.), SAID 5.254 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS (ALL BEARINGS REFERENCED TO THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE, NAD83, EPOCH 2010.00);

COMMENCING FOR REFERENCE AT A 5/8-INCH IRON ROD WITH CAP STAMPED "BROWN & GAY" FOUND MARKING THE SOUTHEAST CORNER OF SAID 30.53 ACRE TRACT, SAME BEING AN INTERIOR CORNER ON THE NORTHERLY LINE OF THAT CERTAIN CALLED 1913.31 ACRE TRACT (TRACT "A") CONVEYED TO CCR TEXAS HOLDINGS, LP BY AN INSTRUMENT OF RECORD UNDER FILE NUMBER 2012038964, F.B.C.O.P.R., SAID POINT BEING ON THE NORTHWESTERLY LINE OF KATY-FULSHEAR ROAD;

THENCE, SOUTH 55° 45' 32" WEST, ALONG THE NORTHWESTERLY LINE OF KATY-FULSHEAR ROAD AND THE SOUTHEASTERLY LINE OF SAID 30.53 ACRE TRACT, 136.71 FEET TO THE POINT OF BEGINNING AND SOUTHEAST CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE, SOUTH 55° 45' 32" WEST, CONTINUING ALONG THE NORTHWESTERLY LINE OF KATY-FULSHEAR ROAD AND THE SOUTHEASTERLY LINE OF SAID 30.53 ACRE TRACT, 160.06 FEET TO THE SOUTHWEST CORNER OF THE HEREIN DESCRIBED TRACT, THE BEGINNING OF A CURVE;

THENCE, 47.97 FEET, DEPARTING THE NORTHWESTERLY LINE OF KATY-FULSHEAR ROAD AND THE SOUTHEASTERLY LINE OF SAID 30.53 ACRE TRACT AND ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 91° 37' 18" AND A CHORD WHICH BEARS NORTH 09° 56' 54" EAST, 43.02 FEET TO A POINT FOR CORNER;

THENCE, NORTH 35° 51' 45" WEST, 996.07 FEET TO A POINT FOR CORNER, THE BEGINNING OF A CURVE;

THENCE, 168.46 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 1,050.00 FEET, A CENTRAL ANGLE OF 09° 11' 32" AND A CHORD WHICH BEARS NORTH 31° 15' 59" WEST, 168.28 FEET TO A POINT FOR CORNER, THE BEGINNING OF A REVERSE CURVE;

THENCE, 44.17 FEET ALONG THE ARC OF A TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 84° 21' 07" AND A CHORD WHICH BEARS NORTH 68° 50' 47" WEST, 40.28 FEET TO A POINT FOR CORNER;

THENCE, SOUTH 68° 58' 40" WEST, 4.72 FEET TO A POINT FOR CORNER;

THENCE, NORTH 21° 01' 20" WEST, 80.00 FEET TO A POINT FOR CORNER, THE BEGINNING OF A CURVE;

THENCE, 46.19 FEET ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 88° 12' 41" AND A CHORD WHICH BEARS NORTH 24° 52' 19" EAST, 41.76 FEET TO A POINT FOR CORNER, THE BEGINNING OF A REVERSE CURVE;

THENCE, 316.50 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 1,050.00 FEET, A CENTRAL ANGLE OF 17° 16' 14" AND A CHORD WHICH BEARS NORTH 10° 35' 54" WEST, 315.30 FEET TO A POINT FOR CORNER;

THENCE, NORTH 01° 57' 47" WEST, 592.63 FEET TO A POINT FOR CORNER:

THENCE, NORTH 88° 02' 13" EAST, 100.00 FEET TO A POINT FOR CORNER;

THENCE, SOUTH 01° 57' 47" EAST, 592.63 FEET TO A POINT FOR CORNER, THE BEGINNING OF A RVE;

THENCE, 283.18 FEET ALONG THE ARC OF A TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 950.00 FEET, A CENTRAL ANGLE OF 17° 04' 43" AND A CHORD WHICH BEARS SOUTH 10° 30' 09" EAST, 282.13 FEET TO A POINT FOR CORNER, THE BEGINNING OF A COMPOUND CURVE;

THENCE, 45.11 FEET ALONG THE ARC OF A TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 86° 08' 56" AND A CHORD WHICH BEARS SOUTH 62° 06' 59" EAST, 40.98 FEET TO A POINT FOR CORNER, THE BEGINNING OF A REVERSE CURVE;

THENCE, 30.39 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 340.00 FEET, A CENTRAL ANGLE OF 05° 07' 18" AND A CHORD WHICH BEARS NORTH 77° 22' 12" EAST, 30.38 FEET TO A POINT FOR CORNER;


THENCE, SOUTH 10° 04' 09" EAST, 80.00 FEET TO A POINT FOR CORNER, THE BEGINNING OF A CURVE;

THENCE, 56.47 FEET ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 107° 51' 01" AND A CHORD WHICH BEARS SOUTH 26° 00' 21" WEST, 48.49 FEET TO A POINT FOR CORNER, THE BEGINNING OF A COMPOUND CURVE;

THENCE, 131.70 FEET ALONG THE ARC OF A TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 950.00 FEET, A CENTRAL ANGLE OF 07° 56' 35" AND A CHORD WHICH BEARS SOUTH 31° 53' 28" EAST, 131.60 FEET TO A POINT FOR CORNER;

THENCE, SOUTH 35° 51' 45" EAST, 1,000.60 FEET TO A POINT FOR CORNER, THE BEGINNING OF A CURVE;

THENCE, 46.27 FEET ALONG THE ARC OF A TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 88° 22' 42" AND A CHORD WHICH BEARS SOUTH 80° 03' 06" EAST. 41.82 FEET TO THE POINT OF BEGINNING AND CONTAINING 5.254 ACRES OF LAND.



KEY MAP NO. 483Q

I, RICHARD W. STOLLEIS, FORT BEND COUNTY ENGINEER, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OR SUBDIVISION WITHIN THE WATERSHED.

RICHARD W. STOLLEIS, P.E. FORT BEND COUNTY ENGINEER

APPROVED BY THE COMMISSIONERS' COURT OF FORT BEND COUNTY, TEXAS,

THIS ______, DAY OF _______, 20

VINCENT M. MORALES, JR. PRECINCT 1, COUNTY COMMISSIONER

GRADY PRESTAGE
PRECINCT 2, COUNTY COMMISSIONER

ROBERT E. HEBERT COUNTY JUDGE

W. A. (ANDY) MEYERS

JAMES PATTERSON

THE PLAT RECORDS OF FORT BEND COUNTY, TEXAS.

WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS. THE DAY AND DATE LAST ABOVE WRITTEN.

LAURA RICHARD, COUNTY CLERK FORT BEND COUNTY, TEXAS

BY: DEPUTY

FINAL PLAT OF
TAMARRON TRACE SECTION 3
STREET DEDICATION

A SUBDIVISION OF 5.254 ACRES OF LAND SITUATED IN THE A. G. SHARPLESS SURVEY ABSTRACT 322 AND MICAJAH AUTREY SURVEY, ABSTRACT 100, FORT BEND COUNTY, TEXAS.

LOTS 0 RESERVES 0 BLOCK

SEPTEMBER 25, 2017

JOB NO. 1931-1313C

OWNERS:
D.R. HORTON-TEXAS, LTD.

A TEXAS LIMITED PARTNERSHIP

CHRIS LINDHORST, PRESIDENT

14100 SOUTHWEST FREEWAY, SUITE 500, SUGAR LAND, TEXAS 77478

(281) 566-2100

ENGINEER/SURVEYOR:

LJA Engineering, Inc.
1904 W. Grand Parkway North
Suite 100
Katy, Texas 77449

Phone 713.953.5200 Fax 713.953.5026 FRN-F-1386 T.B.P.L.S. Firm No. 10110501

SHEET 1 OF 3

- 4 6F Z

NOTES.

- 1. BENCHMARK: NGS MONUMENT HGCSD 66: TOP OF A STAINLESS STEEL ROD THAT IS ENCASED IN A 5-INCH PVC PIPE WITH A LOGO CAP STAMPED HGCSD 66 1986. THE POINT IS LOCATED ±72 FEET WEST OF THE CENTERLINE OF FM 1463 AND ±0.34 MILES NORTH OF THE INTERSECTION OF FM 1463 AND CHURCHILL FARMS BLVD. KATY, TX.
- 2. TBM INDICATES TEMPORARY BENCHMARK: TBM 13: A BRASS DISK ON A CONCRETE CURB INLET LOCATED ALONG THE EAST SIDE OF THE NORTH BOUND LANE OF TAMARRON TRACE. THE POINT IS LOCATED ±290 FEET SOUTH OF THE CENTERLINE OF THE INTERSECTION OF TAMARRON TRACE AND TAMARRON PARKWAY.
- TO ADJUST TO FORT BEND CO. LIDAR DATUM ADD 0.39 FEET.

ELEV. = 136.21 FEET NAVD88

ELEV. = 142.09 FEET NAVD88

- 3. ELEVATIONS FOR DELINEATING CONTOUR LINES ARE BASED UPON NAVD-88.
- 4. THIS PLAT WAS PREPARED TO MEET THE CITY OF FULSHEAR AND FORT BEND COUNTY REQUIREMENTS.
- 5. THIS PLAT WAS PREPARED FROM INFORMATION FURNISHED BY DHI TITLE OF CENTRAL TEXAS, EFFECTIVE SEPTEMBER 13, 2017 AND ISSUED SEPTEMBER 21, 2017. THE SURVEYOR HAS NOT ABSTRACTED THE
- 6. THIS PLAT LIES WHOLLY WITHIN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 182, FORT BEND SUBSIDENCE DISTRICT, FORT BEND COUNTY DRAINAGE DISTRICT, FORT BEND COUNTY, PARTIALLY WITHIN KATY INDEPENDENT SCHOOL DISTRICT, PARTIALLY WITHIN LAMAR CONSOLIDATED INDEPENDENT SCHOOL DISTRICT, PARTIALLY WITHIN THE CITY OF FULSHEAR CITY LIMITS
- 7. THIS SUBDIVISION LIES WITHIN UNSHADED ZONE X AS PER FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA) FLOOD INSURANCE RATE MAP (FIRM), MAP NO. 48157C 0085, REVISED APRIL 2, 2014, DEFINED AS AREAS OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN; LJA DOES NOT WARRANT NOR
- 8. APPROVAL OF THIS PLAT WILL EXPIRE ONE YEAR FROM PLANNING AND ZONING APPROVAL IF NOT RECORDED IN THE REAL PROPERTY RECORDS OF THE COUNTY OF FORT BEND.
- 9. THE PIPELINES AND PIPELINE EASEMENTS WITHIN THE LIMITS OF THE SUBDIVISION ARE SHOWN
- 10. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING DURING INTENSE RAINFALL EVENTS.
- 11. ALL DRAINAGE EASEMENTS TO BE KEPT CLEAR OF FENCES, BUILDINGS, VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATION AND MAINTENANCE OF THE DRAINAGE FACILITY.
- 12. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED DRAINAGE STRUCTURE.
- 13. THIS PLAT LIES WITHIN FORT BEND COUNTY LIGHTING ORDINANCE ZONE NO. 3.
- 14. THE COORDINATES AND BEARINGS SHOWN HEREON ARE TEXAS COORDINATE SYSTEM SOUTH CENTRAL ZONE NO. 4204 STATE PLANE GRID COORDINATES (NAD83) AND MAY BE BROUGHT TO SURFACE BY APPLYING THE FOLLOWING COMBINED SCALE 1.00011591065.
- 15. SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT NOT LESS THAN 5 FEET IN WIDTH ON BOTH SIDES OF ALL DEDICATED RIGHTS-OF-WAY WITHIN SAID PLAT AND ON THE CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS SURROUNDING SAID PLAT, IN ACCORDANCE WITH ADA REQUIREMENTS
- 16. OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE DETENTION FACILITY IS VESTED IN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 182.
- 17. FIVE EIGHTHS INCH (5/8") IRON RODS THREE FEET (3") IN LENGTH WITH A PLASTIC CAP MARKED "LJA ENG" WILL BE SET ON ALL PERIMETER BOUNDARY CORNERS. LOT, BLOCK, AND RESERVE CORNERS WILL BE SET UPON COMPLETION OF ROAD CONSTRUCTION AND PRIOR TO LOT CONSTRUCTION.
- 18. ONE—FOOT RESERVE DEDICATED TO THE CITY IN FEE AS A BUFFER SEPARATION BETWEEN THE SIDE OR END OF STREETS WHERE SUCH STREETS ABUT ADJACENT ACREAGE TRACTS, THE CONDITION OF SUCH DEDICATION BEING THAT WHEN THE ADJACENT PROPERTY IS SUBDIVIDED PURSUANT TO A RECORDED PLAT, THE ONE—FOOT RESERVE SHALL THEREUPON BECOME VESTED IN THE PUBLIC FOR STREET RIGHT—OF—WAY PURPOSES AND THE FEE TITLE THERETO SHALL REVERT TO AND REVEST IN THE DEDICATOR, HIS HEIRS, ASSIGNS OR SUCCESSORS.
- 19. THIS EASEMENT WILL BE RECORDED WITH (FUTURE) TAMARRON SECTION 16 PLAT.

| LINE TABLE | | | | | |
|------------|---------------|----------|--|--|--|
| LINE | BEARING | DISTANCE | | | |
| L1 | N 88'02'13" E | 100.00' | | | |
| L2 | S 10'04'09" E | 80.00' | | | |
| L3 | S 68'58'40" W | 4.72' | | | |
| L4 | N 21°01'20" W | 80.00 | | | |

| CURVE | RADIUS | DELTA | ARC | CHORD | CHORD BEARING |
|-----------|---------|------------|---------|---------|---------------|
| C1 | 950.00' | 17'04'43" | 283.18 | 282.13 | S 10'30'09" E |
| C2 | 30.00 | 86'08'56" | 45.11 | 40.98 | S 62"06"59" E |
| C3 | 340.00 | 5'07'18" | 30.39 | 30.38 | N 77'22'12" E |
| C4 | 30.00 | 107'51'01" | 56.47 | 48.49' | S 26'00'21" W |
| C5 | 950.00' | 7'56'35" | 131.70 | 131.60' | S 31'53'28" E |
| C6 | 30.00 | 88'22'42" | 46.27 | 41.82 | S 80'03'06" E |
| C7 | 30.00 | 91'37'18" | 47.97 | 43.02' | N 09'56'54" E |
| C8 | 1050.00 | 9"11"32" | 168.46 | 168.28 | N 31°15'59" W |
| C9 | 30.00 | 84'21'07" | 44.17 | 40.28 | N 68'50'47" W |
| C10 | 30.00* | 88'12'41" | 46.19 | 41.76 | N 24*52*19" E |
| C11 | 1050.00 | 17*16'14" | 316.50 | 315.30' | N 10'35'54" W |
| C12 | 1000.00 | 33'53'58" | 591.66' | 583.07' | S 18'54'46" E |
| C13 | 300.00 | 10'57'11" | 57.35 | 57.26' | N 74'27'15" E |

LEGEND

RI INDICATES BUILDING LINE

B.L. INDICATES BUILDING LINE
U.E. INDICATES UTILITY EASEMENT

D.E. INDICATES DRAINAGE EASEMENT

S.E. INDICATES SANITARY SEWER EASEMENT

F.B.C.P.R. INDICATES FORT BEND COUNTY PLAT RECORDS

F.B.C.O.R. INDICATES FORT BEND COUNTY OFFICIAL RECORDS

O.P.R. INDICATES FORT BEND COUNTY OFFICIAL PUBLIC RECORDS
C.D.R. INDICATES FORT BEND COUNTY DEED RECORDS

R.O.W. INDICATES RIGHT-OF-WAY


A.E. INDICATES AERIAL EASEMENT


P.O.C. INDICATES POINT OF COMMENCEMENT

F.N. INDICATES FILE NUMBER

RES. INDICATES RESERVE

U.V.E. INDICATES UNOBSTRUCTED VISIBILITY EASEMENT





FINAL PLAT OF TAMARRON TRACE SECTION 3 STREET DEDICATION

A SUBDIVISION OF 5.254 ACRES OF LAND SITUATED IN THE A. G. SHARPLESS SURVEY ABSTRACT 322 AND MICAJAH AUTREY SURVEY, ABSTRACT 100, FORT BEND COUNTY, TEXAS.

O LOTS O RESERVES O BLOCK

SEPTEMBER 25, 2017

JOB NO. 1931-1313C

OWNERS:

D.R. HORTON-TEXAS, LTD.
A TEXAS LIMITED PARTNERSHIP
CHRIS LINDHORST, PRESIDENT

(281) 566-2100 ENGINEER/SURVEYOR:

14100 SOUTHWEST FREEWAY, SUITE 500, SUGAR LAND, TEXAS 77478

LJA Engineering, Inc 1904 W. Grand Parkway North Suite 100 Katy, Texas 77449

Phone 713.953.5200 Fax 713.953.5026 FRN-F-1386 T.B.P.L.S. Firm No. 10110501

SHEET 2 OF 3

