PLAT RECORDING SHEET

PLAT NAME:	Jordan Ranch, Sec. 11
PLAT NO:	
ACREAGE:	8.488
LEAGUE:	H. & T.C.R.R. Co. Survey Sec. 105
A DOTTO A OTT NIL	IMPED. 201
ABSTRACT NU	MBER: <u>261</u>
NUMBER OF B	LOCKS: 2
NUMBER OF L	
NUMBER OF R	
OWNERS: For	rt Bend Jordan Ranch LP
(DEPUTY CLERK)	

STATE OF TEXAS

COUNTY OF FORT BEND

I, STEPHEN A. SAMS, Vice President of JOHNSON JORDAN RANCH GP LLC, a Texas limited liability company, the general partner of FORT BEND JORDAN RANCH LP, a Texas limited partnership, hereinafter referred to as owners of the 8.488 acre tract described in the above and foregoing map of JORDAN RANCH SEC 11, do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions and notations on said maps or plat, and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements, and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors, and assigns to warrant and forever defend the title to the land so

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21'6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10'0") for ten feet (10'0") back-to-back ground easements, or eight feet (8'0") for fourteen feet (14'0") back-to-back ground easements or seven feet (7'0") for sixteen feet (16'0") back-to-back ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30'0") in width.

FURTHER, Owners do hereby declare that all parcels of land designated as lots on this plat are originally intended for the construction of single family residential dwelling units thereon (or the placement of mobile home subdivision) and shall be restricted for same under the terms and conditions of such restrictions filed separately.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this plat is hereby restricted to prevent the drainage of any septic tanks into any public or private street, permanent access easement, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, Owners do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purposes of construction and maintenance of drainage facilities and structures.

FURTHER. Owners do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby certify that we are the owners of all property immediately adjacent to the boundaries of the above and foregoing plat of JORDAN RANCH SEC 11 where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

FURTHER, Owners do hereby acknowledge the receipt of the "Orders for Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, JOHNSON JORDAN RANCH GP LLC, a Texas limited liability company, as general partner of FORT BEND JORDAN RANCH LP, a Texas limited partnership, has caused these presents to be signed by Stephen A. Sams, Vice President, this day of day of day.


> BY: FORT BEND JORDAN RANCH LP. a Texas Limited Partnership

BV: JOHNSON JORDAN RANCH GP. LLC a Texas Limited Liability Company It's General Partner

STATE OF TEXAS

COUNTY OF HARRIS

BEFORE ME, the undersigned authority, on this day personally appeared Stephen A. Sams, Vice President, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein and herein set out, and as the act and deed





I, Douglas W. Turner, am authorized under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.



I, John R. Herzog, A Professional Engineer registered in the State of Texas do hereby certify that this plat meets the requirements of Fort Bend County to the best of my knowledge



This plat of JORDAN RANCH SEC 11 is approved by the City Planning Commission of the City of Fulshear, Texas this

The plat of JORDAN RANCH SEC 11 was approved by the City of Fulshear Council on the 19 day of December 2017, and signed on this 2018 day of DECEMBER 2017, provided; however, this approval shall be invalid, and null and

Richard W. Stolleis, P.E.

I, Richard W. Stolleis, Fort Bend County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

Fort Bend County Engineer APPROVED by the Commissioners' Court of Fort Bend County, Texas, this _____ day of ______. Vincent M. Morales, Jr. W.A. "Andy" Meyers

> Robert E. Hebert County Judge

Precinct 2, County Comm

James Patterson Precinct 4, County Commission

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on o'clock _____M. Filed in plat number(s) __ _ of the plat records of Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.

Laura Richard, County Clerk Fort Bend County, Texas

BEING 8.488 acres of land in the H.&T.C.R.R. Co. Survey Section 105. Abstract Number 261, Fort Bend County, Texas, and being a portion of the 1352.43 acre tract described in the deed from The Massimo Fabio Silvestri Irrevocable Trust and The Rocco Paolo Silvestri Irrevocable Trust to Fort Bend Jordan Ranch LP recorded under File Number 2015027940 in the Official Public Records of Fort Bend County, Texas and more particularly described by metes and bounds as follows with bearings based on the Texas Coordinate System of

COMMENCING at a 5/8-inch iron rod with cap stamped "IDS" found for the most easterly corner of Restricted Reserve "C" of JORDAN RANCH SEC. 5 according to the plat thereof recorded under Film Code No. 20160010, in the Official Plat Records of Fort Bend County, Texas and an angle corner of the herein described tract;

THENCE South 07° 42' 46" East - 1167.96 feet, across said 1352.43 acre tract, to a 5/8-inch iron rod with cap stamped "IDS" set for the northwest corner and POINT OF BEGINNING of the herein described tract:

THENCE across said 1352.43 acre tract the following courses and distances:

South 83° 16' 55" East - 176.61 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

North 88° 05' 23" East - 225.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

North 01° 54' 37" West - 23.38 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

North 88° 05' 23" East - 60.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the left;

in a southeasterly direction, with said curve to the left, having a radius of 25.00 feet, a central angle of 90° 00' 00", and a chord bearing and distance of

South 46° 54' 37" East - 35.36 feet, an arc distance of 39.27 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the end of said curve; North 88° 05' 23" East - 110.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set in the west line of the 473.246 acre tract described in the deed from Carol W. Allen, et

al., to Dan J. Harrison, Jr. and recorded in Volume 528, Page 132 of the Deed Records of Waller County, Texas;

THENCE South 01° 54' 37" East - 623.38 feet, with the west line of said 473.246 acre tract, to a 5/8-inch iron rod with cap stamped "IDS" set for the southeast corner of the herein

THENCE across said 1352.43 acre tract the following courses and distances:

South 88° 05' 23" West - 372.30 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

South 83° 52' 23" West - 53.06 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

South 73° 37' 08" West - 44.01 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

South 64° 22' 19" West - 20.43 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle point;

North 25° 37' 41" West - 93.94 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a curve to the right;

in a northeasterly direction, with said curve to the right, having a radius of 30.00 feet, a central angle of 98° 41' 40", and a chord bearing and distance of North 23° 43' 09" East - 45.52 feet, an arc distance of 51.68 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the end of said curve;

North 16° 56' 01" West - 60.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the left;

THENCE, in a southwesterly direction, with said curve to the left, having a radius of 530.00 feet, a central angle of 01° 45' 40", and a chord bearing and distance of South 72° 11' 09" West - 16.29 feet, an arc distance of 16.29 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the end of said curve and the beginning of a curve to the right;

in a northwesterly direction, with said curve to the right, having a radius of 30.00 feet, a central angle of 86° 10' 20", and a chord bearing and distance of North 65° 36' 31" West - 40.99 feet, an arc distance of 45.12 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the end of said curve and the beginning of a curve to the right;

in a northwesterly direction, with said curve to the right, having a radius of 770.00 feet, a central angle of 34° 03' 05", and a chord bearing and distance of North 05° 29' 48" West - 450.91 feet, an arc distance of 457.62 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the end of said curve;

North 11° 31' 44" East - 26.61 feet to the POINT OF BEGINNING of the herein described tract and containing 8.488 acres of land.

1. The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Grid Coordinates (NAD83) and may be brought to surface by applying the combined scale factor of 1.00013.

2. B.L. indicates a building line A.E. indicates a aerial easement

U.E. indicates a utility easement W.S.E. indicates a water and sewer easement

VOL., PG. indicates Volume, Page

P.R.F.B.C. indicates Plat Records of Fort Bend County

O.P.R.F.B.C. indicates Official Public Records of Fort Bend County

O.R.F.B.C. indicates Official Records of Fort Bend County F.B.C. O.R.R.P. indicates Fort Bend County Official Public Record of Real Property

ESMT. indicates Easement H.L. & P. indicates Houston Lighting and Power

SQ. FT. indicates square feet

AC. indicates acre R.O.W. indicates right-of-way

• indicates found 5/8" iron rod (unless otherwise noted)

o indicates set 5/8" iron rod with plastic cap stamped "IDS" (unless otherwise noted)

3. All building lines along street rights-of-way are as shown on the plat.

4. All sidelot building lines to be 5' unless otherwise noted.

5. All non-perimeter easements on property lines are centered unless otherwise noted.

6. All bearings are based on the Texas Coordinate System of 1983, South Central Zone.

7. One-foot reserve dedicated for buffer purposes to the public in fee as a buffer separation between the side or end of streets where such streets abut adjacent property, the condition of such dedication being that when the adjacent property is subdivided or re-subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purposes and the fee title thereto shall revert to and revest in the dedicator, his heirs, assigns, or successors.

8. The platted area is located within Zone X, defined as areas determined to be outside the 500 year floodplain, per FEMA Flood Insurance Rate Map Panel No. 48157C0020L, effective April 02, 2014.

9. This property lies within the extraterritorial jurisdiction of the City of Fulshear, Fort Bend County, Texas and within Fulshear Municipal Utility District No. 3A.

10. Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with the A.D.A.

11. The top of all floor slabs shall be a minimum of 153.50 feet above mean sea level. The top of slab elevation at any point on the perimeter of the slab shall not be less than eighteen (18) inches above natural ground.

12. The drainage system for this subdivision is designed in accordance with the "Fort Bend County Drainage Criteria Manual"

13. All drainage easements are to be kept clear of fences, buildings, vegetation and other obstructions to the operation and maintenance by the drainage facility. All property is required to drain into the drainage easement through an approved drainage structure.

14. The Lighting Zone Code Is LZ3.

15. To the best of the engineer's knowledge, all existing pipeline easements within the subdivision are shown on the plat.

16. Absent written authorization by the affected utilities, all utility easements must be kept unobstructed from any non-utility improvements or obstruction by property owner. Any unauthorized improvements or obstructions may be removed by the utility at the property owner's expense.

17. Benchmark: Vertically is based on a FEMA benchmark in Katy, RM 7: A US Coast and Geodetic survey disk marked Y 1148, located 0.3 ± miles east along the Missouri-Kansas-Texas railroad from the station at Katy and 5.2 feet ± southwest of the southeast corner of the American Rice Growers Co-op Association office building. Held the Published NAVD 88 Elevation on Y1148 = 141.44

Elevation = 142,00 (NAVD 1929 - datum based on FEMA maps)


which allows street ponding with intense rainfall events.

18. Reserves A and B within this plat will be owned and maintained by Fulshear M.U.D. No. 3A. Maintenance will be performed by either Fulshear M.U.D. No. 3A or the Jordan Ranch Community Association

19. A minimum distance of 10' shall be maintained between residential dwellings.

20. Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval. Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning

21. The minimum distance of twenty-two (22) feet shall be maintained between a front facing garage and the edge of



FORT BEND COUNTY KEY MAP NO. 483J VICINITY MAP SCALE 1'' = 5,000'

FINAL PLAT OF

JORDAN RANCH SEC 11 A SUBDIVISION OF

8.488 ACRES

FORT BEND JORDAN RANCH LP

LOCATED IN

H. & T.C.R.R. CO. SURVEY, SECTION 105, A-261 FORT BEND COUNTY, TEXAS

34 LOTS 2 BLOCKS 2 RESERVES


OWNER:



Houston, Tx. 77040 713.462.3178

TBPE F-002726

IDS PROJECT NO. 2141-021-01 SHEET 1 OF 2



LINE TABLE				
LINE	BEARING	LENGTH		
L1	S88°05'23"W	162.80'		
L2	N46°54'37"W	1.57'		
L3	S01°54'37"E	265.00'		
L4	S88°05'23"W	365.05'		
L5	N01°54'37"W	5.44'		
L6	S01°54'37"E	123.38'		
L7	S01°54'37"E	55.00'		
L8	N88°05'23"E	165.00'		
L9	N33°09'43"W	30.56'		
L10	N19°45'36"E	25.30'		
L11	N57°30'03"E	19.64'		
L12	N53°37'54"W	20.00		

CURVE TABLE							
CURVE	DELTA	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD DISTANCE	
C1	90*00'00"	25.00'	39.27'	25.00'	S46°54'37"E	35.36'	
C2	98°41'40"	30.00'	51.68'	34.94'	N23°43'09"E	45.52	
С3	1°45'40"	530.00	16.29'	8.15'	S72°11'09"W	16.29'	
C4	86°10'20"	30.00'	45.12'	28.06'	N65°36'31"W	40.99'	
C5	34*03'05"	770.00'	457.62'	235.79'	N05°29'48"W	450.91'	
C6	15°01'24"	500.00'	131.10'	65.93'	\$80°34'41"W	130.73'	
C7	45°00'00"	55.00'	43.20'	22.78'	S65°35'23"W	42.10'	
C8	45°00'00"	55.00'	43.20'	22.78'	\$20°35'23"W	42.10'	
C9	15°01'24"	530.00'	138.97	69.89'	N80°34'41"E	138.57'	
C10	90°00'00"	25.00'	39.27'	25.00'	N43°05'23"E	35.36'	
C11	90°00'00"	25:00'	39.27'	25.00'	N46°54'37"W	35.36'	
C12	36°18'26"	25.00'	15.84'	8.20'	569°56'10"W	15.58'	
C13	264"56'43"	50.00'	231.21'	54.62'	N04°15'19"E	73.76'	
C14	48°38'17"	25.00'	21.22'	11.30'	S67°35'28"E	20.59'	
C15	90"00'00"	25.00'	39.27'	25.00'	N43°05'23"E	35.36'	
C16	90°00'00"	25.00'	39.27'	25.00'	543°05'23"W	35.36'	
C17	21°02'22"	25.00'	9.18'	4.64'	S12°25'48"E	9.13'	
C18	132°04'44"	50.00'	115.26'	112.51'	S43°05'23"W	91.38'	
C19	21°02'22"	25.00'	9.18'	4.64'	N81°23'26"W	9.13'	
C20	15°01'24"	470.00'	123.24'	61.97'	580°34'41"W	122.88'	

RESERVE TABLE										
A1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	RESERVE NAME	RESTRICTION	ACRES	SQ. FT.						
(A)	Α	OPEN SPACE/UTILITIES/LANDSCAPE	0.281	12,262						
⟨B⟩	В	OPEN SAPCE/UTILITIES/LANDSCAPE	0.058	2,528						

FINAL PLAT OF

JORDAN RANCH SEC 11

A SUBDIVISION OF

8.488 ACRES

LOCATED IN H. & T.C.R.R. CO. SURVEY, SECTION 105, A-261 FORT BEND COUNTY, TEXAS

OWNER:

34 LOTS 2 BLOCKS 2 RESERVES FORT BEND JORDAN RANCH LP
a Texas limited partnership
5005 RIVERWAY DRIVE, SUITE 500, HOUSTON, TEXAS 77056 (713) 960-9977

ENGINEER:



Houston, Tx. 77040 713.462.3178

IDS PROJECT NO. 2141-021-01 SHEET 2 OF 2

