



**REVIEW BY FORT BEND COUNTY
COMMISSIONERS COURT**

**Fort Bend County
Engineering Department**
301 Jackson Suite 401
Richmond, Texas 77469
281.633.7500
Permits@fortbendcountytx.gov

X

Right of Way Permit

1

Commercial Driveway Permit

Permit No: 2018-19515

Applicant: CenterPoint Energy

Job Location Site: 5614 Mimosa Lane, Richmond, TX 77406

Bond No. [REDACTED] **Date of Bond:** 4/28/1988 **Amount:** \$50,000.00

The above applicant came to make use of certain Fort Bend County property subject to, "The Order Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners Court of Fort Bend County, Texas, of the Minutes of the Commissioners Court of Fort Bend County, Texas, to the extent that such order is not inconsistent with Chapter 181, Vernon's Texas Statutes and Codes Annotated.

Notes:

1. Evidence of review by the Commissioners Court must be kept on the job site and failure to do so constitutes grounds for job shutdown.
2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. When construction is completed and ready for final inspection, submit notification to Permit Administrator thru [MyGovernmentOnline.org](https://mygovernmentonline.org) portal.
3. This permit expires one (1) year from date of permit if construction has not commenced.

On this 10th day of April, 2018, Upon Motion of Commissioner _____, seconded by Commissioner _____, duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said notice of said above purpose is hereby acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said notice be placed on record according to the regulation order thereof.

Signature

Presented to Commissioners Court and approved.

By: Rick J. Staigle, PE, PTOE
County Engineer

Date Recorded Comm. Court No.

N/A

Clerk of Commissioners Court

By: _____
Drainage District Engineer/Manager

By: _____
Deputy



**PERMIT APPLICATION REVIEW FORM FOR
CABLE, CONDUIT, AND POLE LINE ACTIVITY
IN FORT BEND COUNTY**

**Fort Bend County
Engineering Department**
301 Jackson Suite 401
Richmond, Texas 77469
281.633.7500
Permits@fortbendcountytx.gov

- ☒ **Right of Way Permit**
☐ **Commercial Driveway Permit**

Permit No: 2018-19515

The following "Notice of Proposed Cable, Conduit, and/or Pole Line activity in Fort Bend County" and accompanying attachments have been reviewed and the notice conforms to appropriate regulations set by Commissioner's Court of Fort Bend County, Texas.

(1) COMPLETE APPLICATION FORM:

- | | |
|-------------------------------------|--|
| ☒ | a. Name of road, street, and/or drainage ditch affected. |
| ☒ | b. Vicinity map showing course of directions |
| ☒ | c. Plans and specifications |

(2) BOND:

- | | | | |
|-------------------------------------|--|---|---------------------|
| ☐ | County Attorney, approval when applicable. | | |
| ☒ | Perpetual bond currently posted. | Bond No: [REDACTED] | Amount: \$50,000.00 |
| ☐ | Performance bond submitted. | Bond No: _____ | Amount: _____ |
| ☐ | Cashier's Check | Check No: _____ | Amount: _____ |

(3) DRAINAGE DISTRICT APPROVAL (WHEN APPLICABLE):

Drainage District Approval

Date


We have reviewed this project and agree it meets minimum requirements.

Rick J. Staigle, PE, PTOE


Permit Administrator

4/2/2018

Date



FORT BEND COUNTY PERMIT DWG



FORT BEND COUNTY NOTES

- GENERAL NOTES**
1. THE CONTRACTOR SHALL CONTACT TEXAS ONE CALL SYSTEM AT 1-800-245-4545 MIN. 48 HOURS BEFORE DIGGING.
 2. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL UNDERGROUND FACILITIES BEFORE COMMENCING WORK. CONTRACTOR AGREES TO BE FULLY RESPONSIBLE FOR ALL DAMAGES CAUSED BY HIS FAILURE TO PROPERLY LOCATE AND PRESERVE ALL CITY OF STAFFORD UTILITIES.
 3. NO MORE THAN ONE TRENCH OPENED AT ONE TIME THAN CAN BE BACKFILLED AND COMPACTED IN 10 LIFTS AT THE END OF EACH DAY. (NO TRENCH LEFT OPENED OVERNIGHT)
 4. ALL EXCESS EXCAVATION TO BE REMOVED FROM THE ROAD RIGHT-OF-WAY AT THE END OF EACH DAY.
 5. DITCHES TO BE OPENED AT THE END OF EACH DAY TO ASSURE ADEQUATE DRAINAGE.
 6. TRAFFIC CONTROL PLAN MUST BE FOLLOWED TO PROVIDE COMPLETE PROTECTION OF THE WORK AREA.
 7. ANY SPOILED CONCRETE PAVEMENT, CURBS OR LANDSCAPE DISTURBED DURING CONSTRUCTION IS THE CONTRACTOR'S RESPONSIBILITY TO RESTORE AND/OR REPLACE TO ORIGINAL OR BETTER CONDITION AND BE MATCHED WITH EXISTING GRADE.
 8. CONTRACTOR SHALL COMPLY WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REQUIREMENTS AND REGULATIONS.

CONTRACTOR SHALL VERIFY EXACT LOCATION OF UTILITIES PRIOR TO BEGINNING ANY CONSTRUCTION WORK. IF ANY DISCREPANCIES EXIST, CONTRACTOR SHALL STOP WORK IMMEDIATELY AND REPORT TO THE CITY OF STAFFORD. CONTRACTOR SHALL VERIFY ALL UTILITIES. CONTRACTOR SHOULD CONTACT PUBLIC WORKS 24 HOURS BEFORE CONSTRUCTION AT 281-261-3921.

GENERAL NOTES

1. FIELD VERIFY & LOCATE ALL EXISTING FEEDS, MAINS, AND SERVICES.
2. MAINTAIN MIN DEPTH OF 3' UNLESS OTHERWISE NOTED.
3. USE GAUGES TO MONITOR & MAINTAIN FEEDS, AND PRESSURE.
4. ALL TRENCHES SHALL BE CLEANED (TED GARZA AT 713-207-4983 WITH ANY NECESSARY FIELD CHANGES.
5. TEST PRESSURE @ 100 PSIG IN ACCORDANCE WITH SECTION CS-B-1.220 OF THE CONSTRUCTION & SERVICE MANUAL.
6. COORDINATE SERVICE LOCATION W/ IGNACIO GUERRERO JR. AT 281-341-4936.


LEGEND AND NOTES

- EXISTING MAIN
- PROP 2" IP PLA MAIN 425'
- SDR 11.0, PE 2406/2708
- WO#: 85396324
- PROP 1" IP CTS PLA SVC 115'
- WO#: 85397444

5614 MIMOSA LN
RICHMOND, TX
FT BEND COUNTY PERMIT DWG




DESIGNED BY: JASON COWELL
DATE: 03/10/2018
SCALE: 1"=10'
SHEET: 1 OF 1
DWG No: **EB4-18346**




TCP (1-1a)

WORK SPACE NEAR SHOULDER
Conventional Roads



TCP (1-1b)

WORK SPACE ON SHOULDER
Conventional Roads



TCP (1-1c)

WORK VEHICLES ON SHOULDER
Conventional Roads

LEGEND

Type 3 Barricade	Channelizing Devices
Heavy Work Vehicle	Truck Mounted Attenuator (TMA)
Trailer Mounted Flooding Arrow Board	Mobile Channeling Message Sign (PMS)
Sign	Traffic Flow
Flag	Flagger

Formula	Minimum Desirable Taper Length ft. *	Minimum Channelizing Devices	Suggested Max. Linear Sign Spacing ft. Distance	Minimum Sign Spacing ft. Distance	Suggested Buffer Space ft. Distance
L = WS	30	150'	168'	180'	30'
	35	200'	225'	245'	35'
	40	265'	295'	320'	40'
	45	450'	495'	540'	45'
	50	500'	550'	600'	50'
L = WS	55	580'	605'	660'	55'
	60	600'	660'	720'	60'
	65	650'	715'	780'	65'
	70	700'	770'	840'	70'
	75	750'	825'	900'	75'
L = WS	80	800'	880'	960'	80'
	85	850'	935'	1020'	85'
	90	900'	990'	1080'	90'
	95	950'	1045'	1140'	95'
	100	1000'	1100'	1200'	100'
L = WS	105	1050'	1155'	1260'	105'
	110	1100'	1210'	1320'	110'
	115	1150'	1265'	1380'	115'
	120	1200'	1320'	1440'	120'
	125	1250'	1375'	1500'	125'
L = WS	130	1300'	1430'	1560'	130'
	135	1350'	1485'	1620'	135'
	140	1400'	1540'	1680'	140'
	145	1450'	1595'	1740'	145'
	150	1500'	1650'	1800'	150'
L = WS	155	1550'	1705'	1860'	155'
	160	1600'	1760'	1920'	160'
	165	1650'	1815'	1980'	165'
	170	1700'	1870'	2040'	170'
	175	1750'	1925'	2100'	175'
L = WS	180	1800'	1980'	2160'	180'
	185	1850'	2035'	2220'	185'
	190	1900'	2090'	2280'	190'
	195	1950'	2145'	2340'	195'
	200	2000'	2200'	2400'	200'
L = WS	205	2050'	2255'	2460'	205'
	210	2100'	2310'	2520'	210'
	215	2150'	2365'	2580'	215'
	220	2200'	2420'	2640'	220'
	225	2250'	2475'	2700'	225'
L = WS	230	2300'	2530'	2760'	230'
	235	2350'	2585'	2820'	235'
	240	2400'	2640'	2880'	240'
	245	2450'	2695'	2940'	245'
	250	2500'	2750'	3000'	250'
L = WS	255	2550'	2805'	3060'	255'
	260	2600'	2860'	3120'	260'
	265	2650'	2915'	3180'	265'
	270	2700'	2970'	3240'	270'
	275	2750'	3025'	3300'	275'
L = WS	280	2800'	3080'	3360'	280'
	285	2850'	3135'	3420'	285'
	290	2900'	3190'	3480'	290'
	295	2950'	3245'	3540'	295'
	300	3000'	3300'	3600'	300'
L = WS	305	3050'	3355'	3660'	305'
	310	3100'	3405'	3720'	310'
	315	3150'	3460'	3780'	315'
	320	3200'	3515'	3840'	320'
	325	3250'	3570'	3900'	325'
L = WS	330	3300'	3625'	3960'	330'
	335	3350'	3680'	4020'	335'
	340	3400'	3735'	4080'	340'
	345	3450'	3790'	4140'	345'
	350	3500'	3845'	4200'	350'
L = WS	355	3550'	3900'	4260'	355'
	360	3600'	3955'	4320'	360'
	365	3650'	4010'	4380'	365'
	370	3700'	4065'	4440'	370'
	375	3750'	4120'	4500'	375'
L = WS	380	3800'	4175'	4560'	380'
	385	3850'	4230'	4620'	385'
	390	3900'	4285'	4680'	390'
	395	3950'	4340'	4740'	395'
	400	4000'	4395'	4800'	400'
L = WS	405	4050'	4450'	4860'	405'
	410	4100'	4505'	4920'	410'
	415	4150'	4560'	4980'	415'
	420	4200'	4615'	5040'	420'
	425	4250'	4670'	5100'	425'
L = WS	430	4300'	4725'	5160'	430'
	435	4350'	4780'	5220'	435'
	440	4400'	4835'	5280'	440'
	445	4450'	4890'	5340'	445'
	450	4500'	4945'	5400'	450'
L = WS	455	4550'	5000'	5460'	455'
	460	4600'	5055'	5520'	460'
	465	4650'	5110'	5580'	465'
	470	4700'	5165'	5640'	470'
	475	4750'	5220'	5700'	475'
L = WS	480	4800'	5275'	5760'	480'
	485	4850'	5330'	5820'	485'
	490	4900'	5385'	5880'	490'
	495	4950'	5440'	5940'	495'
	500	5000'	5495'	6000'	500'
L = WS	505	5050'	5550'	6060'	505'
	510	5100'	5605'	6120'	510'
	515	5150'	5660'	6180'	515'
	520	5200'	5715'	6240'	520'
	525	5250'	5770'	6300'	525'
L = WS	530	5300'	5825'	6360'	530'
	535	5350'	5880'	6420'	535'
	540	5400'	5935'	6480'	540'
	545	5450'	5990'	6540'	545'
	550	5500'	6045'	6600'	550'
L = WS	555	5550'	6100'	6660'	555'
	560	5600'	6155'	6720'	560'
	565	5650'	6210'	6780'	565'
	570	5700'	6265'	6840'	570'
	575	5750'	6320'	6900'	575'
L = WS	580	5800'	6375'	6960'	580'
	585	5850'	6430'	7020'	585'
	590	5900'	6485'	7080'	590'
	595	5950'	6540'	7140'	595'
	600	6000'	6595'	7200'	600'
L = WS	605	6050'	6650'	7260'	605'
	610	6100'	6705'	7320'	610'
	615	6150'	6760'	7380'	615'
	620	6200'	6815'	7440'	620'
	625	6250'	6870'	7500'	625'
L = WS	630	6300'	6925'	7560'	630'
	635	6350'	6980'	7620'	635'
	640	6400'	7035'	7680'	640'
	645	6450'	7090'	7740'	645'
	650	6500'	7145'	7800'	650'
L = WS	655	6550'	7200'	7860'	655'
	660	6600'	7255'	7920'	660'
	665	6650'	7310'	7980'	665'
	670	6700'	7365'	8040'	670'
	675	6750'	7420'	8100'	675'
L = WS	680	6800'	7475'	8160'	680'
	685	6850'	7530'	8220'	685'
	690	6900'	7585'	8280'	690'
	695	6950'	7640'	8340'	695'
	700	7000'	7695'	8400'	700'
L = WS	705	7050'	7750'	8460'	705'
	710	7100'	7805'	8520'	710'
	715	7150'	7860'	8580'	715'
	720	7200'	7915'	8640'	720'
	725	7250'	7970'	8700'	725'
L = WS	730	7300'	8025'	8760'	730'
	735	7350'	8080'	8820'	735'
	740	7400'	8135'	8880'	740'
	745	7450'	8190'	8940'	745'
	750	7500'	8245'	9000'	750'
L = WS	755	7550'	8300'	9060'	755'
	760	7600'	8355'	9120'	760'
	765	7650'	8410'	9180'	765'
	770	7700'	8465'	9240'	770'
	775	7750'	8520'	9300'	775'
L = WS	780	7800'	8575'	9360'	780'
	785	7850'	8630'	9420'	785'
	790	7900'	8685'	9480'	790'
	795	7950'	8740'	9540'	795'
	800	8000'	8795'	9600'	800'
L = WS	805	8050'	8850'	9660'	805'
	810	8100'	8905'	9720'	810'
	815	8150'	8960'	9780'	815'
	820	8200'	9015'	9840'	820'
	825	8250'	9070'	9900'	825'
L = WS	830	8300'	9125'	9960'	830'
	835	8350'	9180'	10020'	835'
	840	8400'	9235'	10080'	840'
	845	8450'	9290'	10140'	845'
	850	8500'	9345'	10200'	850'
L = WS	855	8550'	9400'	10260'	855'
	860	8600'	9455'	10320'	860'
	865	8650'	9510'	10380'	865'
	870	8700'	9565'	10440'	870'
	875	8750'	9620'	10500'	875'
L = WS	880	8800'	9675'	10560'	880'
	885	8850'	9730'	10620'	885'
	890	8900'	9785'	10680'	890'
	895	8950'	9840'	10740'	895'
	900	9000'	9895'	10800'	900'
L = WS	905	9050'	9950'	10860'	905'
	910	9100'	10005'	10920'	910'
	915	9150'	10060'	10980'	915'
	920	9200'	10115'	11040'	920'
	925	9250'	10170'	11100'	925'
L = WS	930	9300'	10225'	11160'	930'
	935	9350'	10280'	11220'	935'
	940	9400'	10335'	11280'	940'
	945	9450'	10390'	11340'	945'
	950	9500'	10445'	11400'	950'
L = WS	955	9550'	10500'	11460'	955'
	960	9600'	10555'	11520'	960'
	965	9650'	10610'	11580'	965'
	970	9700'	10665'	11640'	970'
	975	9750'	10720'	11700'	975'
L = WS	980	9800'	10775'	11760'	980'
	985	9850'	10830'	11820'	985'
	990	9900'	10885'	11880'	990'
	995	9950'	10940'	11940'	995'
	1000	10000'	10995'	12000'	1000'
L = WS	1005	10050'	11050'	12060'	1005'
	1010	10100'	11105'	12120'	1010'
	1015	10150'	11160'	12180'	1015'
	1020	10200'	11215'	12240'	1020'
	1025	10250'	11270'	12300'	1025'
L = WS	1030	10300'	11325'	12360'	1030'
	1035	10350'	11380'	12420'	1035'
	1040	10400'	11435'	12480'	1040'
	1045	10450'	11490'	12540'	1045'
	1050	10500'	11545'	12600'	1050'
L = WS	1055	10550'	11600'	12660'	1055'
	1060	10600'	11655'	12720'	1060'
	1065	10650'	11710'	12780'	1065'
	1070	10700'	11765'	12840'	1070'
	1075	10750'	11820'	12900'	1075'
L = WS	1080	10800'	11875'	12960'	1080'
	1085	10850'	11930'	13020'	1085'
	1090	10900'	11985'	13080'	1090'
	1095	10950'	12040'	13140'	1095'
	1100	11000'	12095'	13200'	1100'
L = WS	1105	11050'	12150'	13260'	1105'
	1110	11100'	12205'	13320'	1110'
	1115	11150'	12260'	13380'	1115'
	1120	11200'	12315'	13440'	1120'
	1125	11250'	12370'	13500'	1125'
L = WS	1130	11300'	12425'	13560'	1130'
	1135	11350'	12480'	13620'	1135'
	1140	11400'	12535'	13680'	1140'
	1145	11450'	12590'	13740'	1145'
	1150	11500'	12645'	13800'	1150'
L = WS	1155	11550'	12700'	13860'	1155'
	1160	11600'	12755'	13920'	1160'
	1165	11650'	12810'	13980'	1165'
	1170	11700'	12865'	14040'	1170'
	1175	11750'	12920'	14100'	1175'
L = WS	1180	11800'	12975'	14160'	1180'
	1185	11850'	13030'	14220'	1185'
	1190	11900'	13085'	14280'	1190'
	1195	11950'	13140'	14340'	1195'
	1200	12000'	13195'	14400'	1200'
L = WS	1205	12050'	13250'	14460'	1205'
	1210	12100'	13305'	14520'	1210'
	1215	12150'	13360'	14580'	1215'
	1220	12200'	13415'	14640'	1220'
	1225	12250'	13470'	14700'	1225'
L = WS	1230	12300'	13525'	14760'	1230'
	1235	12350'	13580'	14820'	1235'
	1240	12400'	13635'	14880'	1240'
	1245	12450'	13690'	14940'	1245'
	1250	12500'	13745'	15000'	1250'
L = WS					