PLAT RECORDING SHEET

WE. ALIANA DEVELOPMENT COMPANY. A TEXAS CORPORATION. ACTING BY AND THROUGH E TRAVIS STONE, JR., PRESIDENT, AND TYLER STONE, PROJECT MANAGER, BEING OFFICERS OF ALIANA DEVELOPMENT COMPANY, A TEXAS CORPORATION, OWNERS HEREINAFTER REFERRED TO AS OWNERS OF THE 18.436 ACRE TRACT DESCRIBED IN THE ABOVE AND FOREGOING MAP OF ALIANA SEC 50, DO HEREBY MAKE AND ESTABLISH SAID SUBDIVISION OF SAID PROPERTY ACCORDING TO ALL LINES, DEDICATIONS, RESTRICTIONS AND NOTATIONS ON SAID MAPS OR PLAT AND HEREBY DEDICATE TO THE USE OF THE PUBLIC FOREVER, ALL STREETS (EXCEPT THOSE STREETS DESIGNATED AS PRIVATE STREETS, OR PERMANENT ACCESS EASEMENTS), ALLEYS, PARKS, WATER COURSES, DRAINS, EASEMENTS AND PUBLIC PLACES SHOWN THEREON FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED; AND DO HEREBY BIND OURSELVES, OUR HEIRS, SUCCESSORS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE ON THE LAND

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11' 6") FOR TEN FEET (10' 0") PERIMETER GROUND EASEMENTS OR SEVEN FEET, SIX INCHES (7' 6") FOR FOURTEEN FEET (14' 0") PERIMETER GROUND EASEMENTS OR FIVE FEET, SIX INCHES (5' 6") FOR SIXTEEN FEET (16' 0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16' 0") ABOVE THE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED, HEREON, WHEREBY THE AERIAL EASEMENT TOTALS TWENTY ONE FEET, SIX INCHES (21' 6") IN WIDTH.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10' 0") FOR TEN FEET (10' 0") BACK-TO-BACK GROUND EASEMENTS, OR EIGHT FEET (8' 0") FOR FOURTEEN FEET (14' 0") BACK-TO-BACK GROUND EASEMENTS OR SEVEN FEET (7' 0") FOR SIXTEEN FEET (16' 0") BACK-TO-BACK GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16' 0") ABOVE GROUND LEVEL UPWARD. LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENT TOTALS THIRTY FEET (30' o") in width.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT IS HEREBY RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, PERMANENT ACCESS EASEMENT, ROAD OR ALLEY, OR ANY DRAINAGE DITCH. EITHER DIRECTLY OR INDIRECTLY.

FURTHER, OWNERS DO HEREBY DEDICATE TO THE PUBLIC A STRIP OF LAND TWENTY (20' 0") FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL BAYOUS, CREEKS, GULLIES, RAVINES, DRAWS AND DRAINAGE DITCHES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES. FORT BEND COUNTY OR ANY OTHER GOVERNMENTAL AGENCY SHALL HAVE THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSES OF CONSTRUCTION AND MAINTENANCE OF DRAINAGE FACILITIES AND STRUCTURES.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS SUBDIVISION AND ADJACENT TO ANY DRAINAGE EASEMENT, DITCH, GULLY, CREEK OR NATURAL DRAINAGE WAY SHALL HEREBY BE RESTRICTED TO KEEP SUCH DRAINAGE WAYS AND EASEMENTS CLEAR OF FENCES, BUILDINGS, EXCESSIVE VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AND THAT SUCH ABUTTING PROPERTY SHALL NOT BE PERMITTED TO DRAIN DIRECTLY INTO THIS EASEMENT EXCEPT BY MEANS OF AN APPROVED DRAINAGE STRUCTURE.

FURTHER, OWNERS DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS' COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT AMENDMENTS.

IN TESTIMONY WHEREOF, THE ALIANA DEVELOPMENT COMPANY, A TEXAS CORPORATION, HAS CAUSED THESE PRESENTS TO BE SIGNED BY E. TRAVIS STONE, JR., ITS PRESIDENT, THEREUNTO AUTHORIZED, ATTESTED BY ITS PROJECT MANAGER, TYLER STONE, THIS ____ DAY OF ______, 2018.

ALIANA DEVELOPMENT COMPANY A TEXAS CORPORATION

BY: ______E. TRAVIS STONE, JR., PRESIDENT

TYLER STONE, PROJECT MANAGER

STATE OF TEXAS

COUNTY OF HARRIS

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED E. TRAVIS STONE, JR., PRESIDENT OF ALIANA DEVELOPMENT COMPANY, A TEXAS CORPORATION, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN AND HEREIN STATED, AND AS THE ACT AND DEED OF SAID CORPORATION.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS ______ DAY OF

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS


CAROLYN DAVIS Comm. Expires 02-22-2021 Notary ID 5113263

STATE OF TEXAS COUNTY OF HARRIS

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED TYLER STONE, PROJECT MANAGER OF ALIANA DEVELOPMENT COMPANY, A TEXAS CORPORATION, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN AND HEREIN STATED, AND AS THE ACT AND DEED OF SAID CORPORATION.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS ______ DAY OF

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS



I, GARY D. NUTTER, AM REGISTERED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND ACCURATE; WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND: THAT, EXCEPT AS SHOWN ALL BOUNDARY CORNERS, ANGLE POINTS, POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE HAVE BEEN MARKED WITH IRON (OR OTHER OBJECTS OF A PERMANENT NATURE) PIPES OR RODS HAVING AN OUTSIDE DIAMETER OF NOT LESS THAN FIVE EIGHTS (5/8) INCH AND A LENGTH OF NOT LESS THAN THREE (3) FEET: AND THAT THE PLAT BOUNDARY CORNERS HAVE BEEN TIED TO THE TEXAS COORDINATE SYSTEM OF 1983, SOUTH CENTRAL ZONE.

GARY D. NUTTER, R.P.L.S. REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS REGISTRATION NO. 5659

CURVE TABLE										
CURVE	RADIUS	DELTA	ARC	CHORD	CHORD BEARING					
C1	25.00'	90°03'31"	39.30'	35.37	N 42*51'45" E					
C2	675.00'	0°20'21"	3.99'	3.99'	S 83°38'33" E					
C3	780.00'	23°04'37"	314.16	312.04	N 74°53'48" W					
C4	300.00'	5°43'54"	30.01	30.00'	N 89°18'03" W					
C5	30.00'	90°00'00"	47.12'	42.43'	N 47°10'00" W					
C6	1000.00'	11°48'44"	206.16	205.80'	N 05°49'20" E					
C7	2200.00'	3°33'44"	136.78	136.76	N 01°51'54" W					
C8	650.00'	17°04'05"	193.63	192.92'	S 87°59'35" W					
C9	1250.00'	13°00'29"	283.79	283.19	N 85°57'47" E					
C10	50.00'	79*21'58"	69.26	63.85	S 47°51'00" E					
C11	1400.00'	14°30'53"	354.66	353.72	S 00°54'34" E					
C12	50.00'	78°36'17"	68.60'	63.34'	S 45°39'01" W					
C13	1200.00'	3°22'30"	70.69	70.68	S 86°38'24" W					
C14	50.00'	88°01'35"	76.82	69.48'	N 47°39'33" W					
C15	2300.00'	3°33'44"	142.99	142.97	N 01°51'54" W					
C16	700.00'	12*21'40"	151.02'	150.73	N 06°05'48" E					
C17	625.00'	9*26'56"	103.07	102.95	N 88°11'51" W					
C18	25.00'	78°43'07"	34.35	31.71	S 47°43'08" W					
C19	725.00'	3°55'03"	49.57	49.56'	S 10°19'06" W					
C20	25.00'	34°14'32"	14.94	14.72'	S 04°50'38" E					
C21	50.00'	273°48'00"	238.94	68.33'	N 65°03'54" W					
C22	25.00'	59°33'29"	25.99'	24.83'	N 42°03'22" E					
C23	675.00'	1°22'22"	16.17	16.17	N 11°35'27" E					
C24	25.00'	111°26'44"	48.63'	41.32'	N 44°49'06" W					
C25	1275.00'	6*51'14"	152.52	152.43'	S 82°53'09" W					
C26	25.00'	94*53'52"	41.41'	36.83	S 38°51'50" W					
C27	350.00'	20°18'48"	124.09	123.44	S 01°34'18" W					
C28	30.00'	83°41'55"	43.82'	40.03'	S 30°07'15" E					
C29	30.00'	86°23'00"	45.23'	41.07'	N 54°55'12" E					
C30	350.00'	12°13'12"	74.65	74.51'	N 17°50'18" E					
C31	25.00'	113°11'23"	49.39	41.74'	N 32°38'48" W					
C32	1275.00'	1°42'31"	38.02	38.02'	N 88°23'14" W					
C33	25.00'	40°44'14"	17.77'	17.40'	S 72°05'55" W					

CURVE TABLE

CURVE | RADIUS | DELTA | ARC | CHORD | CHORD BEARING

25.00' 38°46'27" 16.92' 16.60'

25.00' 47'48'22" 20.86' 20.26'

50.00' | 164°34'54" | 143.62' | 99.10' |

25.00' 37'09'38" 16.21' 15.93'

25.00' 28°28'03" 12.42' 12.29'

50.00' | 150°23'36" | 131.24' | 96.68' |

25.00' 33°53'58" 14.79' 14.58'

25.00' 92°30'52" 40.37' 36.12'

25.00' 91°58'25" 40.13' 35.96'

25.00' 88'01'35" 38.41' 34.74'

25.00' 94°02'44" 41.04' 36.58'

25.00' | 78°36'17" | 34.30' | 31.67' |

25.00' 88°20'40" 38.55' 34.84'

25.00' 90°43'57" 39.59' 35.58'

25.00' 79°21'58" 34.63' 31.93'

30.00' 90°03'31" 47.15' 42.45'

C36 | 1425.00' | 13°03'21" | 324.71' | 324.01'

C40 | 1225.00' | 3°22'30" | 72.16' | 72.15' |

C44 2325.00' 3°33'44" 144.55' 144.53'

C45 725.00' 0°44'34" 9.40' 9.40'

C47 | 675.00' | 8°22'57" | 98.75' | 98.67'

C50 | 2275.00' | 3°33'44" | 141.44' | 141.42'

C51 675.00' 1°46'14" 20.86' 20.86'

25.00' 78°12'06" 34.12'

C53 | 675.00' | 0°25'46" | 5.06' | 5.06' |

C54 | 1225.00' | 6°24'42" | 137.08' | 137.01'

C56 2225 00' 3'33'44" 138 33' 138 31'

C58 | 1175.00' | 3°03'25" | 62.69' | 62.68' |

C60 2175.00' 3°33'44" 135.22' 135.20'

C62 | 1225.00' | 1°49'06" | 38.88' | 38.88' |

C64 | 1375.00' | 14°30'53" | 348.33' | 347.40' |

50.00' | 159°19'35" | 139.04' | 98.38' | N 48°36'25" W

N 11°40'09" E

N 01°11'24" W

S 76°28'02" E

N 86°38'24" E

N 74°05'38" E

S 44°56'35" E

S 13°18'13" W

S 01°51'54" E

S 00°17'15" W

S 45°35'54" E

S 87°39'51" E

N 42°20'27" E

S 47°39'33" E

S 01°51'54" E

S 00°48'05" W

S 40°47'15" W

S 79°40'25" W

S 82°39'53" W

N 47°06'24" W

N 01°51'54" W

N 45°39'01" E

N 86°28'52" E

S 47°49'06" E

S 01°51'54" E

S 45°16'57" W

N 88°26'32" W

N 00°54'34" W

S 42°51'45" W

N 18°33'55" W

LINE TABLE				LINE TABLE			
LINE	BEARING	DISTANCE		LINE	BEARING	DISTANCE	
L1	N 87°53'31" E	72.94'		L17	S 52°08'56" E	9.10'	
L2	S 02°37'06" E	59.72'		L18	S 79°27'32" W	28.26'	
L3	S 01°38'20" E	119.47		L19	S 11°43'42" W	17.71'	
L4	S 02°01'20" E	59.72'		L20	N 11°43'42" E	42.22'	
L5	S 02°52'43" E	100.08'		L21	S 03°38'46" E	47.44'	
L6	S 00°03'10" E	98.92'		L22	S 03°38'46" E	56.48'	
L7	S 06°31'37" W	50.00'		L23	S 79°27'32" W	53.27'	
L8	S 05°59'12" W	85.70'		L24	N 03°38'46" W	44.57'	
L9	S 02°24'22" W	39.08'		L25	S 03°38'46" E	48.00'	
L10	S 25°37'14" W	59.68'		L26	N 69°47'15" E	27.49'	
L11	S 87*50'00" W	75.10'		L27	S 27°44'04" E	31.91'	
L12	S 11°43'42" W	39.26'		L28	N 82°40'07" E	44.79'	
L13	S 79°27'32" W	53.27'		L29	N 43°51'33" E	25.86'	
L14	S 03°38'46" E	56.48'		L30	N 03°41'32" W	58.28'	
L15	S 77°43'22" E	12.00'		L31	N 03°09'44" W	49.83'	
L16	N 41°04'47" E	5.25'		L32	N 01°37'43" W	49.60'	

I, ORLANDO HUERTA, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE BEST OF MY KNOWLEDGE.

ORLANDO HUERTA, P.E. LICENSED PROFESSIONAL ENGINEER TEXAS LICENSE NO. 127877




THIS IS TO CERTIFY THAT THE PLANNING COMMISSION OF THE CITY OF HOUSTON, TEXAS, HAS APPROVED THIS PLAT AND SUBDIVISION OF ALIANA SEC 50 IN CONFORMANCE WITH THE LAWS OF THE STATE OF TEXAS AND THE ORDINANCES OF THE CITY OF HOUSTON AS SHOWN HEREON AND AUTHORIZED THE RECORDING OF THIS PLAT THIS ______, DAY OF

MARTHA L. STEIN, CHAIR OR M. SONNY GARZA, VICE-CHAIR

PATRICK WALSH, P.E., SECRETARY

- 1. UNLESS OTHERWISE INDICATED, THE BUILDING LINES (B.L.), WHETHER ONE OR MORE, SHOWN ON THIS SUBDIVISION PLAT ARE ESTABLISHED TO EVIDENCE COMPLIANCE WITH THE APPLICABLE PROVISIONS OF CHAPTER 42, CODE OF ORDINANCES, CITY OF HOUSTON, TEXAS, IN EFFECT AT THE TIME THIS PLAT WAS APPROVED, WHICH MAY BE AMENDED FROM TIME
- 2. THE COORDINATES SHOWN HEREON ARE TEXAS SOUTH CENTRAL ZONE NO. 4204 TEXAS COORDINATE SYSTEM (NAD83) AND MAY BE BROUGHT TO SURFACE BY APPLYING THE FOLLOWING COMBINED SCALE 0.99987.
- 3. BENCHMARK: A-1212, BRASS DISK, STAMPED A-1212 1973, SET IN THE TOP OF A CONCRETE HEADWALL ON THE WEST BOUND LANES OF HIGHWAY 90A, APPROXIMATELY 4.1 MILES WEST ALONG HIGHWAY 90A FROM THE JUNCTION OF HIGHWAY 6, IN SUGAR LAND, TEXAS. THE DISK IS SET 2.0 FEET EAST OF THE WEST END, OF THE NORTH CONCRETE HEADWALL AND 27.0 FEET NORTH OF THE CENTERLINE OF THE WEST BOUND LANES AND 1/2 FOOT LOWER THAN THE ROAD. ELEVATION = 78.65 NGVD 29, 1973 ADJUSTMENT.
- 4. SINGLE FAMILY RESIDENTIAL SHALL MEAN THE USE OF A LOT WITH ONE BUILDING DESIGNED FOR AND CONTAINING NOT MORE THAN TWO SEPARATE UNITS WITH FACILITIES FOR LIVING, SLEEPING, COOKING AND EATING THEREIN. A LOT UPON WHICH IS LOCATED A FREE-STANDING BUILDING CONTAINING ONE DWELLING UNIT AND A DETACHED SECONDARY DWELLING UNIT OF NOT MORE THAN 900 SQUARE FEET ALSO SHALL BE CONSIDERED SINGLE-FAMILY RESIDENTIAL. A BUILDING THAT CONTAINS ONE DWELLING UNIT ON ONE LOT THAT IS CONNECTED BY A PARTY WALL TO ANOTHER BUILDING CONTAINING ONE DWELLING UNIT ON AN ADJACENT LOT SHALL BE SINGLE-FAMILY RESIDENTIAL.
- 5. EACH LOT SHALL PROVIDE A MINIMUM OF TWO OFF-STREET PARKING SPACES PER DWELLING UNIT ON EACH LOT. IN THOSE INSTANCES WHERE A SECONDARY UNIT IS PROVIDED ONLY ONE ADDITIONAL SPACE SHALL BE PROVIDED.
- 6. THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 88.50 FEET ABOVE MEAN SEA LEVEL (NGVD 29, 1973 ADJUSTMENT). THE TOP OF SLAB ELEVATION AT ANY POINT ON THE PERIMETER OF THE SLAB SHALL NOT BE LESS THAN EIGHTEEN (18) INCHES ABOVE NATURAL GROUND.
- 7. THIS PLAT WAS PREPARED TO MEET THE CITY OF HOUSTON FORT BEND COUNTY
- 8. THIS PLAT WAS PREPARED FROM INFORMATION FURNISHED BY CHARTER TITLE COMPANY, ORDER NO. 20180277, DATED JULY 24, 2018. THE SURVEYOR HAS NOT ABSTRACTED THE
- 9. THIS PLAT LIES WHOLLY WITHIN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 134B, FORT BEND COUNTY SUBSIDENCE DISTRICT, FORT BEND COUNTY DRAINAGE DISTRICT, FORT BEND COUNTY ISD, THE ETJ OF THE CITY OF HOUSTON AND FORT BEND COUNTY.
- 10. BY GRAPHICAL PLOTTING, THE SUBJECT TRACT LIES WITHIN ZONE "X" (UNSHADED) AS SHOWN ON WITH THE FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP NOS. 48157C0140L, REVISED APRIL 2, 2014. LJA DOES NOT WARRANT NOR SUBSCRIBE TO THE ACCURACY OR SCALE OF SAID MAPS.
- 11. THE PIPELINES OR PIPELINE EASEMENTS WITHIN THE LIMITS OF THE SUBDIVISION ARE AS
- 12. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING DURING INTENSE RAINFALL EVENTS.
- 13. ALL DRAINAGE EASEMENTS TO BE KEPT CLEAR OF FENCES, BUILDINGS, VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATION AND MAINTENANCE OF THE DRAINAGE FACILITY.
- 14. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED DRAINAGE STRUCTURE.
- 15. A MINIMUM DISTANCE OF 10' SHALL BE MAINTAINED BETWEEN RESIDENTIAL DWELLINGS.
- 16. OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE DETENTION FACILITY IS VESTED IN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 134A.
- 17. SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT NOT LESS THAN 5 FEET IN WIDTH ON BOTH SIDES OF ALL DEDICATED RIGHTS-OF-WAY WITHIN SAID PLAT AND ON THE CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS SURROUNDING SAID PLAT, IN ACCORDANCE WITH A.D.A. REQUIREMENTS.
- 18. THIS PLAT LIES WITHIN LIGHTING ZONE 3.
- 19. ABSENT WRITTEN AUTHORIZATION BY THE AFFECTED UTILITIES, ALL UTILITY AND AERIAL EASEMENTS MUST BE KEPT UNOBSTRUCTED FROM ANY NON-UTILITY IMPROVEMENTS OR OBSTRUCTIONS BY THE PROPERTY OWNER. ANY UNAUTHORIZED IMPROVEMENTS OR OBSTRUCTIONS MAY BE REMOVED BY ANY PUBLIC UTILITY AT THE PROPERTY OWNER'S EXPENSE. WHILE WOODEN POSTS AND PANELED WOODEN FENCES ALONG THE PERIMETER AND BACK TO BACK EASEMENTS AND ALONGSIDE REAR LOTS LINES ARE PERMITTED, THEY TOO MAY BE REMOVED BY PUBLIC UTILITIES AT THE PROPERTY OWNER'S EXPENSE SHOULD THEY BE AN OBSTRUCTION. PUBLIC UTILITIES MAY PUT SAID WOODEN POSTS AND PANELED WOODEN FENCES BACK UP, BUT GENERALLY WILL NOT REPLACE WITH NEW FENCING.
- 20. SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE JURISDICTION FOR REVIEW AND APPROVAL. DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING
- 21. THE MINIMUM DISTANCE OF TWENTY-TWO (22) FEET SHALL BE MAINTAINED BETWEEN A FRONT FACING GARAGE AND THE EDGE OF THE SIDEWALK.
- 22. ALL LOTS SHALL HAVE ADEQUATE WASTEWATER COLLECTION SERVICE.
- 23. SUBJECT TO A UTILITY EASEMENT RECORDED UNDER CLERK'S FILE NO. 2017076538 OF THE OFFICIAL RECORDS OF FORT BEND COUNTY, TEXAS.



KEY MAP NO. 566 D&H

I. RICHARD W. STOLLEIS. FORT BEND COUNTY ENGINEER. DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OR SUBDIVISION WITHIN THE WATERSHED.

RICHARD W. STOLLEIS, P.E. FORT BEND COUNTY ENGINEER

APPROVED BY THE COMMISSIONERS' COURT OF FORT BEND COUNTY, TEXAS, THIS ______ DAY OF _____, 2018.

VINCENT M. MORALES, JR. GRADY PRESTAGE PRECINCT 1, COUNTY COMMISSIONER PRECINCT 2, COUNTY COMMISSIONER

ROBERT E. HEBERT

COUNTY JUDGE

W. A. (ANDY) MEYERS JAMES PATTERSON

, LAURA RICHARD, COUNTY CLERK IN AND FOR FORT BEND COUNTY, HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORDATION IN MY OFFICE ON 2018 AT ______M. IN PLAT NUMBER _____

PRECINCT 4, COUNTY COMMISSIONER

WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS. THE DAY AND DATE LAST ABOVE WRITTEN.

LAURA RICHARD, COUNTY CLERK FORT BEND COUNTY, TEXAS

PRECINCT 3, COUNTY COMMISSIONER

THE PLAT RECORDS OF FORT BEND COUNTY, TEXAS.

ALIANA SEC 50

A SUBDIVISION OF 18.436 ACRES OF LAND SITUATED IN THE JANE WILKINS LEAGUE, ABSTRACT 96, FORT BEND COUNTY, TEXAS, BEING A PORTION OF TRACT 1-PART 2 OF THE STATE OF TEXAS DEPARTMENT OF TRANSPORTATION PARTITION PLAT, A PARTITION PLAT RECORDED IN SLIDE NO. 1819A. PLAT RECORDS OF FORT BEND COUNTY, TEXAS.

76 LOTS 3 RESERVES (1.957 ACRES) 4 BLOCKS

JOB NO. 1968-4050.403

OCTOBER 29, 2018

OWNERS:

ALIANA DEVELOPMENT COMPANY,

A TEXAS CORPORATION E. TRAVIS STONE, JR., PRESIDENT

20333 STATE HIGHWAY 249, SUITE 600, HOUSTON, TEXAS 77070 PH: (281) 809-7800

SURVEYOR:

LJA Surveying, Inc.

2929 Briarpark Drive

Houston, Texas 77042

Suite 175

Phone 713.953.5200 Fax 713.953.5026 T.B.P.L.S. Firm No. 10194382

ENGINEER: LJA Engineering, Inc. 2929 Briarpark Drive

Suite 600

Phone 713.953.5200 Fax 713.953.5026 Houston, Texas 77042 FRN - F-1386

SHEET 1 OF 2

