

PLAT RECORDING SHEET

PLAT NAME: Jordan Ranch Sec 18

PLAT NO: _____

ACREAGE: 13.315

LEAGUE: H.&T.C.R.R. Co. Survey, Section 105

ABSTRACT NUMBER: A-261

NUMBER OF BLOCKS: 2

NUMBER OF LOTS: 20

NUMBER OF RESERVES: 3

OWNERS: Fort Bend Jordan Ranch LP

(DEPUTY CLERK)

STATE OF TEXAS
COUNTY OF FORT BEND

I, STEPHEN A. SAMS, Vice President of JOHNSON JORDAN RANCH GP LLC, a Texas limited liability company, the general partner of FORT BEND JORDAN RANCH LP, a Texas limited partnership, hereinafter referred to as owners of the 13.315 acre tract described in the above and foregoing map of JORDAN RANCH SEC 18, do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions and notations on said maps or plat, and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements, and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors, and assigns to warrant and forever defend the title to the land so dedicated.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21'6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10'0") for ten feet (10'0") back-to-back ground easements, or eight feet (8'0") for fourteen feet (14'0") back-to-back ground easements or seven feet (7'0") for sixteen feet (16'0") back-to-back ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30'0") in width.

FURTHER, Owners do hereby declare that all parcels of land designated as lots on this plat are originally intended for the construction of single family residential dwelling units thereon (or the placement of mobile home subdivisions) and shall be restricted for same under the terms and conditions of such restrictions filed separately.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this plat is hereby restricted to prevent the drainage of any septic tanks into any public or private street, permanent access easement, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, Owners do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purposes of construction and maintenance of drainage facilities and structures.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby certify that we are the owners of all property immediately adjacent to the boundaries of the above and foregoing plat of JORDAN RANCH SEC 18 where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

FURTHER, Owners do hereby acknowledge the receipt of the "Orders for Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, JOHNSON JORDAN RANCH GP LLC, a Texas limited liability company, as general partner of FORT BEND JORDAN RANCH LP, a Texas limited partnership, has caused these presents to be signed by Stephen A. Sams, Vice President, this 17th day of September, 2019.

BY: FORT BEND JORDAN RANCH LP,
a Texas Limited Partnership


BY: JOHNSON JORDAN RANCH GP, LLC
a Texas Limited Liability Company
Its General Partner


By: 
Stephen A. Sams, Vice President

STATE OF TEXAS
COUNTY OF HARRIS


BEFORE ME, the undersigned authority, on this day personally appeared Stephen A. Sams, Vice President, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein and herein set out, and as the act and deed of said corporation.


GIVEN UNDER MY HAND AND SEAL OF OFFICE, this 17th day of September, 2019.





Notary Public in and for the State of Texas


I, Douglas W. Turner, an authorized under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.




Douglas W. Turner, R.P.L.S.
Registered Professional Land Surveyor
Texas Registration No. 3988

I, John R. Herzog, A Professional Engineer registered in the State of Texas do hereby certify that this plat meets the requirements of Fort Bend County to the best of my knowledge.




John R. Herzog, P.E.
Licensed Professional Engineer, No. 126468

This plat of JORDAN RANCH SEC 18 is approved by the City Planning and Zoning Commission of the City of Fulshear, Texas this 6th day of September, 2019.


Amy Pearce-Chair


Dar Harkins, Co-Chair

The plat of JORDAN RANCH SEC 18 was approved by the City of Fulshear Council on the 17 day of September, 2019, and signed on this 26th day of September, 2019, provided; however, this approval shall be invalid, and null and void, unless this plat is filed with the County Clerk of Fort Bend, Texas within one (1) year hereafter.


Aaron Groff, Mayor


Kimberly Kopecky, City Secretary

NOTES

- The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Grid Coordinates (NAD83) and may be brought to surface by applying the combined scale factor of 1.00013.
- B.L. indicates a building line
A.E. indicates an aerial easement
U.E. indicates a utility easement
W.S.E. indicates a water and sewer easement
VOL., PG. indicates Volume, Page
P.R.F.B.C. indicates Plat Records of Fort Bend County
O.P.R.F.B.C. indicates Official Public Records of Fort Bend County
O.R.F.B.C. indicates Original Records of Fort Bend County
F.B.C. O.P.R.R.P. indicates Fort Bend County Official Public Records of Real Property
ESMT. indicates Easement
H.L. & P. indicates Houston Lighting and Power
SQ. FT. indicates square feet
AC. indicates acre
R.O.W. indicates right-of-way
● indicates found 5/8" iron rod (unless otherwise noted)
○ indicates set 5/8" iron rod with plastic cap stamped "IDS" (unless otherwise noted)

 indicates street name change

- All building lines along street rights-of-way are as shown on the plat.
- All sidelot building lines to be 5' unless otherwise noted.
- All non-perimeter easements on property lines are centered unless otherwise noted.
- All bearings are based on the Texas Coordinate System of 1983, South Central Zone.
- One-foot reserve dedicated for buffer purposes to the public in fee as a buffer separation between the side or end of streets where such streets abut adjacent property, the condition of such dedication being that when the adjacent property is subdivided or re-subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purposes and the fee title thereto shall revert to and revert in the dedicator, his heirs, assigns, or successors.
- The platted area is located within Zone X, defined as areas determined to be outside the 500 year floodplain, per FEMA Flood Insurance Rate Map Panel No. 48157C0020L and 48157C0085L, effective April 02, 2014.
- This property lies within the extraterritorial jurisdiction of the City of Fulshear, Fort Bend County, Texas, Fulshear Municipal Utility District No. 3A and within County Assistance District (CAD) No. 7.
- Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with the A.D.A.
- The top of all floor slabs shall be a minimum of 153.50 feet above mean sea level. The top of slab elevation at any point on the perimeter of the slab shall not be less than eighteen (18) inches above natural ground.
- The drainage system for this subdivision is designed in accordance with the "Fort Bend County Drainage Criteria Manual" which allows street ponding with intense rainfall events.
- All drainage easements are to be kept clear of fences, buildings, vegetation and other obstructions to the operation and maintenance by the drainage facility. All property is required to drain into the drainage easement through an approved drainage structure.
- The Lighting Zone Code is L23.
- To the best of the engineer's knowledge, all existing pipeline easements within the subdivision are shown on the plat.
- Absent written authorization by the affected utilities, all utility easements must be kept unobstructed from any non-utility improvements or obstruction by property owner. Any unauthorized improvements or obstructions may be removed by the utility at the property owner's expense.
- Benchmark:
Vertically is based on a FEMA benchmark in Katy, RM 7: A US Coast and Geodetic survey disk marked Y 1148, located 0.3 ± miles east along the Missouri-Kansas-Texas railroad from the station at Katy and 5.2 feet ± southwest of the southeast corner of the American Rice Growers Co-op Association office building.
Held the Published NAVD 88 Elevation on Y1148 = 144.44
Elevation = 142.00 (NAVD 1929 - datum based on FEMA maps)
- Reserves A, B, and C within this plat will be owned and maintained by Fulshear M.U.D. No. 3A. Maintenance will be performed by either Fulshear M.U.D. No. 3A or the Jordan Ranch Community Association.
- A minimum distance of 10' shall be maintained between residential dwellings.
- Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval. Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning construction.
- The minimum distance of twenty-two (22) feet shall be maintained between a front facing garage and the edge of the sidewalk.

BEING 13.315 acres of land in the H. & T. C. R. CO. Survey, Section 105, Abstract Number 261 in Fort Bend County, Texas and being a portion of the 1352.43 acre tract of land described in deed from Massimo Fabio Silvestri Irrevocable Trust and Rocco Paolo Silvestri Irrevocable Trust to Fort Bend Jordan Ranch LP recorded under File Number 2015027940 of the Official Public Records of Fort Bend County, Texas and being more particularly described by metes and bounds as follows with bearings based on the Texas Coordinate System of 1983, South Central Zone:

COMMENCING at a 5/8-inch iron rod with cap stamped "IDS" found for the most southerly corner of JORDAN RANCH SEC 14, according to the plat thereof recorded under File Number 20170222 of the Official Public Records of Fort Bend County, Texas;

THENCE South 38° 42' 38" West - 450.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the northeast corner and POINT OF BEGINNING of the herein described tract;

THENCE South 38° 42' 38" West - 97.37 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 38° 53' 11" West - 66.88 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 38° 40' 02" West - 472.84 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the southeast corner of the herein described tract;

THENCE North 51° 19' 58" West - 468.15 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 82° 59' 36" West - 13.97 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 37° 19' 11" West - 115.13 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the left;

THENCE, in a northwesterly direction, with said curve to the left, having a radius of 330.00 feet, a central angle of 13° 01' 22", a chord bearing and distance of North 59° 11' 30" West -74.84 feet, and an arc distance of 75.01 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE North 65° 42' 11" West - 73.54 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the right;

THENCE, in a northwesterly direction, with said curve to the right, having a radius of 570.00 feet, a central angle of 04° 22' 19", a chord bearing and distance of North 63° 31' 02" West -43.48 feet, and an arc distance of 43.49 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a compound curve to the right;

THENCE, in a northwesterly direction, with said curve to the right, having a radius of 25.00 feet, a central angle of 91° 34' 49", a chord bearing and distance of North 15° 32' 29" West -35.84 feet, and an arc distance of 39.96 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a reverse curve to the left;

THENCE, in a northeasterly direction, with said curve to the left, having a radius of 2060.00 feet, a central angle of 00° 39' 36", a chord bearing and distance of North 29° 55' 08" East -23.73 feet, and an arc distance of 23.73 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE North 29° 35' 20" East - 52.51 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE North 60° 24' 40" West - 60.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the left;

THENCE, in a northwesterly direction, with said curve to the left, having a radius of 25.00 feet, a central angle of 87° 42' 41", a chord bearing and distance of North 14° 16' 01" West -34.64 feet, and an arc distance of 38.27 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE North 58° 07' 17" West - 64.23 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the left;

THENCE, in a northwesterly direction, with said curve to the left, having a radius of 905.00 feet, a central angle of 02° 06' 18", a chord bearing and distance of North 59° 10' 26" West -33.25 feet, and an arc distance of 33.25 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for the most southerly southeast corner of JORDAN RANCH STREET DEDICATION NO. 4 AND RESERVES, recorded under File Number 20190006 of the Official Public Records of Fort Bend County, Texas;

THENCE with easterly lines of said JORDAN RANCH STREET DEDICATION NO. 4 AND RESERVES and westerly lines of the herein described tract the following courses and distances:

North 23° 11' 25" East - 90.54 feet to a 5/8-inch iron rod with cap stamped "IDS" found for the beginning of a curve to the right;

in a southeasterly direction, with said curve to the right, having a radius of 995.00 feet, a central angle of 02° 42' 10", a chord bearing and distance of South 59° 28' 22" East -46.93 feet, and an arc distance of 46.94 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for the end of said curve;

South 58° 07' 17" East - 68.90 feet to a 5/8-inch iron rod with cap stamped "IDS" found for the beginning of a curve to the left;

in a northeasterly direction, with said curve to the left, having a radius of 25.00 feet, a central angle of 78° 28' 41", a chord bearing and distance of North 82° 38' 25" East -31.63 feet, and an arc distance of 34.24 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for the beginning of a reserve curve to the right;

in a northeasterly direction, with said curve to the right, having a radius of 330.00 feet, a central angle of 26° 40' 30", a chord bearing and distance of North 56° 44' 20" East -152.25 feet, and an arc distance of 153.64 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for the end of said curve;

North 07° 26' 01" West - 101.06 feet to a 5/8-inch iron rod with cap stamped "IDS" found for an angle corner;

North 11° 57' 33" East - 101.06 feet to a 5/8-inch iron rod with cap stamped "IDS" found for an angle corner;

North 19° 31' 47" East - 123.62 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the northwest corner of the herein described tract;

THENCE North 87° 11' 59" East - 199.86 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 78° 09' 18" East - 116.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 66° 15' 45" East - 101.56 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 56° 51' 58" East - 55.24 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 51° 17' 22" East - 280.50 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;


THENCE South 38° 42' 38" West - 83.21 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 51° 17' 22" East - 60.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the right;

THENCE, in a northeasterly direction, with said curve to the right, having a radius of 25.00 feet, a central angle of 90° 00' 00", a chord bearing and distance of North 83° 42' 38" East -35.36 feet, and an arc distance of 39.27 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE South 51° 17' 22" East - 115.00 feet to the POINT OF BEGINNING of the herein described tract and containing 13.315 acres of land.

DISTRICT NAMES	
COUNTY ASSISTANCE DISTRICT	NO. 7
WCID	N/A
MUD	FULSHEAR M.U.D. NO. 3A
LID	N/A
DID	N/A
SCHOOL	LAMAR CONSOLIDATED I.S.D.
FIRE	E.S.D. NO. 4
IMPACT FEE AREA	N/A
CITY OR CITY ETJ	FULSHEAR ETJ
UTILITIES CO.	SIENERGY CONSOLIDATED COMMUNICATIONS COMCAST



FORT BEND COUNTY KEY MAP NO. 482R AND 483N
VICINITY MAP
SCALE 1" = 5,000'

I, J. Stacy Slawinski, Fort Bend County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

J. Stacy Slawinski, P.E.
Fort Bend County Engineer

APPROVED by the Commissioners' Court of Fort Bend County, Texas, this _____ day of _____, 2019.

Vincent M. Morales, Jr., Precinct 1, County Commissioner
W.A. "Andy" Meyers, Precinct 3, County Commissioner
K.P. George, County Judge
Grady Prestage, Precinct 2, County Commissioner
Ken R. DeMerchant, Precinct 4, County Commissioner

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on _____, 2019, at _____ o'clock _____ M. Filed in plat number(s) _____ of the plat records of Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.

Laura Richard, County Clerk
Fort Bend County, Texas

By: _____
Deputy


JORDAN RANCH SEC 18

A SUBDIVISION OF
13.315 ACRES


LOCATED IN
**H. & T.C.R.R. CO. SURVEY, SECTION 105, A-261
FORT BEND COUNTY, TEXAS**

20 LOTS 2 BLOCKS 3 RESERVES

OWNER: **FORT BEND JORDAN RANCH LP**
a Texas limited partnership
5005 RIVERWAY DRIVE, SUITE 500, HOUSTON, TEXAS 77056 (713) 960-9977

ENGINEER: 
IDS Engineering Group
13430 NW, Freeway Suite 700
Houston, TX 77040
713.462.3178
TBP# E-002726
TBP#S 10110700

JORDAN RANCH SEC 18



CURVE TABLE						
CURVE	DELTA	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD DISTANCE
C1	90°00'00"	25.00'	39.27'	25.00'	N83°42'38"E	35.36'
C2	13°01'22"	330.00'	75.01'	37.67'	N59°11'30"W	74.84'
C3	4°22'19"	570.00'	43.49'	21.76'	N63°31'02"W	43.48'
C4	91°34'49"	25.00'	39.96'	25.70'	N15°32'29"W	35.84'
C5	0°39'36"	2,060.00'	23.73'	11.87'	N29°55'08"E	23.73'
C6	87°42'41"	25.00'	38.27'	24.02'	N14°16'01"W	34.64'
C7	2°06'18"	905.00'	33.25'	16.63'	N59°10'26"W	33.25'
C8	2°42'10"	995.00'	46.94'	23.47'	S59°28'22"E	46.93'
C9	78°28'41"	25.00'	34.24'	20.42'	N82°38'25"E	31.63'
C10	26°40'30"	330.00'	153.64'	78.34'	N56°44'20"E	152.25'
C11	2°25'05"	950.00'	40.09'	20.05'	N59°19'50"W	40.09'
C12	2°27'52"	300.00'	12.90'	6.45'	S30°49'16"W	12.90'
C13	38°02'15"	300.00'	199.16'	103.41'	S51°04'19"W	195.53'
C14	42°56'10"	300.00'	224.81'	117.98'	S48°37'21"W	219.59'
C15	15°04'10"	55.00'	14.47'	7.27'	S34°41'21"W	14.42'
C16	65°07'01"	55.00'	62.51'	35.12'	N74°46'56"E	59.20'
C17	21°22'11"	550.00'	205.13'	103.77'	S61°58'28"E	203.95'
C18	37°22'00"	55.00'	35.87'	18.60'	S69°58'22"E	35.24'
C19	52°38'00"	55.00'	50.52'	27.20'	S65°01'38"W	48.77'
C20	24°57'05"	25.00'	10.89'	5.53'	S26°14'05"W	10.80'
C21	157°47'05"	50.00'	137.69'	254.67'	N87°20'55"W	98.13'
C22	42°50'00"	25.00'	18.69'	9.81'	N29°52'22"W	18.26'
C23	21°22'11"	520.00'	193.95'	98.11'	N61°58'28"W	192.82'
C24	80°11'11"	25.00'	34.99'	21.05'	S67°14'52"W	32.20'
C25	42°56'10"	330.00'	247.29'	129.78'	S48°37'21"W	241.55'
C26	40°30'07"	270.00'	190.86'	99.61'	S49°50'23"W	186.91'
C27	32°57'53"	270.00'	155.34'	79.89'	N53°36'30"E	153.21'
C28	65°00'39"	25.00'	28.37'	15.93'	N04°37'14"E	26.87'
C29	128°01'26"	50.00'	111.72'	102.57'	N36°07'37"E	89.89'
C30	28°34'18"	580.00'	289.23'	147.69'	S65°34'31"E	286.24'
C31	90°00'00"	25.00'	39.27'	25.00'	N83°42'38"E	35.36'

LINE TABLE		
LINE	BEARING	LENGTH
L1	S82°59'36"W	13.97'
L2	N58°07'17"W	116.75'
L3	S29°35'20"W	54.95'
L4	S70°05'27"W	50.00'
L5	S47°46'34"E	18.24'
L6	S51°17'22"E	179.01'
L7	S01°20'38"W	14.20'
L8	S38°42'38"W	11.79'
L9	S38°42'38"W	35.15'
L10	N38°42'38"E	11.79'
L11	S05°56'24"W	23.05'
L12	N80°43'29"W	17.22'

RESERVE TABLE			
RESERVE NAME	RESTRICTION	SQ. FT.	ACRES
(A)	A	LANDSCAPE/OPEN SPACE/UTILITIES	10,388 0.238
(B)	B	LANDSCAPE/OPEN SPACE/UTILITIES	6,532 0.150
(C)	C	DRAINAGE/DETENTION/LANDSCAPE/OPEN SPACE/UTILITIES/ACCESS	280,517 6.440

JORDAN RANCH SEC 18

A SUBDIVISION OF
13.315 ACRES


LOCATED IN
H. & T.C.R.R. CO. SURVEY, SECTION 105, A-261
FORT BEND COUNTY, TEXAS

20 LOTS 2 BLOCKS 3 RESERVES

OWNER: FORT BEND JORDAN RANCH LP
A Texas limited partnership. 5005 RIVERWAY DRIVE, SUITE 500, HOUSTON, TEXAS 77056 (713) 960-9977

ENGINEER: IDS Engineering Group

13430 NW. Freeway Suite 700 Houston, TX 77040 713-462-3178 TBP# F-002726 TBPLS 10110700



LAMAR CONSOLIDATED ISD
FILE NO 80839890006
OPRFBC

JORDAN RANCH STREET
DEDICATION NO 4 AND RESERVES
PLAT NO 20190006
OPRFBC

JORDAN RANCH 16
PLAT NO 20190154
OPRFBC

JORDAN RANCH 14
PLAT NO. 20170222
O.P.R.F.B.C.
26

CORPORATION OF THE
PRESBYTERIAN CHURCH OF
THE CHURCH OF JESUS
CHRIST LATTER-DAY SAINTS
FILE NO 2018037965, OPRFBC

FORT BEND JORDAN RANCH LP
FILE NO 2015027960, OPRFBC

FORT BEND JORDAN RANCH LP
FILE NO 2015027960, OPRFBC

V:\cs\Projects\2020\2141-028-01_IDS_EPR\CAD\DWG\B_18_C-PLAT.dwg [Layout2] Plotted: Sep 17, 2019 at 11:55am by rfrazier (last saved by rfrazier)

JORDAN RANCH SEC 18