

**PLAT RECORDING SHEET**

**PLAT NAME:**  Jordan Ranch, Sec. 20

**PLAT NO:** \_\_\_\_\_

**ACREAGE:**  11.074

**LEAGUE:**  J.G. Bennett Survey

**ABSTRACT NUMBER:**  611

**NUMBER OF BLOCKS:**  2

**NUMBER OF LOTS:**  34

**NUMBER OF RESERVES:**  4

**OWNERS:**  Fort Bend Jordan Ranch LP

\_\_\_\_\_  
**(DEPUTY CLERK)**

STATE OF TEXAS  
COUNTY OF FORT BEND

I, STEPHEN A. SAMS, Vice President of JOHNSON JORDAN RANCH GP LLC, a Texas limited liability company, the general partner of FORT BEND JORDAN RANCH LP, a Texas limited partnership, hereinafter referred to as owners of the 11.074 acre tract described in the above and foregoing map of JORDAN RANCH SEC 20, do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions and notations on said maps or plat, and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements, and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors, and assigns to warrant and forever defend the title to the land so dedicated.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21'6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10'0") for ten feet (10'0") back-to-back ground easements, or eight feet (8'0") for fourteen feet (14'0") back-to-back ground easements or seven feet (7'0") for sixteen feet (16'0") back-to-back ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30'0") in width.

FURTHER, Owners do hereby declare that all parcels of land designated as lots on this plat are originally intended for the construction of single family residential dwelling units thereon (or the placement of mobile home subdivision) and shall be restricted for same under the terms and conditions of such restrictions filed separately.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this plat is hereby restricted to prevent the drainage of any septic tanks into any public or private street, permanent access easement, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, Owners do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purposes of construction and maintenance of drainage facilities and structures.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby certify that we are the owners of all property immediately adjacent to the boundaries of the above and foregoing plat of JORDAN RANCH SEC 20 where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

FURTHER, Owners do hereby acknowledge the receipt of the "Orders for Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, JOHNSON JORDAN RANCH GP LLC, a Texas limited liability company, as general partner of FORT BEND JORDAN RANCH LP, a Texas limited partnership, has caused these presents to be signed by Stephen A. Sams, Vice President, this 2nd day of April, 2020.

By: FORT BEND JORDAN RANCH LP,  
a Texas Limited Partnership


By: JOHNSON JORDAN RANCH GP, LLC  
a Texas Limited Liability Company  
It's General Partner

By:   
Stephen A. Sams, Vice President

STATE OF TEXAS  
COUNTY OF HARRIS

BEFORE ME, the undersigned authority, on this day personally appeared Stephen A. Sams, Vice President, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein and herein set out, and as the act and deed of said corporation.


GIVEN UNDER MY HAND AND SEAL OF OFFICE, this 2nd day of April, 2020.




  
Vonda Riley  
Notary Public in and for the  
State of Texas


I, Michael L. Swan, am authorized under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.



  
Michael L. Swan, R.P.L.S.  
Registered Professional Land Surveyor  
Texas Registration No. 5551

I, John R. Herzog, A Professional Engineer registered in the State of Texas do hereby certify that this plat meets the requirements of Fort Bend County to the best of my knowledge.



  
John R. Herzog, P.E.  
Licensed Professional Engineer, No.126468

This plat of JORDAN RANCH SEC 20 is approved by the City Planning and Zoning Commission of the City of Fulshear, Texas this 23rd day of March, 2020.

  
Amy Peard, Chair

  
Dar Mankhazadeh, Co-Chair

The plat of JORDAN RANCH SEC 20 was approved by the City of Fulshear Council on the 17th day of March, 2020, and signed on this 10th day of March, 2020, provided; however, this approval shall be invalid, and null and void, unless this plat is filed with the County Clerk of Fort Bend, Texas within one (1) year hereafter.

  
Aaron Groff, Mayor

  
Kimberly Kopecky, City Secretary

NOTES

- The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Grid Coordinates (NAD83) and may be brought to surface by applying the combined scale factor of 1.00013.
- B.L. indicates a building line  
A.E. indicates an aerial easement  
U.E. indicates a utility easement  
W.S.E. indicates a water and sewer easement  
VOL., PG. indicates Volume, Page  
P.R.F.B.C. indicates Plat Records of Fort Bend County  
O.P.R.B.C. indicates Official Public Records of Fort Bend County  
O.R.F.B.C. indicates Original Records of Fort Bend County  
F.B.C. O.P.R.R.P. indicates Fort Bend County Official Public Records of Real Property  
ESMT. indicates Easement  
H.L. & P. indicates Houston Lighting and Power  
SQ. FT. indicates square feet  
AC. indicates acre  
R.O.W. indicates right-of-way  
● indicates found 5/8" iron rod (unless otherwise noted)  
○ indicates set 5/8" iron rod with plastic cap stamped "IDS" (unless otherwise noted)
- Indicates street name change
- All building lines along street rights-of-way are as shown on the plat.
- All sidelot building lines to be 5' unless otherwise noted.
- All non-perimeter easements on property lines are centered unless otherwise noted.
- All bearings are based on the Texas Coordinate System of 1983, South Central Zone.
- One-foot reserve dedicated for buffer purposes to the public in fee as a buffer separation between the side or end of streets where such streets abut adjacent property, the condition of such dedication being that when the adjacent property is subdivided or re-subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purposes and the fee title thereto shall revert to and revest in the dedicator, his heirs, assigns, or successors.
- The platted area is located within Zone X, defined as areas determined to be outside the 500 year floodplain, per FEMA Flood Insurance Rate Map Panel No. 48157C0020L, effective April 02, 2014.
- This property lies within the extraterritorial jurisdiction of the City of Fulshear, Fort Bend County, Texas, Fulshear Municipal Utility District No. 3A and within County Assistance District (CAD) No. 7.
- Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with the A.D.A.
- The top of all floor slabs shall be a minimum of 152.00 feet above mean sea level (NAVD 88 datum). In addition, no top of slab elevation shall be less than 24 inches above the lowest top of curb adjacent to the lot in which it lies. In the absence of a curb, the top of slab elevation shall be no less than 24" above the highest natural ground along the perimeter of the building foundation and 12 inches above any down gradient roadway or drainage restraint, whichever is higher.
- The drainage system for this subdivision is designed in accordance with the "Fort Bend County Drainage Criteria Manual" which allows street ponding with intense rainfall events.
- All drainage easements are to be kept clear of fences, buildings, vegetation and other obstructions to the operation and maintenance by the drainage facility. All property is required to drain into the drainage easement through an approved drainage structure.
- The Lighting Zone Code is LZ3.
- To the best of the engineer's knowledge, all existing pipeline easements within the subdivision are shown on the plat.
- Absent written authorization by the affected utilities, all utility easements must be kept unobstructed from any non-utility improvements or obstruction by property owner. Any unauthorized improvements or obstructions may be removed by the utility at the property owner's expense.
- Benchmark:  
Vertically is based on a FEMA benchmark in Katy, RM 7: A US Coast and Geodetic survey disk marked Y 1148, located 0.3 ± miles east along the Missouri-Kansas-Texas railroad from the station at Katy and 5.2 feet ± southwest of the southeast corner of the American Rice Growers Co-op Association office building.  
Heid the Published NAVD 88 Elevation on Y1148 = 141.44  
Elevation = 142.00 (NAVD 1929 - datum based on FEMA maps)
- Reserves A, B, C, and D within this plat will be owned by Fulshear M.U.D. No. 3A or the Jordan Ranch Community Association. Maintenance will be performed by either Fulshear M.U.D. No. 3A or the Jordan Ranch Community Association.
- A minimum distance of 10' shall be maintained between residential dwellings.
- Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval. Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning construction.
- The minimum distance of twenty-two (22) feet shall be maintained between a front facing garage and the edge of the sidewalk.

BEING 11.074 acres of land in the J.G. Bennett Survey, Abstract Number 611, Fort Bend County, Texas and being a portion of the 1352.43 acre tract described in the deed from The Massimo Fabio Silvestri Irrevocable Trust and The Rocco Paolo Silvestri Irrevocable Trust to Fort Bend Jordan Ranch LP recorded under File Number 2015027940 in the Official Public Records of Fort Bend County, Texas and more particularly described by metes and bounds as follows with bearings based on the Texas Coordinate System of 1983, South Central Zone:

BEGINNING at a 5/8-inch iron rod with cap stamped "IDS" found for the northeast corner of Lot 45, Block 1 of JORDAN RANCH SEC 4 according to the plat thereof recorded under Film Code No. 20160001, in the Official Plat Records of Fort Bend County, Texas and the northwest corner of the herein described tract;

THENCE North 77° 26' 48" East - 290.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the most northerly northeast corner of the herein described tract;

THENCE South 12° 33' 12" East - 55.03 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE North 87° 35' 55" East - 134.72 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the most easterly northeast corner of the herein described tract;

THENCE South 12° 18' 00" East - 139.07 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 21° 40' 29" East - 123.64 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 47° 51' 13" East - 118.77 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 55° 34' 24" East - 223.84 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 50° 58' 06" East - 260.17 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 62° 14' 47" West - 24.95 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the right;

THENCE in a northerly direction, with said curve to the right, having a radius of 535.00 feet, a central angle of 03° 18' 21", a chord bearing and distance of North 29° 24' 24" East - 30.86 feet, and an arc distance of 30.87 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE South 58° 56' 26" East - 60.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the left;

THENCE in a southerly direction, with said curve to the left, having a radius of 25.00 feet, a central angle of 97° 01' 13", a chord bearing and distance of South 17° 27' 03" East - 37.45 feet, and an arc distance of 42.33 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE South 65° 57' 39" East - 101.56 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the southeast corner of the herein described tract;

THENCE South 24° 24' 38" West - 60.00 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the beginning of a non-tangent curve to the right;

THENCE in a southerly direction, with said curve to the right, having a radius of 25.00 feet, a central angle of 88° 53' 37", a chord bearing and distance of South 21° 30' 50" East - 35.01 feet, and an arc distance of 38.79 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE South 22° 55' 58" West - 113.34 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the Point of Curvature of a curve to the right;

THENCE in a southwesterly direction, with said curve to the right, having a radius of 600.00 feet, a central angle of 15° 18' 19", a chord bearing and distance of South 30° 35' 08" West - 159.80 feet, and an arc distance of 160.28 feet, to a 5/8-inch iron rod with cap stamped "IDS" set for the end of curve;

THENCE South 38° 14' 18" West - 51.83 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the south corner of the herein described tract;

THENCE North 48° 16' 08" West - 119.08 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE North 45° 36' 54" West - 163.02 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE North 50° 41' 14" West - 320.07 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;


THENCE North 60° 53' 15" West - 402.28 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE North 12° 33' 12" West - 177.79 feet to a 5/8-inch iron rod with cap stamped "IDS" set for an angle corner of the herein described tract;

THENCE South 77° 26' 48" West - 90.00 feet to a 5/8-inch iron rod with cap stamped "IDS" found for the southeast corner of said Block 1 and the southwest corner of the herein described tract;

THENCE North 12° 33' 12" West - 330.70 feet, with said Block 1, to the POINT OF BEGINNING of the herein described tract and containing 11.074 acres of land.

DISTRICT NAMES	
COUNTY ASSISTANCE DISTRICT	NO. 7
WCID	N/A
MUD	FULSHEAR M.U.D. NO. 3A
LID	N/A
DID	N/A
SCHOOL	LAMAR CONSOLIDATED I.S.D.
FIRE	E.S.D. NO. 4
IMPACT FEE AREA	N/A
CITY OR CITY ETJ	FULSHEAR ETJ
UTILITIES CO.	SIENERGY CONSOLIDATED COMMUNICATIONS COMCAST CENTERPOINT



FORT BEND COUNTY KEY MAP NO. 483J  
VICINITY MAP  
SCALE 1" = 5,000'

I, J. Stacy Slawinski, Fort Bend County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

J. Stacy Slawinski, P.E.  
Fort Bend County Engineer

APPROVED by the Commissioners' Court of Fort Bend County, Texas, this \_\_\_\_\_ day of \_\_\_\_\_, 2020.

Vincent M. Morales, Jr.  
Precinct 1, County Commissioner

W.A. "Andy" Meyers  
Precinct 3, County Commissioner

K.P. George  
County Judge

Grady Prestage  
Precinct 2, County Commissioner

Ken R. DeMerchant  
Precinct 4, County Commissioner

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on \_\_\_\_\_, 2020, at \_\_\_\_\_ o'clock \_\_\_\_\_ M. Filed in plat number(s) \_\_\_\_\_ of the plat records of Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.


Laura Richard, County Clerk  
Fort Bend County, Texas

By: \_\_\_\_\_  
Deputy



**JORDAN RANCH SEC 20**  
A SUBDIVISION OF  
**11.074 ACRES**  
LOCATED IN  
**J.G. BENNETT SURVEY, A-611**  
**FORT BEND COUNTY, TEXAS**  
**34 LOTS 2 BLOCKS 4 RESERVES**

OWNER: **FORT BEND JORDAN RANCH LP**  
a Texas limited partnership  
9502 INDEPENDENCE DRIVE, SUITE 500, HOUSTON, TEXAS 77056 (713) 960-9977

ENGINEER: **IDS Engineering Group**  
13430 Northwest Pkwy., Ste. 700  
Houston, Texas 77040  
713.462.3178  
TBPE F-002726 | TBPLS 10110700



JORDAN RANCH SEC 20



CURVE TABLE						LINE TABLE			
CURVE	DELTA	RADIUS	LENGTH	TANGENT	CHORD BEARING	CHORD DISTANCE	LINE	BEARING	LENGTH
C1	3°18'21"	535.00'	30.87'	15.44'	N29°24'24"E	30.86'	L1	S65°57'39"E	159.74'
C2	9°7'01"13"	25.00'	42.33'	28.27'	S17°2'03"E	37.45'	L2	N23°03'14"E	60.83'
C3	88°53'37"	25.00'	38.79'	24.52'	S21°30'50"E	35.01'	L3	N11°20'08"W	19.36'
C4	15°18'19"	600.00'	160.28'	80.62'	S30°35'08"W	159.80'	L4	S59°22'17"E	102.13'
C5	7°01'13"	505.00'	61.88'	30.98'	N27°32'57"E	61.84'	L5	N50°56'53"E	12.87'
C6	0°59'07"	505.00'	8.68'	4.34'	N23°32'47"E	8.68'	L6	N12°33'12"W	294.08'
C7	55°36'38"	55.00'	53.38'	29.00'	N50°51'33"E	51.31'	L7	S23°03'14"W	43.29'
C8	55°05'51"	55.00'	52.89'	28.69'	S73°47'12"E	50.88'	L8	N23°41'08"W	14.56'
C9	13°08'01"	1,935.00'	443.55'	222.75'	S52°48'17"E	442.58'	L9	S26°10'02"W	26.77'
C10	20°19'10"	300.00'	106.39'	53.76'	S49°12'42"E	105.84'			
C11	26°29'55"	300.00'	138.75'	70.64'	N25°48'09"W	137.51'			
C12	90°59'07"	25.00'	39.70'	25.43'	S68°32'47"W	35.66'			
C13	24°57'05"	25.00'	10.89'	5.53'	S10°34'42"W	10.80'			
C14	161°12'04"	50.00'	140.67'	302.04'	S78°42'11"W	98.66'			
C15	24°40'06"	25.00'	10.76'	5.47'	N33°01'50"W	10.68'			
C16	14°00'24"	1,905.00'	465.70'	234.02'	N52°22'05"W	464.54'			
C17	4°01'24"	330.00'	23.17'	11.59'	N57°21'35"W	23.17'			
C18	26°02'14"	150.00'	68.17'	34.68'	N68°22'00"W	67.58'			
C19	84°40'01"	50.00'	73.89'	45.55'	N39°03'07"W	67.34'			
C20	26°02'14"	150.00'	68.17'	34.68'	N09°44'13"W	67.58'			
C21	10°12'09"	330.00'	58.76'	29.46'	N17°39'16"W	58.68'			
C22	46°49'05"	270.00'	220.62'	116.89'	S35°57'44"E	214.54'			
C23	13°08'01"	1,965.00'	450.42'	226.20'	S52°48'17"E	449.44'			
C24	110°42'30"	25.00'	48.31'	36.18'	N78°24'29"E	41.13'			
C25	4°41'59"	535.00'	43.88'	21.95'	N25°24'14"E	43.87'			

RESERVE TABLE			
RESERVE NAME	RESTRICTION	SQ. FT.	ACRES
(A)	A	LANDSCAPE/OPEN SPACE/UTILITIES	15,761 0.362
(B)	B	LANDSCAPE/OPEN SPACE/UTILITIES/DRAINAGE	4,234 0.097
(C)	C	LANDSCAPE/OPEN SPACE/UTILITIES/PIPELINES	34,892 0.801
(D)	D	LANDSCAPE/OPEN SPACE/UTILITIES	4,898 0.112

**JORDAN RANCH SEC 20**  
 A SUBDIVISION OF  
**11.074 ACRES**  
 LOCATED IN  
**J.G. BENNETT SURVEY, A-611**  
**FORT BEND COUNTY, TEXAS**  
**34 LOTS 2 BLOCKS 4 RESERVES**

**OWNER: FORT BEND JORDAN RANCH LP**  
4 Equal Undivided Partnerships  
 5005 RIVERWAY DRIVE, SUITE 500, HOUSTON, TEXAS 77056 (713) 960-9977

**ENGINEER: IDS Engineering Group**  
13430 Northwest Fwy., Ste. 700  
 Houston, Texas 77040  
 713-462-3178  
 TBP# 002726 | TBP# 10110700



\\13\Projects\2100\2141\03001\_8020\_PFD\_CAD\DWG\A-20\_PLAT.dwg [Layout2] Plotted Mar 23, 2020 at 8:07am by fhuahler (Last Saved by fhuahler)

JORDAN RANCH SEC 20