NOTICE OF CONFIDENTIALITY RIGHTS: IF YOU ARE A NATURAL PERSON, YOU MAY REMOVE OR STRIKE ANY OR ALL OF THE FOLLOWING INFORMATION FROM ANY INSTRUMENT THAT TRANSFERS AN INTEREST IN REAL PROPERTY BEFORE IT IS FILED FOR RECORD IN THE PUBLIC RECORDS: YOUR SOCIAL SECURITY NUMBER OR YOUR DRIVER'S LICENSE NUMBER.

#### SPECIAL WARRANTY DEED

Date.	, 2020
Grantor:	

2020

Fort Bend County Municipal Utility District No. 134B, a political subdivision of the State of Texas

## Grantor's Mailing Address:

c/o Coats Rose, P.C. 9 Greenway Plaza, Suite 1000 Houston, Texas 77046

### Grantee:

Data

Fort Bend Grand Parkway Toll Road Authority, a Texas local government corporation

## Grantee's Mailing Address:

c/o The Muller Law Group PLLC 202 Century Square Boulevard, Sugar Land, Texas 77478

#### Consideration:

Ten and No/100 Dollars (\$10.00) and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged.

#### Property:

That certain tract of land containing 2.198 acres, as more particularly described and depicted in **Exhibit A** attached hereto and incorporated herein for all purposes, together with all rights, titles, and interests appurtenant thereto and improvements situated thereon.

## Exceptions to Conveyance and Warranty:

This Special Warranty Deed is executed and delivered by Grantor and accepted by Grantee, and the conveyance set forth herein and the Property are subject to the terms, conditions, and provisions hereof, and further subject to all easements, conditions, restrictions, covenants, mineral or royalty interests, mineral reservations, surface waivers, utility conveyances, liens, encumbrances, regulations or orders of municipal and/or other governmental authorities, and other matters of record in Fort Bend County, Texas, to the extent same are validly existing and applicable to the Property (collectively, "Permitted Encumbrances").

#### Access Reservation:

Access to and across the Property is DENIED, except as provided in this paragraph. Grantor excepts and reserves unto itself and its successors and assigns, the right of access, ingress, and egress across, along, and upon the Property to and from the property shown on **Exhibit B** attached hereto ("Remaining Property") through the 4 access points to the Grand Parkway shown on **Exhibit C** attached hereto, in compliance with the Texas Department of Transportation's, the County's, and the Fort Bend Grand Parkway Toll Road Authority's driveway/access criteria, including any deceleration lanes required thereunder.

Notwithstanding anything to the contrary stated herein or in the attached exhibits, all measurements for the minimum spacing of access points described above and/or depicted on **Exhibit C** are from the edge of pavement of driveways and/or any roads as measured at the property boundary between the Remaining Property and the Property.

## Grant of Property:

Grantor, for the Consideration and subject to the Exceptions to Conveyance and Warranty and the Access Reservation, grants, sells, and conveys to Grantee the Property, together with all and singular the rights and appurtenances thereto in any way belonging, to have and to hold it to Grantee and Grantee's successors and assigns forever. Grantor binds Grantor and Grantor's successors to warrant and forever defend all and singular the Property to Grantee and Grantee's successors and assigns against every person whomsoever lawfully claiming or to claim the same or any part thereof, by, through or under Grantor but not otherwise, except as to the Exceptions to Conveyance and Warranty and the Access Reservation.

Grantor, for the same Consideration and subject to the Exceptions to Conveyance and Warranty, grants, sells, and conveys to Grantee, without warranty, express or implied, the strips or gores, if any, between the Property and abutting properties and land lying in or under any public thoroughfare, opened or proposed, abutting or adjacent to the Property, together with all and singular the rights and appurtenances thereto in any way belonging, to have and to hold it to Grantee and Grantee's heirs, successors, and assigns forever.

All Exhibits referenced herein are attached hereto and incorporated herein for all purposes.

Remainder of page intentionally blank.

Executed t	o be	effective :	as of	2020.

### **GRANTOR**:

FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 134B,

a political subdivision of the State of Texas

Name: Timothy Williamson

Title: President

THE STATE OF TEXAS

COUNTY OF Harris

This instrument was acknowledged before me on the 25th day of September, 2020, by Timothy Williamson, President of Fort Bend County Municipal Utility District No. 134B, a political subdivision of the State of Texas, on behalf of said entity.

(NOTARY SEAL)

\* 1226720 CONTINUE TO STATE OF TEXT OF

Norary Public, State of Texas

AGREED to and ACCEPTED this 22 day of October, 2020 by Grantee.

#### **GRANTEE:**

FORT BEND GRAND PARKWAY TOLL ROAD AUTHORITY

By: Shoukat Dhanani

Title: Board Chairman

THE STATE OF TEXAS

8

COUNTY OF FORT BEND §

This instrument was acknowledged before me on the 22 day of October, 2020, by Shouled Dhanani Bound Chailmof the Board of Directors of FORT BEND GRAND PARKWAY TOLL ROAD AUTHORITY, a Texas local government corporation, on behalf of said local government corporation.

Notary Public, State of Texas

(NOTARY SEAL)

Bella H Nguyen
My Commission Expires
07/12/2023
ID No. 132083877

#### Attachment:

Exhibit A - Legal Description and Depiction of Property

Exhibit B - Legal Description and Depiction of Remaining Property

Exhibit C - Driveway/Roadway Spacing Exhibit

#### After recording, please return to:

Keely Campbell The Muller Law Group, PLLC 202 Century Square Boulevard Sugar Land, Texas 77478

# EXHIBIT A

# Legal Description and Depiction of Property

(see attached)

### DESCRIPTION OF 2.198 ACRES (95,753 SQUARE FEET) RIGHT-OF-WAY DEDICATION

Being 2.198 acres of land located in the Jane Wilkins League, Abstract 96 Fort Bend County, Texas, being a portion of Tract 1 – Part 2 as shown on the State of Texas Department of Transportation Partition Plat, a partition plat of record on Slide Number 1819A, of the Plat Records of said Fort Bend County, Texas (F.B.C.P.R.), more particularly being a portion of that certain called 48.019 acre tract conveyed to Aliana Development Company by an instrument of record under File Number 2017132054, of the Official Public Records of said Fort Bend County, Texas (F.B.C.O.P.R.) and a portion of that certain called 4.023 acre tract (described as Tract "G", Part One) conveyed Aliana Development Company by an instrument of record under File Number 2011100735, F.B.C.O.P.R., said 2.198 acres being more particularly described by metes and bounds as follows, all bearings referenced to the Texas Coordinate System, South Central Zone, NAD 83 (1993 adjustment);

BEGINNING at a 5/8-inch iron rod with cap stamped "LJA SURVEY" set for the northwest corner of that certain called 0.006 acre area dedicated for right-of-way purposes shown on Aliana Fort Bend Elementary School No. 51, a subdivision of record under Plat Number 20170210, F.B.C.P.R., said Aliana Fort Bend Elementary School No. 51 being all of that certain called 17.957 acre tract conveyed to Fort Bend Independent School District by an instrument of record under File Number 2017051131, F.B.C.O.P.R., said point also being the southwest corner of said 48.019 acre tract, and located on the arc of a curve on the east right-of-way line of Grand Parkway-State Highway 99 (width varies) as described in Volume 2367, Page 2413 of the Deed Records of said Fort Bend County, Texas (F.B.C.D.R.), the beginning of a curve;

Thence, along the east right-of-way line of said Grand Parkway-State Highway No. 99 the following five (5) courses:

- 347.78 feet along the west line of said 48.019 acre tract and the arc of a non-tangent curve to the right, having a radius of 22,768.31 feet, a central angle of 00° 52' 31", and a chord which bears North 21° 37' 07" West, 347.77 feet to a 5/8-inch iron rod with an aluminum TXDOT disk previously found for corner;
- North 21° 08' 45" West, continuing along the west line of said 48.019 acre tract,
   508.80 feet to a brass TXDOT disk in concrete previously found for corner;
- 3. North 18° 04' 14" West, continuing along the west line of said 48.019 acre tract, 396.37 feet to a brass TXDOT disk in concrete previously found for corner;
- 4. North 19° 01' 30" West, continuing along the west line of said 48.019 acre tract, passing at a distance of 383.88 feet the common west corner of said 48.019 acre tract and the aforementioned 4.023 acre tract, continuing along the west line of said 4.023 acre tract, a total distance of 397.76 feet to a brass TXDOT disk in concrete previously found for corner;
- 5. North 23° 18' 33" West, continuing along the west line of said 4.023 acre tract, 700.60 feet to a 5/8-inch iron rod with cap stamped "LJA SURVEY" set at the southerly end of a radial cut-back corner at the intersection of said Grand Parkway-State Highway No. 99 and the south right-of-way line of West Airport Boulevard as shown on Aliana State Highway 99 to F.M. 1464 Street Dedication Re-Plat No. 1, recorded under Plat Number 20110071, F.B.C.P.R., said point being on the west line of said 4.023 acre tract, the beginning of a curve;

Thence, along the north line of said 4.023 acre tract and the south right-of-way line of said Aliana West Airport Boulevard, 31.42 feet along the arc of a tangent curve to the right, having a radius of 30.00 feet, a central angle of 60° 00' 00", and a chord which bears North 06° 41' 27" East, 30.00 feet to a 5/8-inch iron rod with cap stamped "LJA SURVEY" set for corner;

Thence, South 23° 18' 33" East, departing the north line of said 4.023 acre tract and the south right-of-way line of said Aliana West Airport Boulevard, 895.59 feet to a 5/8-inch iron rod with cap stamped "LJA SURVEY" set for corner, the beginning of a curve;

Thence, 246.20 feet along the arc of a tangent curve to the right, having a radius of 6,520.00 feet, a central angle of 02° 09' 48", and a chord which bears South 22° 13' 38" East 246.19 feet to a 5/8-inch iron rod with cap stamped "LJA SURVEY" set for corner;

Thence, South 21° 08' 44" East, 873.52 feet to a 5/8-inch iron rod with cap stamped "LJA SURVEY" set for corner, the beginning of a curve;


Thence, along the arc of a tangent curve to the left having a radius of 22,706.31 feet, passing at an arc length of 304.38 feet the northwest corner of Fairbairn Way (70 feet wide) as shown on Aliana Fairbairn Way Street Dedication Sec 1, a subdivision of record under Plat Number 20180104, F.B.C.P.R., continuing for a total arc length of distance of 360.53 feet, having a central angle of 00° 54′ 35″, and a chord which bears South 21° 36′ 01″ East, 360.52 feet to a 5/8-inch iron rod with cap stamped "LJA SURVEY" set for the southwest corner of said Fairbairn Way, said point being on the north line of the aforementioned 17.957 acre tract, same being the south line of the aforesaid 48.019 acre tract;

Thence, South 67° 36' 25" West, along the north line of said 17.957 acre tract and the south line of said 48.019 acre tract, 62.00 feet to the POINT OF BEGINNING and containing 2.198 acres of land.

LJA Surveying, Inc.



Page 3 of 3



1) Designative (0.000 / 1068 / 1068 / 108 / 144

LINE TABLE						
LINE	BE	ARING		DISTANCE		
L1	N	21'08'45"	W	508.80'		
L2	7	18'04'14"	W	396.37'		
L3	Ν	19'01'30"	W	397.76'		
L4	S	67'36'25"	W	62.00'		

	CURVE TABLE							
	ARC LENGTH	RADIUS	DELTA ANGLE	CHORD BEAR	NG	CHORD LENGTH		
C1		22,768.31	0'52'31"	N 21'37'07"	W	347.77'		
C2		30.00'	60'00'00"	N 06'41'27"	E	30.00'		
C2 C3 C4	246.20'	6,520.00'	2.09,48,	S 22°13'38"	E	246.19'		
C4	360.53'	22,706.31	0.54'35"	S 21'36'01"		360.52'		

LEGEND

F.B.C.O.P.R.

OFFICIAL PUBLIC RECORDS OF FORT BEND COUNTY, TEXAS

F.B.C.P.R.

PLAT RECORDS OF FORT BEND COUNTY, TEXAS

F.B.C.D.R.

DEED RECORDS OF FORT BEND COUNTY, TEXAS

CET 5 /0" IDON DOD WITH THE

"S"•


SET 5/8" IRON ROD WITH CAP STAMPED "LJA SURVEY"

EXHIBIT OF
2.198 ACRES
95,752 SQUARE FEET
RIGHT-OF-WAY DEDICATION
(VARIABLE WIDTH)
LOCATED IN THE
JANE WILKINS LEAGUE, A-96
FORT BEND COUNTY, TEXAS

AUGUST 2018

JOB NO. 1968-0018A

LJA Surveying, Inc.



Phone 713.953,5200 Fax 713.953,5026 T.B.P.L.S. Firm No. 10194382

# EXHIBIT B

# Legal Description and Depiction of Remaining Property

(see attached)

# DESCRIPTION OF 52.758 ACRES

Being 52.758 acres of land in the Jane Wilkins League, Abstract 96 Fort Bend County, Texas, being a portion of Tract 1 - Part 2 as shown on the State of Texas Department of Transportation Partition Plat, a partition plat of record on Slide Number 1819A, of the Plat Records of said Fort Bend County, Texas (F.B.C.P.R.), more particularly being a portion of that certain called 4.023 acre tract (described as Tract "G", Part One) conveyed to Aliana Development Company by an instrument of record in File Number 2011100735, of the Official Public Records of said Fort Bend County, Texas (F.B.C.O.P.R.), a portion of that certain called 5.443 acre tract (described as Tract "G", Part Two) conveyed to Aliana Development Company by an instrument of record in File Number 2011100735, F.B.C.O.P.R., a portion of that certain called 79.678 acre tract (described as Exhibit "A" - Tract 1, Part Three) conveyed to Aliana Development Company by an instrument of record in File Number 2007074437, F.B.C.O.P.R., a portion of that certain called 70.983 acre tract (described as Tract C) conveyed to Aliana Development Company by an instrument of record in File Number 2012147322, F.B.C.O.P.R., and a portion of that certain called 48.019 acre tract conveyed to Aliana Development Company by an instrument of record in File Number 2017132054, F.B.C.O.P.R., said 52.758 acre being more particularly described by metes and bounds as follows, all bearings referenced to the Texas Coordinate System, South Central Zone, (NAD 83, 1993 adjustment);

BEGINNING at a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for the northwest corner of Fairbairn Way (70 feet wide) as shown on Aliana Fairbairn Way Street Dedication Sec. 1, a subdivision of record under Plat Number 20180104, F.B.C.P.R., the beginning of a curve;

Thence, 290.52 feet along the arc of a non-tangent curve to the right, having a radius of 22,706.31 feet, a central angle of 00° 43′ 59″, and a chord which bears North 21° 30′ 44″ West 290.52 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;

Thence, North 21° 08' 44" West, 873.52 feet a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner, the beginning of a curve;

Thence, 246.20 feet along the arc of a tangent curve to the left, having a radius of 6,520.00 feet, a central angle of 02° 09' 49", and a chord which bears North 22° 13' 38" West 246.19 feet a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;

Thence, North 23° 18' 33" West, passing at 155.16 feet a northwesterly line of aforementioned 48.019 acre tract and a south line of the aforementioned 4.023 acre tract, continuing for a total distance of 895.59 feet to a point for corner on the south right-of-way line of Aliana West Airport Boulevard (width varies) as shown on Aliana West Airport Boulevard State Highway 99 to F.M. 1464 STD Replat No. 1, a subdivision of record under Plat Number 20110071, F.B.C.P.R., common to the north line of said 4.023 acre tract, the beginning of a curve;

Thence, along the south right-of-way line of said Aliana West Airport Boulevard the following eight (8) courses:

- Along the north line of said 4.023 acre tract, and along the arc of a non-tangent curve to the right for a total arc length of 15.71 feet, having a radius of 30.00 feet, a central angle of 30° 00' 00", and a chord which bears North 51° 41' 27" East, 15.53 feet to a point for corner;
- 2. North 66° 41' 27" East, continuing along the north line of said 4.023 acre tract, 48.71 feet to a point for corner, the beginning of a curve;
- 3. Departing the north line of said 4.023 acre tract and 140.88 feet along the arc of a tangent curve to the right, having a radius of 1,018.00 feet, a central angle of 07° 55′ 44″, and a chord which bears North 70° 39′ 19″ East, 140.77 feet to a point for corner;

- 4. North 74° 37' 12" East, 238.36 feet to a point for corner, the beginning of a curve;
- 5. 350.47 feet along the arc of a tangent curve to the left, having a radius of 1,062.00 feet, a central angle of 18° 54′ 30″, and a chord which bears North 65° 09′ 56″ East, 348.89 feet to a point for corner;
- 6. North 55° 42' 41" East, 77.14 feet to a point for corner, the beginning of a curve;
- 7. 195.08 feet along the arc of a tangent curve to the right, having a radius of 1,018.00 feet, a central angle of 10°58′46″, and a chord which bears North 61° 12′04″ East, 194.78 feet to a point for corner on the north line of the aforementioned 79.678 acre tract:
- 8. North 66° 41' 27" East, along the north line of said 79.678 acre tract and the aforementioned 5.443 acre tract, 45.67 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for the north end of a radial cutback corner at the intersection of the south right-of-way line of said Aliana West Airport Boulevard and the west right-of-way line of West Aliana Trace (width varies at this point) as shown on Aliana Trace Drive Street Dedication Sec 4, a subdivision of record under Plat Number 20170189, F.B.C.P.R., same being on the north line of the aforementioned 5.443 acre tract, the beginning of a curve;

Thence, departing the north line of said 5.443 acre tract, and along the west right-of-way line of said West Aliana Trace the following nine (9) courses:

1. Along said cutback corner and along the arc of a non-tangent curve to the right for a total arc length of 47.12 feet, having a radius of 30.00 feet, a central angle of 89° 59' 59", and a chord which bears South 68° 18' 32" East, 42.43 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for the south end of said cutback corner, said West Aliana Trace (100 feet wide at this point);

- 2. South 23° 18' 33" East, 15.01 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner, the beginning of a curve;
- 3. 118.15 feet along the arc of a tangent curve to the right, having a radius of 1,280.00 feet, a central angle of 05° 17' 20", and a chord which bears South 20° 39' 53" East, 118.11 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;
- 4. South 18°01' 13" East, at 762.00 feet pass a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for reference, continuing for a total distance of 940.48 feet to a point for corner on the east line of the aforementioned 48.019 acre tract, the beginning of a curve:
- 5. Continuing along the east line of said 48.019 acre tract and 215.08 feet along the arc of a tangent curve to the right, having a radius of 1,150.00 feet, a central angle of 10° 42′ 57″, and a chord which bears South 12° 39′ 45″ East, 214.77 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;
- 6. South 07° 18' 16" East, continuing along the east line of said 48.019 acre tract, 342.90 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner, the beginning of a curve;
- 7. Continuing along the east line of said 48.019 acre tract and 102.16 feet along the arc of a tangent curve to the right, having a radius of 750.00 feet, a central angle of 07° 48′ 15″, and a chord which bears South 03° 24′ 09″ East, 102.08 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;
- 8. South 00° 29' 59" West, continuing along the east line of said 48.019 acre tract, 322.79 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner, the beginning of a curve;

9. Continuing along the east line of said 48.019 acre tract and 375.51 feet along the arc of a tangent curve to the left, having a radius of 850.00 feet, a central angle of 25° 18' 44", and a chord which bears South 12° 09' 23" East, 372.47 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for the north end of a radial cutback corner at the intersection of the west right-of-way line of the aforementioned West Aliana Trace and the north right-of-way line of Fairbairn Way (width varies at this point) as shown on Aliana Fairbairn Way Street Dedication Sec. 1, a subdivision of record under Plat Number 20180104, F.B.C.P.R., the beginning of a reverse curve;

Thence, departing the west right-of-way line of said West Aliana Trace and along the north right-of-way line of said Fairbairn Way the following five (5) courses:


- 1. Along said cutback corner and 57.43 feet along the arc of a tangent curve to the right, having a radius of 35.00 feet, a central angle of 94° 00' 37", and a chord which bears South 22° 11' 36" West, 51.20 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner, said Fairbairn Way (70 feet wide at this point), the beginning of a compound curve;
- 2. 172.61 feet along the arc of a tangent curve to the right, having a radius of 815.00 feet, a central angle of 12° 08' 04", and a chord which bears South 75° 15' 56" West, 172.28 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;
- 3. South 81° 19' 59" West, 272.22 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner, the beginning of a curve;
- 4. 212.01 feet along the arc of a tangent curve to the left, having a radius of 885.00 feet, a central angle of 13° 43' 34", and a chord which bears South 74° 28' 12" West, 211.51 feet to a 5/8-inch iron rod with cap stamped "LJA ENG" previously set for corner;

5. South 67° 36' 25" West, 37.71 feet to the POINT OF BEGINNING and containing 52.758 acres of land.


Corners were not set at the client's request.

LJA Surveying, Inc.





SHEET 1 OF 3



THE CLIENT'S REQUEST.

Houston, Texas 77042

T.B.P.E.L.S. Firm No. 10194382

LINE	BE	EARING		DISTANCE
L1	N	66°41'27"	E	48.71'
L2	N	74°37'12"	E	238.36'
L3	N	55°42'41"	E	77.14'
L4	Ν	66°41'27"	E	45.67'
L5		23°18'33"	E	15.01'
L6	S	07°18'16"	Ε	342.90'
L7		00°29'59"	W	322.79'
L8		81°19'59"	W	272.22'
L9	S	67°36'25"	W	37.71'

CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE
C1	22706.31	290.52'	290.52'	N 21°30'44" W	0°43'59"
C2	6520.00'	246.20'	246.19'	N 22°13'38" W	2°09'49"
C3	30.00'	15.71'	15.53'	N 51°41'27" E	30.00,00,
C4	1018.00'	140.88'	140.77	N 70°39'19" E	7°55'44"
C5	1062.00	350.47	348.89'	N 65°09'56" E	18°54'30"
C6	1018.00'	195.08'	194.78'	N 61°12'04" E	10°58'46"
C7	30.00'	47.11	42.42'	S 68°17'49" E	89°58'32"
C8	1280.00'	118.15	118.11	S 20°39'53" E	5°17'20"
C9	1150.00'	215.08'	214.77	S 12°39'45" E	10°42'57"
C10	750.00'	102.16'	102.08'	S 03°24'09" E	7°48'15"
C11	850.00'	375.51'	372.47	S 12°09'23" E	25°18'44"
C12	815.00'	172.61	172.28	S 75°15'56" W	12°08'04"
C12	35.00'	57.43'	51.20'	S 22°11'35" W	94°00'39"
C13	885.00'	212.01'	211.51'	S 74°28'12" W	13°43'34"
C13	815.00'	172.61'	172.28'	S 75°15'56" W	12°08'04"
C14	885.00'	212.01'	211.51'	S 74°28'12" W	13°43'34"



LEGEND

OFFICIAL PUBLIC RECORDS OF FORT BEND COUNTY,

PLAT RECORDS OF FORT BEND COUNTY, TEXAS

F.B.C.P.R. F.B.C.D.R.

DEED RECORDS OF FORT BEND COUNTY, TEXAS

5/8" IRON ROD WITH CAP STAMPED "LJA ENG"

PREVIOUSLY SET

NOTES:

1. ALL BEARINGS ARE REFERENCED TO THE TEXAS COORDINATE SYSTEM SOUTH CENTRAL ZONE, NAD 83, 1993 ADJ.

2. CORNER MONUMENTS WERE NOT SET AT THE CLIENT'S REQUEST.

SHEET 3 OF 3

**EXHIBIT OF** 54.956 ACRES

IN THE JANE WILKINS LEAGUE, A-96 FORT BEND COUNTY, TEXAS

JOB NO. 1968-0020A MAY 2020

LJA Surveying, Inc.

2929 Briarpark Drive Suite 175 Houston, Texas 77042

Phone 713.953.5200 Fax 713.953.5026 T.B.P.E.L.S. Firm No. 10194382

# EXHIBIT C

# Driveway/Roadway Spacing Exhibit

(see attached)