PLAT RECORDING SHEET

PLAT NAME:	Sunset Crossing Section Seven				
PLAT NO:					
ACREAGE:	26.683				
LEAGUE:	W. Lusk Survey				
ABSTRACT NU	UMBER: A-276				
NUMBER OF E	BLOCKS: 3				
NUMBED OF LOTS: 08					
NUMBER OF F	DECEDIVEC				
OWNERS: D.	R. Horton-Texas, Ltd.				
(DEPUTY CLERK)					

FUTHER OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS, THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11'6") FOR TEN FEET (10' 0") PERIMETER GOUND EASEMENTS OR SEVEN FEET, SIX INCHES (7'6") FOR FOURTEEN FEET (14' 0") PERIMETER GROUND EASEMENTS OR FIVE FEET, SIX INCHES (5'6") FOR SIXTEEN FEET (16' 0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN (16' 0") ABOVE THE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMNT THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U. E. AND A. E.) AS INDICATED AND DEPICTED HEREON WHEREBY THE AERIAL EASEMENTS TOTALS TWENTY-ONE, SIX INCHES (21' 6") IN WIDTH.

FUTHER OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10' 0") FOR TEN FEET (10' 0") BACK-TO-BACK GROUND EASEMENTS, OR EIGHT FEET (8' 0") FOR FOURTEEN FEET (14' 0") BACK-TO-BACK GROUND EASEMENTS, OR SEVEN FEET (7' 0") FOR SIXTEEN FEET (16' 0") BACK-TO-BACK GROUND EASEMENT, FROM A PLANE SIXTEEN (16' 0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMNTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U. E. AND A. E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENTS TOTALS THIRTY FEET (30' 0") IN WITH.

FURTHER. WE DO HEREBY DECLARE THAT ALL PARCELS OF LAND DEDICATED AS LOTS ON THIS PLAT ARE INTENDED FOR THE CONSTRUCTION OF SINGLE FAMILY RESIDENTIAL DWELLING UNITS THEREON AND SHALL BE RESTRICTED FOR THE SAME UNDER THE TERMS AND CONDITIONS OF SUCH RESTRICTIONS FILED SEPARATELY.

FURTHER, WE DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT SHALL BE RESTRICTED TO PREVENT THE DAMAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY, OR INDIRECTLY.

FURTHER, WE DO HEREBY CERTIFY THAT WE ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION OF SUNSET CROSSING SECTION SIX WHERE BUILDING SETBACK LINES OR PUBLIC UTILITY EASEMENTS ARE TO BE ESTABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION AND TO HEREBY MAKE AND ESTABLISH ALL BUILDING SETBACK LINES AND DEDICATE TO THE USE OF PUBLIC. ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID ADJACENT ACREAGE.

FURTHER, WE DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT AMENDMENTS.

IN TESTIMONY WHEREOF, D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED LIABILITY PARTNERSHIP, ACTING BY AND THROUGH D.R. HORTON, INC., A DELAWARE CORPORATION, ITS AUTHORIZED AGENT HAS CAUSED THESE PRESENTS TO BE SIGNED BY JONATHAN WOODRUFF, ASSISTANT VICE PRESIDENT, THEREUNTO AUTHORIZED

ATTESTED BY Austin Branch, P.E. ENUSP Land Development Project MANAGOV , AND ITS COMMON SEAL HEREUNTO AFFIXED

D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED PARTNERSHIP

BY: D.R. HORTON, INC A DELAWARE CORPORATION ITS AUTHORIZED AGENT JONATHAN WOODRUFF ASSISTANT VICE PRESIDENT

TITLE: Land Development Project Manager

STATE OF TEXAS COUNTY OF FORT BEND

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED JONATHAN WOODRUFF, ASSISTANT VICE

PRESIDENT, AND June Blace, Long Development Project Manager OF D.R. HORTON, INC., A DELAWARE CORPORATION, ITS AUTHORIZED AGENT OF D.R. HORTON—TEXAS, LTD., A TEXAS LIMITED PARTNERSHIP, KNOWN TO ME TO BE THE PERSON WHOSE NAMES ARE SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT THEY EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED, AND IN THE CAPACITY THEREIN AND HEREIN STATED, AND AS THE ACT AND DEED OF SAID CORPORATION.

FORT BEND COUNTY, TEXAS


DEEANN HORELICA-MCQUEE Notary Public, State of Texa Comm. Expires 03-16-2025 Notary ID 10681185

THIS IS TO CERTIFY THAT THE PLANNING COMMISSION OF THE CITY OF ROSENBERG, TEXAS HAS APPROVED THIS PLAT AND THE SUBDIVISION OF SUNSET CROSSING SECTION SEVEN IN CONFORMANCE WITH THE LAWS OF THE STATE OF TEXAS AND THE ORDINANCES OF THE CITY OF

DAY OF December

THIS IS TO CERTIFY THAT THE CITY COUNCIL OF THE CITY OF ROSENBERG, TEXAS HAS APPROVED THIS PLAT AND THE SUBDIVISION OF SUNSET CROSSING SECTION SEVEN IN CONFORMANCE WITH THE LAWS OF THE STATE OF TEXAS AND THE ORDINANCES OF THE CITY OF

ROSENBERG AS SHOWN HEREON AND AUTHORIZES THE RECORDING OF THIS PLAT THIS



CENTERPOINT NOTE:
"ABSENT WRITTEN AUTHORIZATION BY THE AFFECTED UTILITIES, ALL UTILITY AND AERIAL EASEMENTS MUST BE KEPT UNOBSTRUCTED FROM ANY NON-UTILITY IMPROVEMENTS OR OBSTRUCTIONS BY THE PROPERTY OWNER. ANY UNAUTHORIZED IMPROVEMENTS OR OBSTRUCTIONS MAY BE REMOVED BY ANY PUBLIC UTILITY AT THE PROPERTY OWNER'S EXPENSE. WHILE WOODEN POSTS AND PANELED WOODEN FENCES ALONG THE PERIMETER AND BACK TO BACK EASEMENTS AND ALONGSIDE REAR LOTS LINES ARE PERMITTED, THEY TOO MAY BE REMOVED BY PUBLIC UTILITIES AT THE PROPERTY OWNER'S EXPENSE SHOULD THEY BE AN OBSTRUCTION. PUBLIC UTILITIES MAY PUT SAID

WOODEN POSTS AND PANELED WOODEN FENCES BACK UP, BUT GENERALLY WILL NOT REPLACE WITH NEW FENCING."

CERTIFICATE FOR SURVEYOR

. BRIAN NAWARA, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT, WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND AND THAT ALL BOUNDARY CORNERS. ANGLE POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE HAVE BEEN MARKED WITH IRON (OR OTHER SUITABLE PERMANENT FERROUS METAL) PIPES AND A LENGTH OF NOT LESS THAN THREE (3) FEET.



awar-

REGISTERED PROFESSIONAL LAND SURVEYOR

TEXAS REGISTRATION NO. 6060

BRIAN NAWARA


CERTIFICATE FOR ENGINEER

I, AMANDA L. EDMONDSON, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE BEST OF MY KNOWLEDGE.



REGISTERED PROFESSIONAL ENGINEER

TEXAS REGISTRATION NO.100221



TOTAL NUMBER	OF LOTS: 98 LOTS
PUBLIC PARK RE	EQUIREMENT: [(6.25 ACRES X 98 LOTS X 3 PERSONS/UNIT)]/1000 = 1.838 AC.
PUBLIC PARK DE	EDICATION: 0 AC
PRIVATE PARK [DEDICATION: 1.518 AC (RESERVE A, B, D)
PRIVATE PARK [DEDICATION (DRAINAGE): .365 AC. X .25 = 0.09 AC. (RESERVE C)
PRIVATE PARK	CREDIT PROVIDED WITH THE RECREATION CENTER
RECREATION SI	TE IS ± 3.64 AC
NO. OF PLATTTE	ED LOTS THUS FAR (SEC. 1, 2, 3, 4, 5, 6 & 7) = 732 LOTS
[(6.25 ACRES	S X 732 LOTS X 3 PERSONS/UNIT)]/1000 = 13.726 AC
TOTAL PARKLAN	ND PROVIDED TO DATE = 13.092AC
REMAINING PAR	RKLAND CREDIT = -0.634 AC
MONEY IN LIEU	OF PUBLIC PARK LAND DEDICATION: N/A
MONEY IN LIEU	OF PRIVATE PARK LAND DEDICATION: \$16,660

	16						
PARK LAND TABLE							
RESERVE	ACREAGE	PURPOSE	PROPOSED OWNER	MAINTENANCE			
$\langle \mathbf{A} \rangle$	0.662	LANDSCAPE/ OPEN SPACE	НОА	НОА			
B	0.534	LANDSCAPE/ OPEN SPACE	, HOA	НОА			
(c)	0.365	DRAINAGE LANDSCAPE/ OPEN SPACE	FBCMUD 218	FBCMUD 218			
$\langle D \rangle$	0.322	LANDSCAPE/ OPEN SPACE	НОА	НОА			

NOTES:

1. THE BEARINGS ARE BASED ON THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE (4204)

2. BENCHMARK: THE ELEVATIONS FOR THIS SURVEY ARE BASED ON THE PUBLISHED ELEVATIONS FOR THE FOLLOWING NGS BENCHMARKS: AW4789 ELEVATION: 91.69' NAVD88, 1991 ADJ AW4792 ELEVATION: 94.48' NAVD88, 1991 ADJ

PROJECT BENCHMARK TBM #500: "CUT BOX" IN CURB ON THE SOUTH SIDE OF BRYAN ROAD IN LINE WITH THE END OF RAVEN VISTA DR. CUL-DE-SAC. N: 13754018.69

E: 3001790.59 ELEV: 87.49'

POINT #58: AN 80D NAIL IN CONCRETE JOINT NEAR BRYAN ROAD MEDIAN NOSE AT THE INTERSECTION OF COLEMAN TRACE DR. N: 13753882.57

E 3002576.43 ELEV: 84.00'

NAVD-88 (1991 ADJUSTMENT).

POINT #63 AN 3/4 IRON ROD WITH RED CAP MARKED (TRAVERSE) JUST EAST OF LIFT STATION. N: 13753528.08 E: 3003361.94 ELEV: 84.63'

COORDINATES SHOWN ARE IN GRID. TO COMPUTE SURFACE COORDINATES MULTIPLY BY A COMBINED

SCALE FACTOR OF 1.00013. 4. ELEVATIONS USED FOR DELINEATING CONTOUR LINES ARE BASED UPON NGS VERTICAL DATUM,

5. THIS PLAT WAS PREPARED TO MEET CITY OF ROSENBERG AND FORT BEND COUNTY REQUIREMENTS.

6. THIS PLAT WAS PREPARED FROM INFORMATION FURNISHED BY TEXAS AMERICAN TITLE COMPANY. THE SURVEYOR HAS NOT ABSTRACTED THE ABOVE PROPERTY.

7. THIS PLAT LIES WHOLLY WITHIN MUNICIPAL UTILITY DISTRICT NO. 218, FORT BEND SUBSIDENCE DISTRICT. FORT BEND COUNTY DRAINAGE DISTRICT, LAMAR CONSOLIDATED I.S.D., AND THE CITY OF ROSENBERG EXTRATERRITORIAL JURISDICTION, AND FORT BEND COUNTY, TEXAS.

8. SUNSET CROSSING LIES WITHIN UNSHADED ZONE X AS PER FLOOD INSURANCE RATE MAP, MAP NUMBER 48157C0265L AND 48157C0245L, DATED APRIL 2, 2014.

9. APPROVAL OF THIS PLAT WILL EXPIRE ONE YEAR FROM CITY COUNCIL APPROVAL IF NOT RECORDED IN THE REAL PROPERTY RECORDS OF THE COUNTY OF FORT BEND.

10. FIVE-EIGHTHS INCH (5/8") IRON RODS THREE FEET (3') IN LENGTH ARE SET ON ALL PERIMETER BOUNDARY CORNERS. ALL ANGLE POINTS, ALL POINTS OF CURVATURE AND TANGENCY, AND ALL BLOCK CORNERS, UNLESS OTHERWISE NOTED. PROPERTY CORNERS ARE MONUMENTED WITH CAP OR

11. THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 85.51 FT ABOVE MEAN SEA LEVEL (NAVD88 DATUM). IN ADDITION, NO TOP OF SLAB ELEVATION SHALL BE LESS THAN 24 INCHES ABOVE THE LOWEST TOP OF CURB ADJACENT TO THE LOT IN WHICH IT LIES. IN THE ABSENCE OF CURB. THE TOP OF SLAB ELEVATION SHALL BE NO LESS THAN 24 INCHES ABOVE THE HIGHEST NATURAL GROUND ALONG THE PERIMETER OF THE BUILDING FOUNDATION AND 12 INCHES ABOVE ANY DOWN GRADIENT ROADWAY OR DRAINAGE RESTRAINT, WHICHEVER IS HIGHER.

12. ALL LOTS SHALL HAVE A TWENTY FIVE (25) FOOT FRONT BUILDING SETBACK, A FIVE (5) FOOT SIDE BUILDING SETBACK AND ALL SIDE STREET SETBACKS SHALL BE FIFTEEN (15) FOOT.

13. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING DURING INTENSE RAINFALL EVENTS.

14. THIS PLAT LIES WITHIN FORT BEND COUNTY LIGHTING ORDINANCE ZONE NO. LZ2.

15. ALL EASEMENTS ARE CENTERED ON LOT LINES UNLESS OTHERWISE INDICATED.

DISK MARKED "PAPE-DAWSON", UNLESS NOTED OTHERWISE.

16. THE HORIZONTAL COORDINATES SHOWN ARE GRID AND ARE BASED ON THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE (4204), NAD-83 (NA2011); EPOCH 2010.00, AND WERE DERIVED USING GPS RTK METHODS REFERENCED TO THE NATIONAL GEODETIC SURVEY CORS NETWORK, STATION TXWN AND STATION TXHS. THE GRID COORDINATES MAY BE CONVERTED TO SURFACE BY MULTIPLYING BY THE COMBINED SCALE FACTOR OF 1.00013.

17. THE RADIUS ON ALL BLOCK CORNERS IS TWENTY FIVE (25) FEET UNLESS OTHERWISE NOTED.

18. UNLESS OTHERWISE INDICATED, THE BUILDING LINES (BL), WHETHER ONE OR MORE, SHOWN ON THIS SUBDIVISION PLAT ARE ESTABLISHED TO EVIDENCE COMPLIANCE WITH THE APPLICABLE PROVISIONS OF CHAPTER 4, UNIFIED DEVELOPMENT CODE, CITY OF ROSENBERG, TEXAS, IN EFFECT AT THE TIME THIS PLAT WAS APPROVED, WHICH MAY BE AMENDED FROM TIME TO TIME.

19. EACH LOT SHALL PROVIDE A MINIMUM OF TWO OFF-STREET PARKING SPACES PER LOT.

INDICATES STREET NAME CHANGE SYMBOL.

21. DIMENSIONS SHOWN ARE SURFACE.

22. LOTS RESTRICTED TO SINGLE FAMILY RESIDENTIAL LAND USE.

23. ALL DRAINAGE EASEMENTS MUST BE CLEAR OF FENCES, BUILDINGS, VEGETATION, AND OTHER OBSTRUCTIONS FOR THE PURPOSE OF THE OPERATION AND MAINTENANCE OF THE DRAINAGE FACILITY BY THE APPROPRIATE ENTITY.

24. SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT NOT LESS THAN 5 FEET IN WIDTH ON BOTH SIDES OF ALL DEDICATED RIGHTS-OF-WAY WITHIN SAID PLAT AND ON THE CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS SURROUNDING SAID PLAT, IN ACCORDANCE WITH THE

25. A MINIMUM DISTANCE OF 10' SHALL BE MAINTAINED BETWEEN RESIDENTIAL DWELLINGS.

26. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENTS ONLY THROUGH AN APPROVED DRAINAGE

27. SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE JURISDICTION FOR REVIEW AND APPROVAL TO OBTAIN A DEVELOPMENT PERMIT. DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING

28. RESERVE "C" SHALL BE MAINTAINED BY FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 218.

29. SHORT FORM BLANKET EASEMENT FOR CERTAIN UTILITIES RECORDED IN DOCUMENT NO. 2018080361 OF THE OFFICIAL PUBLIC RECORDS OF FORT BEND COUNTY, TEXAS COVERS THE SUBJECT PROPERTY.

30. THERE ARE NO KNOWN PIPELINES NOR PIPELINE EASEMENTS WITHIN THE LIMITS OF THIS SUBDIVISION.

VICINITY MAP NOT-TO-SCALE

MAP REF: KEY MAP 646A

I, J. STACY SLAWNSKI, FORT BEND COUNTY ENGINEER, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THE OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OR SUBDIVISION WITHIN THE WATERSHED.

J. STACY SLAWINSKI, P.E. FORT BEND COUNTY ENGINEER

APPROVED BY THE COMMISSIONERS' COURT OF FORT BEND COUNTY, TEXAS, THIS _____ DAY OF

VINCENT M. MORALES, JR.

PRECINCT 1, COUNTY COMMISSIONER

GRADY PRESTAGE PRECINCT 2, COUNTY COMMISSIONER

K.P. GEORGE COUNTY JUDGE

W. A. (ANDY) MEYERS PRECINCT 3. COUNTY COMMISSIONER

KEN R. DEMERCHANT PRECINCT 4, COUNTY COMMISSIONER

I, LAURA RICHARD, COUNTY CLERK IN AND FOR FORT BEND COUNTY, HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORDATION IN

MY OFFICE ON _______, AT ______ O'CLOCK __.M., AND IN PLAT NUMBER ______ OF THE PLAT RECORDS OF FORT BEND COUNTY. TEXAS.

WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS. THE DAY AND CATE LAST ABOVE WRITTEN.

LAURA RICHARD COUNTY CLERK FORT BEND COUNTY, TEXAS

SUNSET CROSSING SECTION SEVEN

A SUBDIVISION OF 26.683 ACRES LOCATED IN THE W. LUSK SURVEY, A-276 FORT BEND COUNTY, TEXAS (FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 218)

98 LOTS ~ 4 RESERVES ~ 3 BLOCKS DATE OF PREPARATION: FEBRUARY 10, 2022

> D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED LIABILITY PARTNERSHIP 6744 HORTON VISTA DIRVE, SUITE 100 RICHMOND, TEXAS 77407

ENGINEER: PAPE-DAWSON ENGINEERS AMANDA L. EDMONDSON, P.E. VICE PRESIDENT

SURVEYOR: PAPE-DAWSON ENGINEERS BRIAN NAWARA, R.P.L.S. HOUSTON SURVEY DEPARTMENT MANAGER



HOUSTON I SAN ANTONIO I AUSTIN I FORT WORTH I DALLAS 10350 RICHMOND AVE, STE 200 I HOUSTON, TX 77042 I 713.428.2400

TBPE FIRM REGISTRATION #470 | TBPLS FIRM REGISTRATION #10193974 SHEET





n User ID: jmancini 0\2-0 Design\2-3 Plat\2

