PLAT RECORDING SHEET

PLAT NAME:	Sienna Section 39B
DI ATINO.	
PLAT NO:	
ACREAGE:	50.646
LEAGUE:	William Hall League
ABSTRACT NU	IMDED. 21
ADSTRACTNO	JMBER: 31
NUMBER OF B	BLOCKS: 2
NUMBER OF I	OTS: <u>56</u>
NUMBER OF F	RESERVES: 12
OWNERS: To	ll-GTIS Property Owner, LLC
(DEPUTY CLERK)	

STATE OF TEXAS COUNTY OF FORT BEND

WE, TOLL—GTIS PROPERTY OWNER, LLC, A TEXAS LIMITED LIABILITY COMPANY, ACTING BY AND THROUGH JIMMIE F. JENKINS, AUTHORIZED REPRESENTATIVE, BEING AN OFFICER OF TOLL—GTIS PROPERTY OWNER, LLC, A TEXAS LIMITED LIABILITY COMPANY, OWNERS OF THE 50.646 ACRE TRACT DESCRIBED IN THE ABOVE AND FOREGOING PLAT OF SIENNA SECTION 39B. DO HEREBY MAKE AND ESTABLISH SAID SUBDIVISION PLAT OF SAID PROPERTY ACCORDING TO ALL LINES DEDICATIONS, RESTRICTIONS AND NOTATIONS ON SAID PLAT AND HEREBY DEDICATE TO THE USE F THE PUBLIC FOREVER, ALL STREETS, ALLEYS, PARKS, WATER COURSES, DRAINS, EASEMENTS AND PUBLIC PLACES SHOWN THEREON FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED: AND DO HEREBY BIND OURSELVES, OUR HEIRS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DEDICATED.

WE, FURTHER ACKNOWLEDGE THAT THE DEDICATIONS AND/OR EXACTIONS MADE HEREIN ARE PROPORTIONAL TO THE IMPACT OF THE SUBDIVISION UPON THE PUBLIC SERVICES REQUIRED IN ORDER THAT THE DEVELOPMENT WILL COMPORT WITH THE PRESENT AND FUTURE GROWTH NEEDS OF THE CITY; WE, OUR SUCCESSORS AND ASSIGNEES HEREBY WAIVE ANY CLAIM, DAMAGE OR CAUSE OF ACTION THAT WE MAY HAVE AS A RESULT OF THE DEDICATION OR EXACTIONS MADE HEREIN.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSES FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11'6") FOR TEN FEET (10'0") PERIMETER GROUND EASEMENTS OR SEVEN FEET, SIX INCHES (7'6") FOR FOURTEEN FEET (14'0") PERIMETER GROUND EASEMENTS OR FIVE FEET. SIX INCHES (5'6") FOR SIXTEEN FEET (16'0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED, HEREON, WHEREBY THE AERIAL EASEMENT TOTALS TWENTY ONE FEET, SIX INCHES (21' 6") IN WIDTH.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10'0") FOR TEN FEET (10'0") BACK-TO-BACK GROUND EASEMENTS, OR EIGHT FEET (8'0") FOR FOURTEEN FEET (14'0") BACK-TO-BACK GROUND EASEMENTS OR SEVEN FEET (7'0") FOR SIXTEEN FEET (16'0") BACK-TO-BACK GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENT TOTALS THIRTY FEET (30'0") IN WIDTH.

FURTHER, WE DO HEREBY DECLARE THAT ALL PARCELS OF LAND DESIGNATED AS LOTS ON THIS PLAT ARE INTENDED FOR THE CONSTRUCTION OF SINGLE FAMILY RESIDENTIAL DWELLING UNITS THEREON AND SHALL BE RESTRICTED FOR SAME UNDER THE TERMS AND CONDITIONS OF SUCH RESTRICTIONS FILED SEPARATELY.

FURTHER, WE DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT SHALL BE RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY OR INDIRECTLY.

FURTHER, WE DO HEREBY DEDICATE TO THE PUBLIC A STRIP OF LAND TWENTY (20) FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL BAYOUS, CREEKS, GUÌLIÉS, RAVINES, DRAWS AND DRAINAGE DITCHES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES. FORT BEND COUNTY OR ANY OTHER GOVERNMENTAL AGENCY SHALL HAVE THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSES OF CONSTRUCTION AND MAINTENANCE OF DRAINAGE FACILITIES AND STRUCTURES.

FURTHER, WE DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS SUBDIVISION AND ADJACENT TO ANY DRAINAGE EASEMENT, DITCH, GULLY, CREEK OR NATURAL DRAINAGE WAY SHALL HEREBY BE RESTRICTED TO KEEP SUCH DRAINAGE WAYS AND EASEMENTS CLEAR OF FENCES, BUILDINGS, EXCESSIVE VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AND THAT SUCH ABUTTING PROPERTY SHALL NOT BE PERMITTED TO DRAIN DIRECTLY INTO THIS EASEMENT EXCEPT BY MEANS OF AN APPROVED DRAINAGE STRUCTURE.

FURTHER, WE DO HEREBY CERTIFY THAT WE ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION OF SIENNA SECTION 39B WHERE BUILDING SETBACK LINES OR PUBLIC UTILITY EASEMENTS ARE TO BE STABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION AND DO HEREBY MAKE AND ESTABLISH ALL BUILDING SETBACK LINES AND DEDICATE TO THE USE OF THE PUBLIC, ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID ADJACENT ACREAGE

FURTHER, WE DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS COURT ON MARCH 23, 2004 AND ANY SUBSEQUENT AMENDMENT.

TESTIMONY WHEREOF, TOLL-GTIS PROPERTY OWNER, LLC, A TEXAS LIMITED LIABILITY COMPANY. HAS CAUSED THESE PRESENTS TO BE SIGNED BY JIMMIE F. JENKINS, ITS AUTHORIZED REPRESENTATIVE, THEREUNTO AUTHORIZED,

____, 2022

THIS 16th DAY OF UUNE


TOLL-GTIS PROPERTY OWNER, LLC A TEXAS LIMITED LIABILITY COMPANY

STATE OF TEXAS

COUNTY OF HARRIS BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED JIMMIE F JENKINS, AUTHORIZED REPRESENTATIVE OF TOLL-GTIS PROPERTY OWNER, LLC. A TEXAS LIMITED LIABILITY COMPANY, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN AND HEREIN SET OUT.

IVEN UNDER MY HAND AND SEAL OF OFFICE,

FOR THE STATE OF TEXAS



I, JON P. BORDOVSKY, A REGISTERED PROFESSIONAL LAND SURVEYOR, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF LAND SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT. WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND AND THAT ALL BOUNDARY CORNERS, ANGLES, POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE HAVE BEEN MARKED WITH IRON (OR OTHER SUITABLE PERMANENT METAL) PIPES OR RODS HAVING AN OUTSIDE DIAMETER OF NOT LESS THAN FIVE-EIGHTHS (5/8) INCH WITH PLASTIC CAP MARKED "GBI PARTNERS" AND A LENGTH OF NOT LESS THAN THREE (3) FEET. (SEE NOTE #9)

JON P. BORDOVSKY JON P. BORDOVSKY, R.P.K.S REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS REGISTRATION No. 6405 6405 🔀

I, SCOTT FRANKOVICH, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE BEST OF MY KNOWLEDGE

SCOTT FRANKOVICH, P.E. LICENSED PROFESSIONAL ENGINEER TEXAS LICENSE NO. 130312

X SCOTT FRANKOVICH 130312 Mines

COUNTY OF FORT BEND

THIS IS TO CERTIFY THAT THE PLANNING AND ZONING COMMISSION OF THE CITY OF MISSOURI CITY, TEXAS, HAS APPROVED THIS PLAT AND SUBDIVISION OF SIENNA SECTION 39B IN CONFORMANCE WITH THE LAWS OF THE STATE OF TEXAS AND THE ORDINANCES OF THE CITY OF MISSOURI CITY AS SHOWN HEREON AND AUTHORIZED THE RECORDING OF THIS PLAT

DAY OF June

HANEY, VICE CHAIRMAI

DISTRICT NO. 6.

- BENCHMARK: FOUND 4 INCH BRASS DISC LOCATED IN A POURED CONCRETE POST IN THE GRASSY AREA IN FRONT OF MISSOURI CITY FIRE STATION NUMBER 5 16.5 FEET FROM THE SIDE WALK. SURVEY MARKER NO. PCM-011
- 2. T.B.M. INDICATES TEMPORARY BENCHMARK SET 5/8-INCH IRON ROD


ELEV. = 59.97 (NAVD88 2001 ADJUSTMENT)

- ELEV. = 54.65 (NAVD 88, 2001 ADJ.) 3. ALL BEARINGS REFERENCED TO THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE
- (NAD83). COORDINATES SHOWN ARE GRID AND MAY BE CONVERTED TO SURFACE BY APPLYING A FACTOR OF 0.999867651. 4. THIS PLAT WAS PREPARED TO MEET CITY OF MISSOURI CITY AND FORT BEND COUNTY
- REQUIREMENTS. 5. THIS PLAT WAS PREPARED FROM INFORMATION FURNISHED BY STEWART TITLE COMPANY

FILE NO. 2021-0401 DATED APRIL 6, 2022. THE SURVEYOR HAS NOT ABSTRACTED THE

- 6. THIS PLAT LIES WHOLLY WITHIN SIENNA PARKS & LEVEE IMPROVEMENT DISTRICT. FORT BEND SUBSIDENCE DISTRICT, FORT BEND COUNTY DRAINAGE DISTRICT, THE ETJ OF THE CITY OF MISSOURI CITY AND FORT BEND COUNTY, AND SIENNA MUNICIPAL UTILITY
- 7. IN ACCORDANCE WITH FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP, MAP NO. 48157C 0435L, REVISED DATE APRIL 2, 2014, PROPERTY LIES WITHIN SHADED ZONE "X" DEFINED AS AREAS OF 0.2% ANNUAL CHANCE FLOOD. THIS AREA IS SHOWN AS BEING PROTECTED FROM THE 1% ANNUAL CHANCE OR GREATER FLOOD HAZARD BY A LEVEE SYSTEM. OVERTOPPING OR FAILURE OF ANY LEVEE SYSTEM IS POSSIBLE. LJA DOES NOT WARRANT NOR SUBSCRIBE TO THE ACCURACY OR SCALE OF
- 8. THERE ARE NO EXISTING OR PROPOSED PIPELINE EASEMENTS WITHIN THE LIMITS OF THE
- 9. FIVE EIGHTHS INCH (5/8") IRON RODS THREE FEET (3") IN LENGTH WITH A PLASTIC CAP MARKED "GBI PARTNERS" WILL BE SET ON ALL PERIMÉTER BOUNDARY CORNERS. LOT, BLOCK, AND RESERVE CORNERS WILL BE SET UPON COMPLETION OF ROAD CONSTRUCTION AND PRIOR TO LOT CONSTRUCTION.
- 10. THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 55.50 FEET ABOVE MEAN SEA LEVEL (NAVD88 DATUM). IN ADDITION, NO TOP OF SLAB ELEVATION SHALL BE LESS THAN 24 INCHES ABOVE THE LOWEST TOP OF CURB ADJACENT TO THE LOT IN WHICH IT LIES. IN THE ABSENCE OF A CURB, THE TOP OF SLAB ELEVATION SHALL BE NO LESS THAN 24 INCHES ABOVE THE HIGHEST NATURAL GROUND ALONG THE PERIMETER OF THE BUILDING FOUNDATION AND 12" ABOVE ANY DOWN GRADIENT ROADWAY OR DRAINAGE RESTRAINT, WHICHEVER IS HIGHER.
- 11. ALL DRAINAGE AND FLOODWAY EASEMENTS SHALL BE KEPT CLEAR OF FENCES, BUILDINGS, PLANTINGS AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AS REQUIRED BY SUBSECTION 82-168(D) OF THE CODE OF ORDINANCES OF THE CITY OF MISSOURI CITY, TEXAS.
- 12. SHARED ACCESS AND PARKING FACILITIES SHALL BE PROVIDED AS REQUIRED UNDER THE PROVISIONS OF SUBSECTION 82-159 OF THE CODE OF ORDINANCES OF THE CITY OF
- 13. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING DURING INTENSE RAINFALL EVENTS.
- 14. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED DRAINAGE STRUCTURE.
- 15. A MINIMUM DISTANCE OF 10' SHALL BE MAINTAINED BETWEEN RESIDENTIAL STRUCTURES.
- 16. THE CITY OF MISSOURI CITY SHALL NOT BE RESPONSIBLE FOR MAINTENANCE OF DRIVEWAYS, SIDEWALKS, EMERGENCY ACCESS EASEMENTS, RECREATIONAL AREAS, OPEN SPACE AND RESERVES.
- 17. SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT NOT LESS THAN 5-FEET IN WIDTH ON BOTH SIDES OF ALL DEDICATED RIGHTS-OF-WAY WITHIN SAID PLAT AND ON CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS SURROUNDING SAID PLAT, IN ACCORDANCE WITH ADA REQUIREMENTS
- 18. SIDEWALKS SHALL BE CONSTRUCTED AS REQUIRED BY SECTION 82-164 OF THE CODE OF ORDINANCES OF THE CITY OF MISSOURI CITY, TEXAS.
- 19. DRIVEWAY APPROACHES SHALL BE PROVIDED IN ACCORDANCE WITH THE MISSOURI CITY DRIVEWAY APPROACH POLICY AS REQUIRED UNDER THE PROVISIONS OF SUBSECTION 82-160 OF THE CODE OF ORDINANCES OF THE CITY OF MISSOURI CITY, TEXAS.
- 20. IN ACCORDANCE WITH CENTERPOINT ENERGY ELECTRICAL SERVICE MANUAL. ARTICLI 421.2, ELECTRIC METERS SHALL BE LOCATED IN A POSITION THAT IS ACCESSIBLE AT ALL TIMES WITHOUT CUSTOMER ASSISTANCE. ACCESS TO THE METER SHALL NOT BE BLOCKED BY GATES, WALLS OR FENCES.
- 21. ALL REQUIRED UTILITY COMPANIES HAVE BEEN CONTACTED AND ALL PUBLIC UTILITY EASEMENTS AS SHOWN ON THE ABOVE AND FOREGOING PLAT CONSTITUTE ALL OF THE EASEMENTS REQUIRED BY THE UTILITY COMPANIES CONTACTED AT THE TIME OF PLATTING.
- 22. ALL OF THE PROPERTY SUBDIVIDED IN THE ABOVE AND FOREGOING PLAT IS WITHIN THE ETJ BOUNDARIES OF THE CITY OF MISSOURI CITY, TEXAS.
- 23. NO BUILDING OR OTHER PERMIT. EXCEPT PERMITS FOR CONSTRUCTION OF PUBLIC IMPROVEMENTS WILL BE ISSUED BY THE CITY OF MISSOURI CITY, TEXAS, FOR CONSTRUCTION WITHIN THIS SUBDIVISION UNTIL SUCH TIME AS ALL PUBLIC IMPROVEMENTS OF THE SUBDIVISION HAVE BEEN CONSTRUCTED BY THE DEVELOPER AND ACCEPTED BY THE CITY OR THE GUARANTEE OF CONSTRUCTION OF PUBLIC IMPROVEMENTS REQUIRED BY SECTION 82-206 OF THE CODE OF ORDINANCES OF THE CITY OF MISSOURI CITY, TEXAS, IS SUBMITTED TO AND APPROVED BY THE CITY.
- 24. PRIOR TO THE BEGINNING OF THE ONE-YEAR MAINTENANCE PERIOD FOR UTILITIES AND PAVING BY FORT BEND COUNTY, ALL BLOCK CORNERS AND STREET RIGHT-OF-WAY WILL
- 25. ADEQUATE FIRE FLOWS SHALL BE PROVIDED ALONG THE ENTIRE LENGTH OF THE PROPOSED WATER LINE.
- 26. REQUIRED FIRE FLOWS SHALL BE PROVIDED BASED ON THE SIZE AND CONSTRUCTION OF ALL BUILDINGS AS REQUIRED BY THE INTERNATIONAL FIRE CODE AS ADOPTED BY THE
- 27. THE PLACEMENT OF FIRE HYDRANTS SHALL BE PROVIDED BASED ON THE MINIMUM DISTANCE REQUIREMENTS AS ESTABLISHED IN THE INTERNATIONAL FIRE CODE AS ADOPTED BY THE CITY (500FT, FOR RESIDENTIAL DEVELOPMENT AND 300FT, FOR COMMERCIAL DEVELOPMENT). ALL FIRE HYDRANTS SHALL BE INSTALLED ACCORDING TO THE INTERNATIONAL FIRE CODE AS ADOPTED BY THE CITY.
- 28. THE DRIVEWAY FOR ANY LOT ON THE INSIDE OF A KNUCKLE MUST BE PLACED ALONG THE FRONTAGE PRIOR TO THE RIGHT TURN ON THE INSIDE APPROACH LANE TO AVOID SIGHT OBSTRUCTION SAFETY HAZARDS.
- 29. STREET LIGHTING SHALL BE DESIGNED AND INSTALLED IN ACCORDANCE WITH THE CITY OF MISSOURI CITY INFRASTRUCTURE DESIGN MANUAL, CHAPTER 4 STREET LIGHTING AND OVERHEAD UTILITIES. THE INSTALLATION, OPERATION, AND MAINTENANCE OF ORNAMENTAL STREET LIGHTS SHALL NOT BE THE RESPONSIBILITY OF THE CITY OF MISSOURI CITY, EXCEPT AS PROVIDED THEREIN.
- 30. OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE DRAINAGE RESERVES AND CHANNELS IS VESTED IN THE SIENNA PARKS & LEVEE IMPROVEMENT DISTRICT. THE OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF LANDSCAPE RESERVES IS VESTED IN THE HOME OWNERS ASSOCIATION (HOA).
- 31. OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE UTILITIES WITHIN THE SECTIONS IS VESTED IN SIENNA MUNICIPAL UTILITY DISTRICT NO. 6. THE OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE UTILITIES ALONG BOULEVARDS AND MAJOR THOROUGHFARES IS VESTED IN THE SIENNA MUNICIPAL UTILITY DISTRICT NO. 6.
- 32. THIS PLAT IS SUBORDINATED BY: U.S. BANK NATIONAL ASSOCIATION D/B/A HOUSING CAPITAL COMPANY, AS RECORDED IN FILE NO. _ ___ OF THE OFFICIAL RECORDS OF FORT BEND COUNTY,

- 33. THIS PLAT LIES WITHIN LIGHTING ZONE 2.
- 34. U.V.E. INDICATES UNOBSTRUCTED VIEW EASEMENT. FORT BEND COUNTY SHALL BE RESPONSIBLE FOR ENFORCING U.V.E. REQUIREMENTS WITHIN THE PUBLIC RIGHT-OF-WAY AND SIENNA COMMUNITY ASSOCIATION, INC. SHALL ENFORCE AREAS OUTSIDE OF
- 35. SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE JURISDICTION FOR REVIEW AND APPROVAL. DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING CONSTRUCTION.
- 36. ALL SLAB ELEVATIONS SHALL BE AT LEAST ONE FOOT ABOVE THE 100-YEAR FLOOD ELEVATION AS ESTABLISHED BY FEMA AS PER SECTION 3.C.(13) OF THE PLATTING MANUAL OF THE CITY OF MISSOURI CITY (SEPTEMBER 2019).



KEY MAP NO. 650 U/X/Y

PRECINCT 2, COUNTY COMMISSIONER

I, J. STACY SLAWINSKI, FORT BEND COUNTY ENGINEER, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OR SUBDIVISION WITHIN THE

ORT BEND COUNTY ENGINEER		
APPROVED BY THE COMMISSIONERS' C	COURT OF FORT BEND COUNTY, TEXAS,	
HIS DAY OF	, 2022.	
INCENT M. MORALES, JR.	GRADY PRESTAGE	

KP GEORGE COUNTY JUDGE

PRECINCT 1, COUNTY COMMISSIONER

W.A. (ANDY) MEYERS KEN R. DEMERCHANT PRECINCT 3, COUNTY COMMISSIONER PRECINCT 4, COUNTY COMMISSIONER

I, LAURA RICHARD, COUNTY CLERK IN AND FOR FORT BEND COUNTY, HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORDATION IN MY OFFICE ON ______, 2022 AT _____ O'CLOCK ____.M. IN

WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS. THE DAY AND DATE LAST ABOVE

PLAT NUMBER _____ OF THE PLAT RECORDS OF FORT BEND COUNTY, TEXAS.

LAURA RICHARD, COUNTY CLERK

FORT BEND COUNTY, TEXAS

SIENNA SECTION 39B

A SUBDIVISION OF 50.646 ACRES OF LAND SITUATED IN THE WILLIAM HALL LEAGUE, ABSTRACT 31, FORT BEND COUNTY. TEXAS.

56 LOTS 12 RESERVES (41.246 ACRES) 2 BLOCKS OCTOBER 13, 2021 JOB NO. 1416-1539BP

OWNERS:

TOLL-GTIS PROPERTY OWNER, LLC JIMMIE F. JENKINS, AUTHORIZED REPRESENTATIVE 10110 WEST SAM HOUSTON PARKWAY NORTH, SUITE 210, HOUSTON, TEXAS 77064 PH. (281) 894-8655



SURVEYORS: GBI PARTNERS, L.P. LAND SURVEYING CONSULTANTS

TEXAS REGISTRATION NO. 6405

4724 VISTA ROAD · PASADENA, TX 77505 PHONE: 281-499-4539 · GBIsurvey@GBIsurvey.com TBPLS FIRM #10130300 · www.GBIsurvey.com JON BORDOVSKY, R.PL.S.

LJA Engineering, Inc. 1904 W. Grand Parkway North Suite 100 Katy, Texas 77449

SCOTT FRANKOVICH, P.E. REGISTERED PROFESSIONAL LAND SURVEYOR

LICENSED PROFESSIONAL ENGINEER TEXAS REGISTRATION NO. 130312


ENGINEER:


SHEET 1 OF 4

Phone 713.953.5200

Fax 713.953.5026

FRN-F-1386





A SUBDIVISION OF 50.646 ACRES OF LAND SITUATED IN THE WILLIAM HALL LEAGUE, ABSTRACT 31, FORT BEND COUNTY, TEXAS.

56 LOTS 12 RESERVES (41.246 ACRES) 2 BLOCKS JOB NO. 1416-1539BP OCTOBER 13, 2021

TOLL-GTIS PROPERTY OWNER, LLC JIMMIE F. JENKINS, AUTHORIZED REPRESENTATIVE 10110 WEST SAM HOUSTON PARKWAY NORTH, SUITE 210, HOUSTON, TEXAS 77064 PH. (281) 894-8655



SURVEYORS: GBI PARTNERS, L.P. LAND SURVEYING CONSULTANTS
4724 VISTA ROAD · PASADENA, TX 77505
PHONE: 281-499-4539 · GBIsurvey@GBIsurvey.com TBPLS FIRM #10130300 · www.GBisurvey.com

TEXAS REGISTRATION NO. 6405

JON BORDOVSKY, R.PL.S. REGISTERED PROFESSIONAL LAND SURVEYOR

1904 W. Grand Parkway North Suite 100 Katy, Texas 77449

LJA Engineering, Inc.

FRN-F-1386

ENGINEER:

SCOTT FRANKOVICH, P.E. LICENSED PROFESSIONAL ENGINEER TEXAS REGISTRATION NO. 130312 SHEET 3 OF 4

Phone 713.953.5200

Fax 713.953.5026

RESERVE ACREAGE SQ.FT.

0.193

41.246

,796,650

8,420 RESTRICTED TO LANDSCAPE

SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 0.089 SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 0.053 SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 0.657 28,617 RESTRICTED TO LANDSCAPE SIENNA PARKS & LEVEE IMPROVEMENT DISTRICT (S.P.L.I.D.) 1,332,913 RESTRICTED TO DRAINAGE 30.599

RESERVE TABLE

SIENNA COMMUNITY ASSOCIATION INC. (S.C.A.I.) 241,319 RESTRICTED TO PARK SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 8,395 RESTRICTED TO LANDSCAPE 0.193 SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 2,615 RESTRICTED TO LANDSCAPE 0.060 SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 67,692 RESTRICTED TO LANDSCAPE SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO. 59,268 RESTRICTED TO LANDSCAPE

MAINTENANCE/OWNERSHIP

SIENNA COMMUNITY ASSOCIATION INC.(S.C.A.I.)/SIENNA MUNICIPAL UTILITY DISTRICT NO.

LEGEND

B.L. INDICATES BUILDING LINE

U.E. INDICATES UTILITY EASEMENT

D.E. INDICATES DRAINAGE EASEMENT

W.L.E. INDICATES WATER LINE EASEMENT

S.S.E. INDICATES SANITARY SEWER EASEMENT STM.S.E. INDICATES STORM SEWER EASEMENT

F.B.C.P.R. INDICATES FORT BEND COUNTY PLAT RECORDS

F.B.C.O.R. INDICATES FORT BEND COUNTY OFFICIAL RECORDS

F.B.C.O.P.R. INDICATES FORT BEND COUNTY OFFICIAL PUBLIC RECORDS

F.B.C.D.R. INDICATES FORT BEND COUNTY DEED RECORDS

INDICATES STREET NAME CHANGE F.N. INDICATES FILE NUMBER


L.E. INDICATES LANDSCAPE EASEMENT

RES. INDICATES RESERVE E.E. INDICATES ELECTRICAL EASEMENT

R.O.W. INDICATES RIGHT-OF-WAY

U.V.E IINDICATES UNOBSTRUCTED VISIBILITY EASEMENT

INDICATES ZERO LOT LINE



MATCHLINE - SEE SHEET 3

	-	LINE TA	٩B	LE
LIN	VE	BEARING		DISTANCE
L	1 S	19'12'07"	W	107.94
L	2 S	38'14'49"	W	104.31
L	3 S	05'33'05"	Ε	14.44
L	4 N	46'45'22"	W	26.37
L	5 N	58°08'23"	W	110.00'
L	6 S	76*50'33"	W	14.14
L	7 S	31'49'29"	W	114.37'
L	8 S	28'34'59"	W	61.07
L	9 s	75°43'20"	W	122.44
L1	0 S	30°43'20"	W	14.14
L1	1 S	14'16'40"	E	102.08
L1	2 S	48'29'58"	Ε	68.04
L1	3 S	19*23'55"	W	100.53
L1	4 S	20°49'54"	W	49.88
L1	5 S	24.05,42"	W	58.25
L1	6 S	59'15'06"	Ε	48.31
L1	7 N	77*38'58"	W	34.65
L1	8 N	10°21'46"	Ε	35.69
L1	9 N	56'42'26"	Ε	14.14'
L2	20 N	11°42'26"	Ε	108.25
L2	21 N	11'42'26"	Ε	50.00'
L2	22 N	78 · 17'34"	W	95.28'

	LINE TAB	LE		· ·	LINE TAB	LE
INE	BEARING	DISTANCE		LINE	BEARING	DISTAN
23	N 10.58,27, E	88.13'		L45	N 49'39'12" E	99.97
24	N 16'48'53" E	80.36'		L46	N 22'19'15" E	91.47
25	N 19'43'00" E	75.40'		L47	N 42'23'36" E	84.28
26	N 17'21'06" E	84.30'		L48	N 31'56'27" E	80.08
27	N 14'23'56" E	83.16'		L49	N 19'10'05" E	97.43
28	N 17'04'06" E	62.74		L50	N 07'44'16" E	60.24
_29	N 20'12'56" E	80.40'		L51	N 01'08'55" E	34.78
_30	N 02'03'37" W	67.39		L52	N 01°48'05" W	65.40
_31	N 12'46'34" E	97.65		L53	S 88'10'38" E	56.79
.32	N 02'00'24" W	112.10		L54	N 78°17'34" W	55.27
.33	N 38'08'19" W	49.99'		L55	N 36.54'03" E	3.00'
34	N 53'17'54" W	108.63'		L56	S 78'17'34" E	4.95
.35	N 85'49'49" W	75.03		L57	S 88'10'38" E	38.07
.36	N 11'19'18" W	50.00'		L58	S 88'10'38" E	56.79
_37	N 59'38'15" W	13.38'		L59	S 77°20'23" W	11.23
.38	N 17'38'01" W	44.17		L60	S 86'53'00" W	15.89
_39	S 66°22'39" E	14.33'	, a	L61	N 30°49'41" W	14.05
_40	N 69'24'09" E	79.40'		L62	N 76°25'14" W	24.79
_41	N 65°07'18" E	91.04'		L63	N 52'49'15" E	15.27
42	N 56'09'04" E	89.76'		L64	S 52'49'15" W	23.74
_43	N 38'24'02" E	50.76		L65	N 25°27'00" W	72.10
			B (1			

L66 S 38'05'14" E 14.14'

L44 N 47'26'33" E 80.07'

	e	LINE TABLE					
NCE		LINE	BEARING	DISTANCE			
97'	V 9	L67	N 45'35'33" E	14.53			
47'		L68	S 56°32'27" W	12.08'			
28'	2) 20 20	L69	N 47°32'29" W	66.71			
08'		L70	N 26'08'25" W	31.40'			
43'		L71	N 20*59'06" E	41.06			
24'	2 2	L72	N 06'27'05" E	52.81			
78'	,	L73	N 26'51'22" E	42.68			
40'		L74	N 09*06'29" E	61.41'			
79'		L75	S 40'41'56" E	30.02			
27'	* .	L76	N 13°22'19" W	68.69'			
00'	Α	L77	N 23'49'33" W	50.82			
5'	2 11	L78	S 81°23'01" E	7.84'			
07'		L79	N 08'34'44" E	20.00'			
79'		L80	S 27'41'45" E	68.57			
23'		L81	S 30'50'05" E	25.00'			
89'		L82	N 04*48'56" E	36.11			
05'		L83	S 02'11'44" W	30.98			
79'	8		3				

CURVE TABLE						
CURVE	RADIUS	DELTA	ARC	CHORD BEARING	CHORD	
C1	803.00'	20*53'34"	292.81	S 04'07'14" W	291.19	
C2	2050.00'	5*54'14"	211.24	S 27'47'47" W	211.15	
С3	100.00'	38*53'49"	67.89	S 44'17'34" W	66.59	
C4	100.00'	8'35'18"	14.99	S 59'26'50" W	14.98	
C5	100.00'	43°22'19"	75.70	S 76'50'20" W	73.90'	
C6	690.00	9*58'54"	120.21	N 86'27'57" W	120.05	
C7	1470.00'	13'48'26"	354.24	N 84'33'11" W	353.38'	
C8	25.00'	21°33'10"	9.40'	N 67'30'59" W	9.35	
C9	25.00'	86°03'01"	37.55	N 25'23'29" E	34.12	
C10	1030.00'	0°34'26"	10.32	N 68'07'46" E	10.32	
C11	1500.00'	5*59'30"	156.86	N 14'32'21" E	156.79	
C12	50.00'	85*32'35"	74.65	N 60°18'24" E	67.91	
C13	450.00'	11'15'19"	88.40'	S 82°32'58" E	88.26	
C14	50.00'	90°22'22"	78.87	S 42.59'27" E	70.94	
C15	50.00'	90°00'00"	78.54	S 47'11'44" W	70.71	
C16	1000.00'	9*30'41"	166.01	N 83'02'55" W	165.82	
C17	25.00'	89*09'18"	38.90'	N 57°07'46" E	35.09	
C18	1525.00'	4*58'59"	132.63	N 15'02'37" E	132.59	
C19	25.00'	30°23′11"	13.26	N 02°20'31" E	13.10'	
C20	50.00'	150'04'25"	130.96	N 62'11'08" E	96.61	
C21	25.00'	35°31′37"	15.50'	S 60°32'28" E	15.25	
C22	425.00'	9*52'21"	73.23	S 83°14'27" E	73.14	

CURVE TABLE						
CURVE	RADIUS	DELTA	ARC	CHORD BEARING	CHORD	
C23	25.00'	40'58'23"	17.88	N 71°20'11" E	17.50	
C24	50.00'	152'45'22"	133.30'	S 52*46'19" E	97.19	
C25	25.00'	21°24'37"	9.34	S 12.54'03" W	9.29	
C26	25.00'	40'13'28"	17.55	S 17*55'00" E	17.19	
C27	50.00'	139*22'32"	121.63	S 31'39'33" W	93.78	
C28	25.00'	9*09'05"	3.99'	N 83°13'43" W	3.99'	
C29	1025.00'	6'31'26"	116.71	N 84°32'33" W	116.65	
C30	25.00'	87'10'35"	38.04	S 55'07'53" W	34.47	
C31	25.00'	92'10'53"	40.22	S 34°32'50" E	36.02	
C32	25.00'	90'48'26"	39.62	N 56'56'49" E	35.60'	
C33	25.00'	89.50,10,	39.20	N 33°22'29" W	35.30'	
C34	25.00'	85°32'35"	37.33'	N 60°18'24" E	33.95	
C35	475.00'	11'15'19"	93.31	S 82°32'58" E	93.16	
C36	25.00'	90°22'22"	39.43	S 42°59'27" E	35.47	
C37	25.00'	90'00'00"	39.27	S 47'11'44" W	35.36	
C38	975.00'	6'30'42"	110.81	N 84'32'55" W	110.75	
C39	25.00'	93'57'16"	41.00'	N 34°18'56" W	36.55	
C40	1475.00	4.52,24"	125.46'	N 15'05'54" E	125.42	
C41	90.65	103°26'42"	163.66	S 37*22'02" W	142.32	
C42	75.00'	72*29'45"	94.90'	N 87*12'40" W	88.69	
C43	267.83	30°05'11"	140.64	N 66°00'23" W	139.03	
C44	156.20'	64°15'23"	175.18	S 60'16'21" W	166.14	

	CURVE TABLE						
CURVE	RADIUS	DELTA	ARC	CHORD BEARING	CHORD		
C45	228.28'	28*05'15"	111.91	S 16'36'54" W	110.79		
C46	265.24'	28'02'54"	129.84	S 20'28'03" W	128.55		
C47	78.11'	75*19'00"	102.68	S 62'41'42" W	95.45		
C48	55.57'	112'08'26"	108.76	S 43'57'50" W	92.21		
C49	96.39'	80°44'36"	135.83	S 28'15'55" W	124.87		
C50	65.11	51°42'14"	58.76	S 42'47'06" W	56.79		
C51	122.54'	37'10'12"	79.50	S 35'31'05" W	78.11		
C52	121.40'	44"22'22"	94.02	S 31'54'59" W	91.68		
C53	125.27	28*55'35"	63.24	S 04°43'59" E	62.57		
C54	95.51'	73°45'16"	122.94	S 15'20'18" W	114.63		
C55	48.00'	35°10'00"	29.46	S 39'18'23" W	29.00'		
C56	72.00'	21°24'04"	26.89	N 36°50'27" W	26.74		
C57	252.56'	9'10'23"	40.43	N 19'14'22" W	40.39		
C58	427.44	20°43'45"	154.65	N 74°55'55" E	153.80'		
C59	51.20'	146'37'44"	131.02'	N 04°05'58" W	98.08'		
C60	257.26	7*21'35"	33.05	N 83°43'31" W	33.02		
C61	121.02'	35°10'16"	74.29	N 72°36'10" W	73.13'		
C62	102.66'	93°33'08"	167.63	N 03°31′55" W	149.62		
C63	731.55	3°27'24"	44.13'	N 46'19'46" E	44.13'		
C64	51.58'	93.08,59,	83.85	N 82°31'24" E	74.91		
C65	85.14	35'43'11"	53.08'	S 65°39'30" E	52.22		
C66	76.12	9*36'03"	12.76	S 86'11'03" E	12.74		

SIENNA SECTION 39B

A SUBDIVISION OF 50.646 ACRES OF LAND SITUATED IN THE WILLIAM HALL LEAGUE, ABSTRACT 31, FORT BEND COUNTY, TEXAS.

56 LOTS 12 RESERVES (41.246 ACRES) 2 BLOCKS FEBRUARY 15, 2022 JOB NO. 1416-1539BP

OWNERS:

TOLL-GTIS PROPERTY OWNER, LLC JIMMIE F. JENKINS, AUTHORIZED REPRESENTATIVE 10110 WEST SAM HOUSTON PARKWAY NORTH, SUITE 210, HOUSTON, TEXAS 77064 PH. (281) 894-8655



SIENNA PLANTATION SECTION 41 PLAT No. 20200225, F.B.C.P.R.

SURVE	ORS:			
GBI	PART	NER	S,	L.P.
	URVEYIN			
	A ROAD · PASA 11-499-4539 ·			

TEXAS REGISTRATION NO. 6405

TBPLS FIRM #10130300 · www.GBIsurvey.com JON BORDOVSKY, R.PL.S. REGISTERED PROFESSIONAL LAND SURVEYOR

ENGINEER: LJA Engineering, Inc. 1904 W. Grand Parkway North Suite 100 Katy, Texas 77449

SCOTT FRANKOVICH, P.E. LICENSED PROFESSIONAL ENGINEER TEXAS REGISTRATION NO. 130312

SHEET 4 OF 4 등

FRN-F-1386

Phone 713.953.5200 Fax 713.953.5026