

PLAT RECORDING SHEET

PLAT NAME: Briarwood Crossing Section 12

PLAT NO: _____

ACREAGE: 12.295

LEAGUE: Angus J. James Survey

ABSTRACT NUMBER: A-37

NUMBER OF BLOCKS: 3

NUMBER OF LOTS: 43

NUMBER OF RESERVES: 2

OWNERS: Woodmere Development Co., LTD.

(DEPUTY CLERK)

NOTES:



- PROJECT BENCHMARK: AW4193 (RM145): A BRASS DISK STAMPED "G 1219 1973" LOCATED 3.7 MILES NORTH ALONG STATE HIGHWAY 36 FROM THE INTERSECTION WITH F.M. 360 AT NEEDVILLE, 0.1 MILE SOUTH OF THE INTERSECTION OF OBERLINER ROAD, ON THE NORTH END OF THE TOP OF THE EAST CONCRETE HEADWALL OF A CULVERT 24 FEET EAST OF THE CENTERLINE OF HIGHWAY 36. ELEVATION= 85.72' NAVD88
- TEMPORARY BENCHMARK "H": A BOX CUT IN CONCRETE INLET ON THE WEST LINE OF COOPERS HILL TRAIL, AT THE INTERSECTION WITH COURIER COURT. ELEVATION= 86.51' NAVD88
- THIS PLAT WAS PREPARED TO MEET VILLAGE OF PLEAK AND FORT BEND COUNTY REQUIREMENTS.
- THIS PLAT LIES WHOLLY WITHIN MUNICIPAL UTILITY DISTRICT NO. 5, FORT BEND SUBSIDENCE DISTRICT, FORT BEND COUNTY DRAINAGE DISTRICT, LAMAR CONSOLIDATED I.S.D., ESD No. 6, CAD 12, THE ETJ OF THE VILLAGE OF PLEAK AND FORT BEND COUNTY.
- ACCORDING TO THE FEDERAL EMERGENCY MANAGEMENT AGENCY FLOOD INSURANCE RATE MAP NO. 48157C0400M, REVISED DATE JANUARY 29, 2021, THE SUBJECT PROPERTY LIES WITHIN ZONE "X" (UNSHADED), AREAS DETERMINED TO BE OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN, ZONE "X" (SHADED), AREAS DETERMINED TO BE IN THE 2% ANNUAL CHANCE FLOOD; AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTHS OF LESS THAN 1 FOOT OR WITH DRAINAGE AREAS LESS THAN 1 SQUARE MILE AND IN ZONE "AE", AREAS WITH A BASE FLOOD ELEVATION OF 85.00'.
- APPROVAL OF THIS PLAT WILL EXPIRE ONE YEAR FROM CITY COUNCIL APPROVAL IF NOT RECORDED IN THE REAL PROPERTY RECORDS OF THE COUNTY OF FORT BEND.
- THERE ARE NO KNOWN PIPELINES AND/OR PIPELINE EASEMENTS WITHIN THE LIMITS OF THIS SUBDIVISION.
- THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 89.00 FEET ABOVE MEAN SEA LEVEL (NAVD88 DATUM). IN ADDITION, NO TOP OF SLAB ELEVATION SHALL BE LESS THAN 24 INCHES ABOVE THE LOWEST TOP OF CURB ADJACENT TO THE LOT IN WHICH IT LIES. IN THE ABSENCE OF A CURB, THE TOP OF SLAB ELEVATION SHALL BE NO LESS THAN 24 INCHES ABOVE THE HIGHEST NATURAL GROUND ALONG THE PERIMETER OF THE BUILDING FOUNDATION AND 12 INCHES ABOVE ANY DOWN GRADIENT ROADWAY OR DRAINAGE RESTRAINT, WHICHEVER IS HIGHER.
- ALL RESIDENTIAL LOTS SHALL HAVE A FIVE (5) FOOT SIDE LOT BUILDING LINE UNLESS OTHERWISE NOTED.
- THE DRAINAGE SYSTEM FOR THIS SUBDIVISION IS DESIGNED IN ACCORDANCE WITH THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING WITH INTENSE RAINFALL EVENTS.
- THIS PLAT LIES WITHIN FORT BEND COUNTY LIGHTING ORDINANCE ZONE L22.
- ALL EASEMENTS ARE CENTERED ON LOT LINES UNLESS OTHERWISE INDICATED.
- THE COORDINATES AND BEARINGS SHOWN HEREON ARE TEXAS STATE PLANE COORDINATES, SOUTH CENTRAL ZONE (GRID NAD83) AND MAY BE BROUGHT TO SURFACE BY APPLYING THE FOLLOWING COMBINED SCALE FACTOR OF 0.9999867.
- ONE-FOOT RESERVE DEDICATED TO THE PUBLIC IN FEE AS A BUFFER SEPARATION BETWEEN THE SIDE OR END OF STREETS WHERE SUCH STREETS ABUT ADJACENT PROPERTY. THE CONDITION OF THIS DEDICATION BEING THAT WHEN THE ADJACENT PROPERTY IS SUBDIVIDED OR RE-SUBDIVIDED IN A RECORDED SUBDIVISION PLAT, THE ONE-FOOT RESERVE SHALL THEREUPON BECOME VESTED IN THE PUBLIC FOR STREET RIGHT-OF-WAY PURPOSES AND THE FEE TITLE THERETO SHALL REVERT TO AND REVEST IN THE DEDICATOR, HIS HEIRS, ASSIGNS OR SUCCESSORS.
- SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT NOT LESS THAN 5 FEET IN WIDTH ON BOTH SIDE OF ALL DEDICATED RIGHT-OF-WAY WITHIN SAID PLAT AND ON THE CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS SURROUNDING SAID PLAT, IN ACCORDANCE WITH A.D.A..
- ALL DRAINAGE EASEMENTS TO BE KEPT CLEAR OF FENCES, BUILDINGS, VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATION AND MAINTENANCE OF THE DRAINAGE FACILITY.
- ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED STRUCTURE.
- RESTRICTED RESERVE "A" TO BE MAINTAINED BY THE HOMEOWNERS ASSOCIATION TO BE ESTABLISHED BY DEED RESTRICTIONS AND COVENANTS.
- REMAINDER OF A 20' WATER LINE EASEMENT AS RECORDED UNDER FORT BEND COUNTY CLERK'S FILE NUMBER 2021123644.
- SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE JURISDICTION FOR REVIEW AND APPROVAL TO OBTAIN A DEVELOPMENT PERMIT. DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING CONSTRUCTION.
- A MINIMUM DISTANCE OF TEN (10) FEET SHALL BE MAINTAINED BETWEEN RESIDENTIAL DWELLINGS.
- SUBJECT TO THE ZONING ORDINANCES NOW IN FORCE IN THE VILLAGE OF PLEAK, TEXAS; ALSO, UNDER FORT BEND COUNTY CLERK'S FILE NO.(S). 2000093048, 2007119310 AND 2007119311.

| LINE TABLE | | |
|------------|-------------|---------|
| LINE | BEARING | LENGTH |
| L1 | N41°57'09"E | 142.98' |
| L2 | N48°02'51"W | 10.00' |
| L3 | N41°57'09"E | 59.99' |
| L4 | S48°02'51"E | 17.40' |
| L5 | N41°57'09"E | 119.98' |
| L6 | N41°57'09"E | 179.98' |
| L7 | S48°02'51"E | 36.90' |
| L8 | N41°57'09"E | 49.06' |
| L9 | N52°18'56"E | 20.00' |
| L10 | S48°04'22"E | 11.41' |
| L11 | N71°01'04"E | 99.99' |
| L12 | S16°04'25"E | 20.00' |
| L13 | S71°01'04"W | 34.58' |
| L14 | S18°58'56"E | 21.11' |
| L15 | S63°25'01"W | 73.99' |
| L16 | S55°33'34"W | 73.99' |
| L17 | S47°44'00"W | 73.99' |
| L18 | S42°28'44"W | 104.02' |
| L19 | S26°32'45"W | 29.61' |
| L20 | N41°57'09"E | 104.05' |
| L21 | N43°00'33"E | 38.18' |
| L22 | N42°34'54"E | 61.47' |

| CURVE TABLE | | | | | |
|-------------|----------|------------|------------|---------------|--------------|
| CURVE | RADIUS | DELTA | ARC LENGTH | CHORD BEARING | CHORD LENGTH |
| C1 | 25.00' | 90°00'00" | 39.26' | N86°57'09"E | 35.35' |
| C2 | 3039.60' | 0°56'22" | 49.84' | N42°25'20"E | 49.84' |
| C3 | 30.00' | 80°34'34" | 42.18' | N2°36'14"E | 38.79' |
| C4 | 369.95' | 10°23'19" | 67.08' | S42°52'43"E | 66.99' |
| C5 | 469.94' | 60°54'33" | 499.57' | S78°31'39"E | 476.38' |
| C6 | 579.92' | 2°54'31" | 29.44' | N72°28'20"E | 29.44' |
| C7 | 559.93' | 2°54'31" | 28.42' | S72°28'20"W | 28.42' |
| C8 | 54.99' | 89°34'55" | 85.98' | N87°09'41"E | 77.49' |
| C9 | 54.99' | 90°25'05" | 86.78' | N2°50'19"W | 78.05' |
| C10 | 2999.60' | 1°03'25" | 55.33' | N42°28'51"E | 55.33' |
| C11 | 25.00' | 90°00'00" | 39.26' | S87°22'14"W | 35.35' |
| C12 | 84.99' | 6°31'23" | 9.68' | S45°37'56"W | 9.67' |
| C13 | 25.00' | 27°00'44" | 11.78' | S35°23'15"W | 11.68' |
| C14 | 49.99' | 130°33'37" | 113.92' | S87°09'41"W | 90.82' |

| CURVE TABLE | | | | | |
|-------------|----------|------------|------------|---------------|--------------|
| CURVE | RADIUS | DELTA | ARC LENGTH | CHORD BEARING | CHORD LENGTH |
| C15 | 25.00' | 27°00'44" | 11.78' | N41°03'52"W | 11.68' |
| C16 | 84.99' | 6°31'23" | 9.68' | N51°18'33"W | 9.67' |
| C17 | 25.00' | 89°34'55" | 39.08' | N87°09'41"E | 35.22' |
| C18 | 25.00' | 90°25'05" | 39.45' | N2°50'19"W | 35.48' |
| C19 | 489.93' | 55°04'54" | 471.00' | N81°26'29"W | 453.07' |
| C20 | 30.00' | 83°14'37" | 43.58' | S84°28'40"W | 39.85' |
| C21 | 2959.61' | 0°54'13" | 46.67' | S42°24'15"W | 46.67' |
| C22 | 25.00' | 90°00'00" | 39.26' | S3°02'51"E | 35.35' |
| C23 | 84.99' | 6°56'28" | 10.30' | S44°34'37"E | 10.29' |
| C24 | 25.00' | 27°00'44" | 11.78' | S54°36'45"E | 11.68' |
| C25 | 49.99' | 130°33'37" | 113.92' | S2°50'19"E | 90.82' |
| C26 | 25.00' | 27°00'44" | 11.78' | S48°56'08"W | 11.68' |
| C27 | 84.99' | 6°56'28" | 10.30' | S38°54'00"W | 10.29' |
| C28 | 25.00' | 90°00'00" | 39.26' | S2°37'46"E | 35.35' |

| SYMBOL | DESCRIPTION | RESERVE USE | AREA |
|--------|------------------------|--------------------------------|-------------------------|
| (A) | RESTRICTED RESERVE "A" | RESTRICTED TO PARK/UTILITY USE | 1.054 AC. - 45,932 S.F. |
| (B) | RESTRICTED RESERVE "B" | RESTRICTED TO DRAINAGE USE | 0.336 AC. - 14,637 S.F. |
| TOTAL | | | 1.390 AC. - 60,569 S.F. |



| LEGEND | |
|------------|--|
| AC. | = ACRE |
| A.E. | = AERIAL EASEMENT |
| B.L. | = BUILDING LINE |
| F.B.C.C.F. | = FORT BEND COUNTY CLERK'S FILE |
| F.B.C.D.R. | = FORT BEND COUNTY DEED RECORDS |
| F.B.C.P.R. | = FORT BEND COUNTY PLAT RECORDS |
| LTD. | = LIMITED |
| NO. | = NUMBER |
| P.A.E. | = PERMANENT ACCESS EASEMENT |
| P.C. | = PAGE |
| P.U.E. | = PUBLIC UTILITY EASEMENT |
| PVT. | = PRIVATE |
| R= | = RADIUS |
| R.O.W. | = RIGHT-OF-WAY |
| S.F. | = SQUARE FEET |
| S.S.E. | = SANITARY SEWER EASEMENT |
| STM.S.E. | = STORM SEWER EASEMENT |
| U.E. | = UTILITY EASEMENT |
| VOL. | = VOLUME |
| W.L.E. | = WATER LINE EASEMENT |
| X | = EASTING COORDINATE |
| Y | = NORTHING COORDINATE |
| ↔ | = STREET NAME CHANGE |
| (1) | = BLOCK NUMBER |
| ● | = SET 5/8-INCH IRON ROD W/MSG CAP (UNLESS OTHERWISE NOTED) |
| ○ | = FOUND 5/8-INCH IRON ROD W/MSG CAP (UNLESS OTHERWISE NOTED) |
| --- | = FLOODPLAIN LINE |
| --- | = FORT BEND COUNTY M.U.D. No. 5 LIMITS |

LOT SUMMARY:

- 802 TOTAL LOTS IN SECTIONS 1 - 12 AND 14-15
- 20.358 ACRES IN PARK RESERVES IN SECTIONS 1 - 12 AND 14-15
- 187 - 55' WIDE LOTS IN SECTIONS 1 - 12 AND 14-15
23.32% OF THE LOTS ARE 55' WIDE.

BRIARWOOD CROSSING

SECTION 12

A SUBDIVISION OF 12.295 ACRES OF LAND
LOCATED IN THE ANGUS J. JAMES SURVEY, A-37
VILLAGE OF PLEAK
FORT BEND COUNTY, TEXAS


43 LOTS 3 BLOCKS 1.390 ACRES IN 2 RESERVES

DATE: AUGUST, 2022 SCALE: 1" = 100'

OWNER:
WOODMERE DEVELOPMENT CO., LTD.,
A TEXAS LIMITED PARTNERSHIP

15915 KATY FREEWAY, SUITE 405
HOUSTON, TEXAS 77054
PHONE: 281-646-1727
ROGER MEDORS, MANAGER

ENGINEER



since 1966

16340 Park Ten Place - Suite 350
Houston, Texas 77084
(713) 461-9600

TEXAS FIRM REGISTRATION NO. F-487
JACK P. MILLER, P.E.

SURVEYOR



1760 WEST SAM HOUSTON PARKWAY NORTH, HOUSTON TEXAS 77043
PHONE 713-413-1900 FAX 713-413-1944

TEXAS FIRM REGISTRATION NO. 10047100
BRIAN E. WILSON, R.P.L.S.

L:\3260_FBCMUD_5\BRIARWOOD_CROSSING\3371-012 CAD\PLAT\3371-012 PLAT_022222.GRD.DWG Aug. 17, 2022--8:54 AM TROY NIXON

STATE OF TEXAS
COUNTY OF FORT BEND

WE, WOODMERE DEVELOPMENT CO., LTD., A TEXAS LIMITED PARTNERSHIP, ACTING BY AND THROUGH RICHARD RUE, PRESIDENT, AND JASON ERVIN, VICE PRESIDENT, BOTH BEING OFFICERS OF WOODMERE GP, L.L.C., A LIMITED LIABILITY COMPANY, ITS GENERAL PARTNER, OWNERS OF THE 12.295 ACRE TRACT DESCRIBED IN THE ABOVE AND FOREGOING MAP OF BRIARWOOD CROSSING SECTION 12, DO HEREBY MAKE AND ESTABLISH SAID SUBDIVISION AND DEVELOPMENT PLAT OF SAID PROPERTY ACCORDING TO ALL LINES, DEDICATIONS, RESTRICTIONS AND NOTATIONS ON SAID MAPS OR PLAT AND HEREBY DEDICATE TO THE USE OF THE PUBLIC FOREVER, ALL STREETS, ALLEYS, PARKS, WATER COURSES, DRAINS, EASEMENTS AND PUBLIC PLACES SHOWN THEREON FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED; AND DO HEREBY BIND OURSELVES, OUR HEIRS, AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DEDICATED.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11'6") FOR TEN FEET (10'0") PERIMETER GROUND EASEMENTS OR SEVEN FEET, SIX INCHES (7'6") FOR FOURTEEN FEET (14'0") PERIMETER GROUND EASEMENTS OR FIVE FEET, SIX INCHES (5'6") FOR SIXTEEN FEET (16'0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE THE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENT TOTALS TWENTY ONE FEET, SIX INCHES (21'6") IN WIDTH.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSE FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10'0") FOR TEN FEET (10'0") BACK-TO-BACK GROUND EASEMENTS, OR EIGHT FEET (8'0") FOR FOURTEEN FEET (14'0") BACK-TO-BACK GROUND EASEMENTS OR SEVEN FEET (7'0") FOR SIXTEEN FEET (16'0") BACK TO BACK GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE THE GROUND LEVEL UPWARD, LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENT TOTALS THIRTY FEET (30'0") IN WIDTH.

FURTHER, WE DO HEREBY DECLARE THAT ALL PARCELS OF LAND DESIGNATED AS LOTS ON THIS PLAT ARE INTENDED FOR THE CONSTRUCTION OF SINGLE FAMILY RESIDENTIAL DWELLING UNITS THEREON AND SHALL BE RESTRICTED FOR SAME UNDER THE TERMS AND CONDITIONS OF SUCH RESTRICTIONS FILED SEPARATELY.

FURTHER, WE DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT SHALL BE RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY OR INDIRECTLY.

FURTHER, WE DO HEREBY DEDICATE TO THE PUBLIC A STRIP OF LAND TWENTY (20) FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL BAYOUS, CREEKS, GULLIES, RAVINES, DRAWS AND DRAINAGE DITCHES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES, FORT BEND COUNTY OR OTHER GOVERNMENTAL AGENCY SHALL HAVE THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSES OF CONSTRUCTION AND MAINTENANCE OF DRAINAGE FACILITIES AND STRUCTURES.

FURTHER, WE DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS SUBDIVISION AND ADJACENT TO ANY DRAINAGE EASEMENT, DITCH, GULLY, CREEK OR NATURAL DRAINAGE WAY SHALL HEREBY BE RESTRICTED TO KEEP SUCH DRAINAGE WAYS AND EASEMENTS CLEAR OF FENCES, BUILDINGS, EXCESSIVE VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AND THAT SUCH ABUTTING PROPERTY SHALL NOT BE PERMITTED TO DRAIN DIRECTLY INTO THIS EASEMENT EXCEPT BY MEANS OF AN APPROVED DRAINAGE STRUCTURE.

FURTHER, WE DO HEREBY CERTIFY THAT WE ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO AND ADJOINING THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION OF BRIARWOOD CROSSING SECTION 12 WHERE PUBLIC UTILITY EASEMENTS ARE TO BE ESTABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION AND DO HEREBY MAKE AND ESTABLISH AND DEDICATE TO THE USE OF THE PUBLIC UTILITIES FOREVER ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID ADJACENT ACREAGE.

FURTHER, WE DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT AMENDMENTS.

IN TESTIMONY WHEREOF, THE WOODMERE DEVELOPMENT CO., LTD., HAS CAUSED THESE PRESENTS TO BE SIGNED BY RICHARD RUE, ITS PRESIDENT, HEREUNTO AUTHORIZED, ATTESTED BY ITS VICE PRESIDENT, JASON ERVIN, BOTH BEING OFFICERS OF WOODMERE GP, L.L.C., A LIMITED LIABILITY COMPANY, ITS GENERAL

PARTNER, AND ITS COMMON SEAL HEREUNTO AFFIXED THIS _____ DAY OF _____, 2022.

WOODMERE DEVELOPMENT CO., LTD., A TEXAS LIMITED PARTNERSHIP
BY: WOODMERE GP, L.L.C., A LIMITED LIABILITY COMPANY
ITS GENERAL PARTNER

BY: _____
RICHARD RUE, PRESIDENT

ATTEST: _____
JASON ERVIN, VICE PRESIDENT

STATE OF TEXAS
COUNTY OF FORT BEND

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED RICHARD RUE, PRESIDENT AND JASON ERVIN, VICE PRESIDENT, KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGE TO ME THAT THEY EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN AND HEREIN SET OUT, AND AS THE ACT AND DEED OF SAID CORPORATION.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS _____ DAY OF _____, 2022.

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS
PRINT NAME:

MY COMMISSION EXPIRES: _____

I, JUSTIN S. WAGNER, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS, DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY AND VILLAGE OF PLEAK TO THE BEST OF MY KNOWLEDGE.

JUSTIN S. WAGNER
TEXAS REGISTRATION NO. 108942

I, CAROLYN J. QUINN, AM REGISTERED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT, WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND AND THAT ALL BOUNDARY CORNERS, ANGLE POINTS AND POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE HAVE BEEN MARKED WITH IRON RODS HAVING AN OUTSIDE DIAMETER OF FIVE EIGHTH OF ONE INCH (5/8) AND A LENGTH OF THREE (3) FEET UNLESS OTHERWISE NOTED.

CAROLYN J. QUINN
REGISTERED PROFESSIONAL LAND SURVEYOR
TEXAS REGISTRATION NO. 6033

STATE OF TEXAS
COUNTY OF FORT BEND

THIS IS TO CERTIFY THAT THE PLANNING COMMISSION OF THE VILLAGE OF PLEAK, TEXAS HAS APPROVED THIS PLAT AND SUBDIVISION OF BRIARWOOD CROSSING SECTION 12 IN CONFORMANCE WITH THE LAWS OF THE STATE OF TEXAS AND THE ORDINANCES OF THE VILLAGE OF PLEAK AS SHOWN HEREON AND AUTHORIZES THE RECORDING OF THIS PLAT

THIS _____ DAY OF _____, 2022.

DAVID THIELEMANN, CHAIRPERSON
GARY MILLER, VICE-CHAIRPERSON

THIS IS TO CERTIFY THAT THE CITY COUNCIL FOR THE VILLAGE OF PLEAK, TEXAS HAS APPROVED THIS PLAT AND SUBDIVISION OF BRIARWOOD CROSSING SECTION 12 IN CONFORMANCE WITH THE LAWS OF THE STATE OF TEXAS AND THE ORDINANCES OF THE VILLAGE OF PLEAK AS SHOWN HEREON AND AUTHORIZES THE RECORDING OF THIS PLAT

THIS _____ DAY OF _____, 2022.

LARRY BITTNER, MAYOR

MICHAEL JOHN, MAYOR PRO-TEM

WADE A. GOATES, ALDERMAN

DAMON KUHN, ALDERMAN

ERIN WALLEY, CITY SECRETARY

CAROLYN DELMAR, ALDERWOMAN

ANNE STARK, ALDERWOMAN

FIELD NOTES FOR 12.295 ACRES OF LAND

BEING 12.295 ACRES (535,568 SQUARE FEET) OF LAND LOCATED IN THE ANGUS J. JAMES SURVEY, ABSTRACT-37, FORT BEND COUNTY, TEXAS; BEING OUT OF A CALLED 24.190 ACRE TRACT RECORDED IN THE NAME OF WOODMERE DEVELOPMENT CO., LTD. UNDER FORT BEND COUNTY CLERK'S FILE NUMBER (F.B.C.C.F. NO.) 2020187995; SAID 12.295 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS (BEARINGS AND COORDINATES BASED ON THE TEXAS COORDINATE SYSTEM OF 1983, SOUTH CENTRAL ZONE, PER GPS OBSERVATIONS):

BEGINNING AT A 5/8-INCH IRON ROD WITH MILLER SURVEY GROUP (M.S.G.) CAP (X:2,978,510.78; Y:13,739,239.64) FOUND AT THE WEST CORNER OF LOT 23, BLOCK 1 OF BRIARWOOD CROSSING SECTION 10, A SUBDIVISION OF RECORD IN PLAT NO. 20200054, FORT BEND COUNTY PLAT RECORDS (F.B.C.P.R.), BEING ON THE SOUTHWEST LINE OF SAID 219.240 ACRE TRACT, ON THE NORTHEAST LINE OF A CALLED 155 ACRE TRACT RECORDED IN THE NAME OF GILBERT BAND, ET AL (SECOND TRACT) IN VOLUME 562, PAGE 296, FORT BEND COUNTY DEED RECORDS (F.B.C.D.R.):

THENCE, WITH THE LINE COMMON TO THE NORTHEAST LINE OF SAID 155 ACRE TRACT AND THE SOUTHWEST LINE OF SAID 24.190 ACRE TRACT, NORTH 48 DEGREES 02 MINUTES 51 SECONDS WEST, A DISTANCE OF 975.74 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP (X:2,977,785.21; Y:13,739,891.87) SET FOR THE WEST CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE, THROUGH AND ACROSS SAID 24.190 ACRE TRACT, THE FOLLOWING THIRTEEN (13) COURSES:


- NORTH 41 DEGREES 57 MINUTES 09 SECONDS EAST, A DISTANCE OF 143.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- NORTH 48 DEGREES 02 MINUTES 51 SECONDS WEST, A DISTANCE OF 10.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- NORTH 41 DEGREES 57 MINUTES 09 SECONDS EAST, A DISTANCE OF 60.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- SOUTH 48 DEGREES 02 MINUTES 51 SECONDS EAST, A DISTANCE OF 17.40 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- NORTH 41 DEGREES 57 MINUTES 09 SECONDS EAST, A DISTANCE OF 120.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR THE NORTHWEST CORNER OF THE HEREIN DESCRIBED TRACT;
- SOUTH 48 DEGREES 02 MINUTES 51 SECONDS EAST, A DISTANCE OF 420.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- NORTH 41 DEGREES 57 MINUTES 09 SECONDS EAST, A DISTANCE OF 180.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- SOUTH 48 DEGREES 02 MINUTES 51 SECONDS EAST, A DISTANCE OF 36.91 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET AT THE BEGINNING OF A CURVE TO THE LEFT;
- 39.27 FEET ALONG THE ARC OF SAID CURVE TO THE LEFT, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90 DEGREES 00 MINUTES 00 SECONDS, AND A CHORD THAT BEARS NORTH 86 DEGREES 57 MINUTES 09 SECONDS EAST, A DISTANCE OF 35.36 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR A POINT OF TANGENCY;
- NORTH 41 DEGREES 57 MINUTES 09 SECONDS EAST, A DISTANCE OF 49.07 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET AT THE BEGINNING OF A CURVE TO THE RIGHT;
- 49.85 FEET ALONG THE ARC OF SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 3,040.00 FEET, A CENTRAL ANGLE OF 00 DEGREES 56 MINUTES 22 SECONDS, AND A CHORD THAT BEARS NORTH 42 DEGREES 25 MINUTES 20 SECONDS EAST, A DISTANCE OF 49.85 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET AT THE BEGINNING OF A CURVE TO THE LEFT;
- 42.19 FEET ALONG THE ARC OF SAID CURVE TO THE LEFT, HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 80 DEGREES 34 MINUTES 34 SECONDS, AND A CHORD THAT BEARS NORTH 02 DEGREES 36 MINUTES 14 SECONDS EAST, A DISTANCE OF 38.80 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT;
- NORTH 52 DEGREES 18 MINUTES 56 SECONDS EAST, A DISTANCE OF 20.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP SET FOR AN ANGLE POINT AT THE BEGINNING OF A NON-TANGENT CURVE TO THE LEFT, BEING ON THE SOUTHWESTERLY RIGHT-OF-WAY (R.O.W.) LINE OF BRIARWOOD CROSSING DRIVE (CALLED 60-FEET WIDE PER PLAT NO. 20210240, F.B.C.P.R.);

THENCE, WITH THE SOUTHWESTERLY R.O.W. LINE OF SAID BRIARWOOD CROSSING DRIVE, THE FOLLOWING SIX (6) COURSES:

- 67.09 FEET ALONG THE ARC OF SAID NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 370.00 FEET, A CENTRAL ANGLE OF 10 DEGREES 23 MINUTES 19 SECONDS, AND A CHORD THAT BEARS SOUTH 42 DEGREES 52 MINUTES 43 SECONDS EAST, A DISTANCE OF 66.99 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR CORNER;
- SOUTH 48 DEGREES 04 MINUTES 22 SECONDS EAST, A DISTANCE OF 11.42 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND AT THE BEGINNING OF A CURVE TO THE LEFT;
- 499.64 FEET ALONG THE ARC OF SAID CURVE TO THE LEFT, HAVING A RADIUS OF 470.00 FEET, A CENTRAL ANGLE OF 60 DEGREES 54 MINUTES 33 SECONDS, AND A CHORD THAT BEARS SOUTH 78 DEGREES 31 MINUTES 39 SECONDS EAST, A DISTANCE OF 476.44 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR A POINT OF TANGENCY;
- NORTH 71 DEGREES 01 MINUTES 04 SECONDS EAST, A DISTANCE OF 100.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND AT THE BEGINNING OF A CURVE TO THE RIGHT;
- 29.44 FEET ALONG THE ARC OF SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 580.00 FEET, A CENTRAL ANGLE OF 02 DEGREES 54 MINUTES 31 SECONDS, AND A CHORD THAT BEARS NORTH 72 DEGREES 28 MINUTES 20 SECONDS EAST, A DISTANCE OF 29.44 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR THE NORTHEAST CORNER OF THE HEREIN DESCRIBED TRACT;
- SOUTH 16 DEGREES 04 MINUTES 25 SECONDS EAST, A DISTANCE OF 20.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND AT THE BEGINNING OF A NON-TANGENT CURVE TO THE LEFT, ON A WESTERLY LINE OF SAID BRIARWOOD CROSSING SECTION 10;

THENCE, WITH THE WESTERLY LINES OF SAID BRIARWOOD CROSSING SECTION 10, THE FOLLOWING NINE (9) COURSES:

- 28.43 FEET ALONG THE ARC OF SAID NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 560.00 FEET, A CENTRAL ANGLE OF 02 DEGREES 54 MINUTES 31 SECONDS, AND A CHORD THAT BEARS SOUTH 72 DEGREES 28 MINUTES 20 SECONDS WEST, A DISTANCE OF 28.42 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR A POINT OF TANGENCY;
- SOUTH 71 DEGREES 01 MINUTES 04 SECONDS WEST, A DISTANCE OF 34.59 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 18 DEGREES 58 MINUTES 56 SECONDS EAST, A DISTANCE OF 21.11 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 63 DEGREES 25 MINUTES 01 SECONDS WEST, A DISTANCE OF 74.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 55 DEGREES 33 MINUTES 34 SECONDS WEST, A DISTANCE OF 74.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 47 DEGREES 44 MINUTES 00 SECONDS WEST, A DISTANCE OF 74.00 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 42 DEGREES 28 MINUTES 44 SECONDS WEST, A DISTANCE OF 104.03 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 26 DEGREES 32 MINUTES 45 SECONDS WEST, A DISTANCE OF 29.61 FEET TO A 5/8-INCH IRON ROD WITH M.S.G. CAP FOUND FOR AN ANGLE POINT;
- SOUTH 42 DEGREES 22 MINUTES 14 SECONDS WEST, A DISTANCE OF 602.47 FEET TO THE POINT OF BEGINNING AND CONTAINING 12.295 ACRES OF LAND.



I, J. STACY SLAWINSKI, P.E., FORT BEND COUNTY ENGINEER, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OR SUBDIVISION WITHIN THE WATERSHED.

J. STACY SLAWINSKI, P.E.
FORT BEND COUNTY ENGINEER

APPROVED BY THE COMMISSIONERS' COURT OF FORT BEND COUNTY, TEXAS, THIS _____ DAY OF _____, 2022.

VINCENT M. MORALES, JR.
COMMISSIONER, PRECINCT 1

GRADY PRESTAGE
COMMISSIONER, PRECINCT 2

KP GEORGE
COUNTY JUDGE

W.A. "ANDY" MEYERS
COMMISSIONER, PRECINCT 3

KEN R. DeMERCHANT
COMMISSIONER, PRECINCT 4

I, LAURA RICHARD, COUNTY CLERK IN AND FOR FORT BEND COUNTY, DO HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORDATION IN MY OFFICE ON _____, 2022, AT _____ O'CLOCK _____ M., IN PLAT NUMBER _____ OF THE PLAT RECORDS OF FORT BEND COUNTY, TEXAS.

WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS, THE DAY AND DATE LAST ABOVE WRITTEN.

LAURA RICHARD,
COUNTY CLERK
FORT BEND COUNTY, TEXAS

BY: _____
DEPUTY

BRIARWOOD CROSSING

SECTION 12

A SUBDIVISION OF 12.295 ACRES OF LAND
LOCATED IN THE ANGUS J. JAMES SURVEY, A-37
VILLAGE OF PLEAK
FORT BEND COUNTY, TEXAS

43 LOTS 3 BLOCKS 1.390 ACRES IN 2 RESERVES

DATE: AUGUST, 2022 SCALE: 1" = 100'

OWNER:
WOODMERE DEVELOPMENT CO., LTD.,
A TEXAS LIMITED PARTNERSHIP

15915 KATY FREEWAY, SUITE 405
HOUSTON, TEXAS 77064
PHONE: 281-646-1727
ROGER MEDORS, MANAGER

ENGINEER

r.g.miller
engineers
since 1966

16340 Park Ten Place - Suite 350
Houston, Texas 77084
(713) 461-9600

TEXAS FIRM REGISTRATION NO. F-487
JACK P. MILLER, P.E.

SURVEYOR

MILLER
SURVEY GROUP

1760 WEST SAM HOUSTON PARKWAY NORTH, HOUSTON TEXAS 77043
PHONE 713-413-1900 FAX 713-413-1944

TEXAS FIRM REGISTRATION NO. 10047100
BRIAN E. WILSON, R.P.L.S.

SHEET 2 OF 2