

PLAT RECORDING SHEET

PLAT NAME: Wallingford Park Drive Phase One

PLAT NO: _____

ACREAGE: 3.54

LEAGUE: The A. Vallet Survey, Sec. 6

ABSTRACT NUMBER: 535

NUMBER OF BLOCKS: 0

NUMBER OF LOTS: 0

NUMBER OF RESERVES: 0

OWNERS: Finney Vallet Rd Owner LP

(DEPUTY CLERK)

STATE OF TEXAS §
COUNTY OF FORT BEND §

We, Finney Vallet RD Owner LP, a Delaware limited partnership, acting by and through Carson Nunnely, Managing Director of Finney Vallet RD Owner LP, a Delaware limited partnership, Authorized Agent of Finney Vallet RD Owner LP, a Delaware limited partnership, owner (or owners) hereinafter referred to as Owners (whether one or more) of the 3.54 acre tract described in the above and foregoing map of Wallingford Park Drive Phase One, do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions, and notations on said maps or plat and hereby dedicate to the use of the public forever, all public streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors and assigns to warrant and forever defend the title on the land so dedicated.

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally on additional eleven feet, six inches (11' 6") for ten feet (10' 0") perimeter ground easements or seven feet, six inches (7' 6") for fourteen feet (14' 0") perimeter ground easements or five feet, six inches (5' 6") for sixteen feet (16' 0") perimeter ground easements, from a plane sixteen feet (16' 0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21' 6") in width.

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally on additional ten feet (10' 0") for ten feet (10' 0") back-to-back ground easements or eight feet (8' 0") for fourteen feet (14' 0") back-to-back ground easements or seven feet (7' 0") for sixteen feet (16' 0") back-to-back ground easements, from a plane sixteen feet (16' 0") above ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30' 0") in width.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this plat shall be restricted to prevent the drainage of any septic tanks into any public or private street, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, We do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bays, creeks, gulches, ravines, draws, and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purpose of construction and maintenance of drainage facilities and structures.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby certify that I am (or we are) the owner(s) of all property immediately adjacent to the boundaries of the above and foregoing subdivision of Wallingford Park Drive Phase One where building setback lines public utility easements or easements for recordation are shown. The owner(s) of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

FURTHER, We do hereby acknowledge the receipt of the "Orders of Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, the Finney Vallet RD Owner LP, a Delaware limited partnership, has caused these presents to be signed by Carson Nunnely, Managing Director of Finney Vallet RD Owner LP, a Delaware limited partnership, Authorized Agent of Finney Vallet RD Owner LP, a Delaware limited partnership, thereto authorized, this ____ day of _____, 2023.

OWNER

- FINNEY VALLET RD OWNER LP,
a Delaware limited partnership
- By: Finney Vallet RD GP LLC,
a Delaware limited liability company,
its general partner
- By: Finney Vallet RD LP,
a Delaware limited partnership
its sole member
- By: HCS Finney Vallet RD GP LP,
a Delaware limited partnership
its general partner
- By: Hines Finney Vallet RD Associates LP,
a Delaware limited partnership
its general partner
- By: Hines Finney Vallet RD GP LLC,
a Delaware limited liability company
its general prtnr
- By: Hines Investment Management Holdings Limited Partnershp
a Texas limited partnership
- By: Carson Nunnely,
Name: Managing Director
Title:

STATE OF TEXAS §
COUNTY OF _____ §

BEFORE ME, the undersigned authority, on this day personally appeared Carson Nunnely, Managing Director of Finney Vallet Rd Owner LP, a Delaware limited partnership, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purposes and considerations therein expressed and in the capacity therein and herein stated, and as the act and deed of said corporation.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this ____ day of _____, 2023.

Notary Public in and for the State of Texas
My Commission expires: _____

I, Kevin M. Reidy, am registered under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate, was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown, all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch, and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.

Kevin M. Reidy,
Registered Professional Land Surveyor
Texas Registration No. 6450

This is to certify that the City Planning Commission of the City of Rosenberg, Texas, has approved this plat and subdivision of Wallingford Park Drive Phase One in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as shown hereon and authorized the recording of this plat this ____ day of _____, 20____.

By: Pete Pavlovsky, Chairperson
By: Wayne Poldrack, Secretary

This is to certify that the City Council of the City of Rosenberg, Texas, has approved this plat and subdivision of Wallingford Park Drive Phase One in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as shown hereon and authorized the recording of this plat this ____ day of _____, 20____.

By: Kevin Raines, Mayor
By: Danyel Swint, City Secretary

I, Comaron Jackson, a Professional Engineer Registered in the state of Texas do hereby certify that this plat meets all requirements of Fort Bend County to the best of my knowledge.

Comaron Jackson
Licensed Professional Engineer
Texas License No. 129617

GENERAL NOTES:

- C.M. indicates Controlling Monument
ESMT. indicates Easement
F.B.C.C.F. NO. indicates Fort Bend County Clerk's File
F.B.C.D.R. indicates Fort Bend County Deed Records
FND indicates Found
IP indicates Iron Pipe
Pg indicates Page
P.O.B. indicates Point of Beginning
Vol. indicates Volume
R.O.W. indicates Right-Of-Way
- Benchmark: AN NGS MONUMENT HGCD 68, PID AW5544, BEING A STAINLESS STEEL ROD STAMPED "HGCD 68 1986" ENCASED IN A 1-INCH PVC SLEEVE, RECESSED 8 CM BELOW THE GROUND SURFACE, FROM THE INTERSECTION OF FM ROAD 360 AND US HIGHWAY 59, GO 0.8 MILES NORTHEAST ON US HIGHWAY 59 BUSINESS ROUTE TO THE JUNCTION OF FM 1875 ON THE LEFT, AND CONTINUE ALONG US HIGHWAY 59 FOR 1.05 MILES TO THE BEASLEY POST OFFICE ON THE RIGHT. THE STATION IS LOCATED 69.5 FEET SOUTH-SOUTHEAST OF THE WEST CORNER OF THE POST OFFICE, 64.0 FEET WEST OF THE SOUTH CORNER OF THE POST OFFICE, 54.0 FEET NORTHEAST OF THE CENTER OF A NORTHWEST-SOUTHEAST SIDE STREET, AND 3.5 FEET SOUTHWEST OF THE SOUTHWEST CURB OF THE POST OFFICE PARKING LOT. ELEVATION = 105.92' (NAVD 1988)(GEOD 18)
- NAVD--88
Elev. = 105.92' feet
- Project Benchmark
- 2-1/2" Brass Disc set in concrete, stamped "451" located approximately 2,430 feet southeast of the southeasterly R.O.W. line of US Highway 59, 990 feet southwest of the centerline of Finney Vallet Road, and 8,590 feet northwest of the northwesterly R.O.W. line of Zunker Road.
- X= 2,959,253.11
- Y= 13,745,731.07
- Elev.= 107.23' (NAVD88)
- Elevations used for delineating contour lines are based upon NAVD--88.
- This plot was prepared to meet City of Rosenberg and Fort Bend County requirements.
- This plot was prepared from information furnished by Charter Title Company, G.F. No. 1076552100357C, effective date July 11, 2023. The surveyor has not abstracted the above property.
- This plot lies wholly within Fort Bend County Municipal Utility District No. 253-A, Fort Bend Subdivision District, Fort Bend County Drainage District, Lamar Consolidated I.S.D., ESD 8, and the EIJ of the City of Rosenberg, and Fort Bend County.
- "Wallingford Park Drive Phase One" lies within Unshaded Zone "X" as per Flood Insurance Rate Map, Map Number 48157C0225L, dated 04/02/2014.
- Approval of this plat will expire one year from City Council approval if not recorded in the Real Property Records of the County of Fort Bend.
- According to the city planning letter, dated July 11, 2023, there are no pipeline easements within this subdivision.
- Five-eighths inch (5/8") iron rods three feet (3') in length shall be on all perimeter boundary corners, all angle points, all points of curvature and tangency, and all block corners, unless otherwise noted.
- The drainage system for this subdivision shall be designed to meet the requirements of the Fort Bend County Drainage Criteria Manual which allows street ponding during intense rainfall events.
- This plat lies within Fort Bend County Lighting Ordinance Zone No. L22 and L23.
- The coordinates shown hereon are Texas State Plane Coordinates, South Central Zone (Grid NAD 83) and may be brought to surface by applying the following combine scale factor of 1.000132990813
- One-foot reserve dedicated to the public in fee as a buffer separation between the side and end of streets where such streets abut adjacent property. The condition of such dedication being that when the adjacent property is subdivided or re-subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purposes and the fee title thereto shall revert to and revest in the dedicator, his heirs, assigns or successors.
- This subdivision shall comply with City of Rosenberg Resolution No. R-3266, the Development Agreement approved on April 19, 2022.
- The square footage totals as shown hereon are based on the mathematical closure of the courses and distances reflected on this plat. It does not include the tolerances that may be present due to the positional accuracy of the boundary monumentation.
- No owner of the land subject to an easement may place, build or construct any permanent building, structure or obstruction of any kind over, under or upon the easement, provided that such owner may cross or cover the easement with a paved driveway/parking lot under the following conditions. The driveway shall be jointed at the boundary line of the easement to limit the amount of paving that must be removed to provide access, and there shall be no obligation of the city or county to replace/repair any paving removed in the exercise of this easement.
- All drainage easements shall be kept clear of fences, buildings, vegetation, and other obstructions for the purpose of operation and maintenance of the drainage facility by the appropriate entity.
- All property to drain into drainage easement only through an approved drainage structure.
- Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval to obtain a Development Permit. Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning construction.
- Fort Bend County Commissioners Court granted a variance to allow for a 10-foot sidewalk on one side of Wallingford Park Drive instead of two 5-foot sidewalks on each side of the R.O.W. on _____, 2023.

METES AND BOUNDS DESCRIPTION
BEING 3.54 ACRES
IN THE A. VALLET SURVEY, SECTION 6, ABSTRACT NO. 535
FORT BEND COUNTY, TEXAS

A 3.54 ACRE TRACT OF LAND IN THE A. VALLET SURVEY, SECTION 6, ABSTRACT NO. 535, FORT BEND COUNTY, TEXAS, BEING OUT OF A CALLED 850.31 ACRE TRACT OF LAND, CONVEYED TO FINNEY VALLET RD OWNER LP, RECORDED UNDER FORT BEND COUNTY CLERK'S FILE NUMBER (F.B.C.C.F. NO.) 2022107316, THE SAID 3.54 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS, (WITH BEARINGS BASED ON TEXAS STATE PLANE COORDINATE SYSTEM OF 1983, SOUTH CENTRAL ZONE, AS DETERMINED BY GPS MEASUREMENTS):

COMMENCING at a 1-inch iron pipe found marking the south corner of the D. Braswell Survey, Section 6, A=612, the west corner of the H. & T.C. RR. Co. Survey, Section 5, A=209, and a south corner of said 850.31 acre tract;

THENCE, North 47°53'26" East, along the southwest line of said 850.31 acre tract, a distance of 5,284.98 feet to a 2-inch iron pipe (bent) found marking the west corner of the A.W. Jones Survey, A=553, the south corner of the S.A. & M.G. RR. Co. Survey, Section 17, A=331, and the west corner of said 850.31 acre tract;

THENCE, North 74°22'12" East, over and across said 850.31 acre tract, a distance of 4,285.47 feet to the most southerly corner and POINT OF BEGINNING of the herein described tract;

THENCE, continuing over and across said 850.31 acre tract, the following twenty (20) courses and distances:


- North 35°45'02" West, a distance of 91.95 feet to the beginning of a non-tangent curve to the left;
- In a northerly direction, along the arc of said non-tangent curve to the left having a radius of 30.00 feet, a central angle of 84°06'57", an arc length of 44.04 feet, and a chord bearing of North 1°34'05" East, for a distance of 40.19 feet to a point of compound curvature;
- In a northwesterly direction, along the arc of said compound curve to the left having a radius of 1,765.00 feet, a central angle of 0°07'20", an arc length of 3.77 feet, and a chord bearing of North 28°26'10" West, for a distance of 3.77 feet to a point for corner;
- North 61°30'10" East, a distance of 80.00 feet to a point for corner and the beginning of a non-tangent curve to the left;
- In a southeasterly direction, along the arc of said non-tangent curve to the left having a radius of 25.00 feet, a central angle of 91°37'13", an arc length of 39.98 feet, and a chord bearing of South 74°18'27" East, for a distance of 35.85 feet to a point of reverse curvature;
- In a northwesterly direction, along the arc of said reverse curve to the right having a radius of 1,840.00 feet, a central angle of 0°04'30", an arc length of 291.44 feet, and a chord bearing of North 64°25'11" East, for a distance of 291.13 feet to a point of tangency;
- North 68°57'26" East, a distance of 227.88 feet to the beginning of a curve to the left;
- In a northeasterly direction, along the arc of said curve to the left having a radius of 1,360.00 feet, a central angle of 07°43'39", an arc length of 183.42 feet, and a chord bearing of North 65°05'37" East, for a distance of 183.29 feet to a point of compound curvature;
- In a northerly direction, along the arc of said compound curve to the left having a radius of 25.00 feet, a central angle of 98°48'50", an arc length of 43.12 feet, and a chord bearing of North 11°49'22" East, for a distance of 37.97 feet to a point for corner;
- North 52°24'57" East, a distance of 60.00 feet to a point for corner and the beginning of a non-tangent curve to the right;
- In a southeasterly direction, along the arc of said non-tangent curve to the right having a radius of 530.00 feet, a central angle of 01°16'50", an arc length of 11.84 feet, and a chord bearing of South 36°56'38" East, for a distance of 11.84 feet to a point of reverse curvature;
- In an easterly direction, along the arc of said reverse curve to the left having a radius of 25.00 feet, a central angle of 87°12'47", an arc length of 38.05 feet, and a chord bearing of South 70°54'36" East, for a distance of 34.49 feet to a point of compound curvature;
- In a northeasterly direction, along the arc of said compound curve to the left having a radius of 1,360.00 feet, a central angle of 11°41'04", an arc length of 277.34 feet, and a chord bearing of North 50°38'29" East, for a distance of 276.86 feet to a point of tangency;
- North 44°47'57" East, a distance of 177.72 feet to the beginning of a curve to the left;
- In a northeasterly direction, along the arc of said curve to the left having a radius of 500.00 feet, a central angle of 04°52'12", an arc length of 42.50 feet, and a chord bearing of North 42°21'51" East, for a distance of 42.49 feet to a;
- North 39°55'44" East, a distance of 75.26 feet to the beginning of a curve to the right;
- In a northeasterly direction, along the arc of said curve to the right having a radius of 500.00 feet, a central angle of 04°52'12", an arc length of 42.50 feet, and a chord bearing of North 42°21'51" East, for a distance of 42.49 feet to a point of tangency;
- North 44°47'57" East, a distance of 84.35 feet to the beginning of a curve to the left;
- In a northerly direction, along the arc of said curve to the left having a radius of 30.00 feet, a central angle of 87°12'47", an arc length of 48.53 feet, and a chord bearing of North 01°32'44" West, for a distance of 43.41 feet to a point for corner;
- North 42°06'34" East, a distance of 30.00 feet to the east line of said 850.31 acre tract, for the most northerly corner of the herein described tract;

THENCE, South 47°53'26" East, with the east line of said 850.31 acre tract, a distance of 160.18 feet to the most easterly corner of the herein described tract, from which a 1/2-inch iron pipe found marking the common corner of the H. & T.C. RR. Co. Survey, Section 7, A=210, the G.D. Torton Survey, Section 2, A=698, said A=209, and said A=535, some being an east corner of said 850.31 acre tract bears for reference South 47°53'26" East, a distance of 2,562.57 feet;

THENCE, over and across said 850.31 acre tract, the following fifteen (15) courses and distances:

- South 42°06'34" West, a distance of 30.00 feet to a point for corner and the beginning of a non-tangent curve to the left;
- In a westerly direction, along the arc of said non-tangent curve to the left having a radius of 30.00 feet, a central angle of 87°18'37", an arc length of 45.72 feet, and a chord bearing of South 88°27'15" West, for a distance of 41.42 feet to a point of tangency;
- South 44°47'57" West, a distance of 91.86 feet to the beginning of a curve to the right;
- In a southwesterly direction, along the arc of said curve to the right having a radius of 500.00 feet, a central angle of 04°52'12", an arc length of 42.50 feet, and a chord bearing of South 47°14'03" West, for a distance of 42.50 feet to a point of tangency;
- South 49°40'09" West, a distance of 75.26 feet to the beginning of a curve to the left;
- In a southwesterly direction, along the arc of said curve to the left having a radius of 500.00 feet, a central angle of 04°52'12", an arc length of 42.50 feet, and a chord bearing of South 47°14'03" West, for a distance of 42.49 feet to a point of tangency;
- South 44°47'57" West, a distance of 177.72 feet to the beginning of a curve to the right;
- In a southwesterly direction, along the arc of said curve to the right having a radius of 1,440.00 feet, a central angle of 24°09'30", an arc length of 607.16 feet, and a chord bearing of South 56°52'42" West, for a distance of 602.68 feet to a point of tangency;
- South 68°57'26" West, a distance of 20.68 feet to the beginning of a curve to the left;
- In a southwesterly direction, along the arc of said curve to the left having a radius of 25.00 feet, a central angle of 107°10'14", an arc length of 43.71 feet, and a chord bearing of South 18°52'20" West, for a distance of 38.35 feet to a point for corner;
- South 58°47'13" West, a distance of 60.00 feet to a point for corner;
- North 30°41'45" West, a distance of 15.26 feet to the beginning of a curve to the left;
- In a northwesterly direction, along the arc of said curve to the left having a radius of 30.00 feet, a central angle of 80°20'48", an arc length of 42.07 feet, and a chord bearing of North 70°52'09" West, for a distance of 38.71 feet to a point of tangency;
- South 68°57'26" West, a distance of 41.89 feet to the beginning of a curve to the left;
- In a southwesterly direction, along the arc of said curve to the left having a radius of 25.00 feet, a central angle of 98°48'50", an arc length of 43.12 feet, and a chord bearing of North 11°49'22" East, for a distance of 37.97 feet to a point of tangency;
- In a southwesterly direction, along the arc of said curve to the left having a radius of 1,760.00 feet, a central angle of 14°42'28", an arc length of 451.79 feet, and a chord bearing of South 61°36'12" West, for a distance of 450.55 feet to the POINT OF BEGINNING, and containing 3.54 acres of land.

CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE
C1	30.00'	44.04'	40.19'	S 13°40'58" W	84°06'57"
C2	1,765.00'	3.77'	3.77'	N 28°26'10" W	0°07'20"
C3	25.00'	39.98'	35.85'	S 74°18'27" E	91°37'13"
C4	1,840.00'	291.44'	291.13'	S 64°25'11" W	9°04'30"
C5	1,360.00'	183.42'	183.29'	S 65°05'37" W	7°43'39"
C6	25.00'	43.12'	37.97'	N 11°49'22" E	98°48'50"
C7	530.00'	11.84'	11.84'	S 36°56'38" E	11°16'50"
C8	25.00'	38.05'	34.49'	N 79°54'36" W	87°12'47"
C9	1,360.00'	277.34'	276.86'	S 50°38'29" W	11°41'04"
C10	500.00'	42.50'	42.49'	N 42°21'51" E	4°52'12"
C11	500.00'	42.50'	42.49'	N 42°21'51" E	4°52'12"
C12	30.00'	48.53'	43.41'	S 01°32'44" E	92°41'22"
C13	30.00'	45.72'	41.42'	S 88°27'15" W	87°18'37"
C14	500.00'	42.50'	42.49'	N 47°14'03" E	4°52'12"
C15	500.00'	42.50'	42.49'	N 47°14'03" E	4°52'12"
C16	1,440.00'	607.16'	602.68'	N 56°52'42" E	24°09'30"
C17	25.00'	43.71'	38.35'	S 18°52'20" W	100°10'14"
C18	30.00'	42.07'	38.71'	S 70°52'09" E	80°20'48"
C19	1,760.00'	451.79'	450.55'	N 61°36'12" E	14°42'28"
C20	1,400.00'	590.30'	585.93'	S 56°52'42" W	24°09'30"
C21	1,800.00'	438.12'	437.04'	S 61°59'04" W	13°56'45"
C22	500.00'	72.43'	72.37'	S 33°26'02" E	8°18'01"
C23	800.00'	75.38'	75.35'	S 28°30'50" E	5°23'55"
C24	1,805.00'	73.24'	73.23'	N 27°20'06" W	2°19'29"



WALLINGFORD PARK DRIVE PHASE ONE

BEING A SUBDIVISION OF 3.54 ACRES OUT OF
THE A. VALLET SURVEY, SEC. 6
ABSTRACT NO. 535
IN FORT BEND COUNTY, TEXAS.

OWNER

FINNEY VALLET RD OWNER LP,
A DELAWARE LIMITED PARTNERSHIP
845 TEXAS ST, SUITE 3400
HOUSTON, TX 77002
713-237-5691

JUNE 13, 2023



10011 MEADOWGLEN LN
HOUSTON, TEXAS 77042
713-784-4500
WWW.EHRA.TEAM
Firm No. F-726
Firm No. 10092300

I, J. Stacy Slawinski, P.E., Fort Bend County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners' Court. however, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

J. Stacy Slawinski, P.E.
Fort Bend County Engineer

Approved by the Commissioners' Court of Fort Bend County, Texas, this ____ day of _____, 20____.

Vincent M. Morales, Jr.
Commissioner, Precinct 1

Grady Prestage
Commissioner, Precinct 2

KP George
County Judge

W.A. "Andy" Meyers
Commissioner, Precinct 3

Dexter L. McCoy
Commissioner, Precinct 4

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on ____ day of _____, 20____, at ____ o'clock ____ M. Filed in plat number(s) ____ of the plat records if Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.

Laura Richard, County Clerk
Fort Bend County, Texas

By: _____
Deputy