PLAT RECORDING SHEET

PLAT NAME:	Cross Creek West Section Nine
PLAT NO:	
ACREAGE:	26.07
LEAGUE:	Rufus Wright Survey
ABSTRACT NU	JMBER: A-344
NUMBER OF B	BLOCKS: 2
NUMBER OF L	
NUMBER OF F	RESERVES: 5
OWNERS: CO	CR West, Inc.,
(DEPUTY CLERK)	



LINE DATA

NUMBER | BEARING | DISTANCE

L1 N55°35'47"E 13.59'

L2 N34*24'13"W 100.00'

L3 N55*35'47"E 27.03'

L4 N61°49'19"E 102.14'

L5 N37°47'48"W 4.58'

L6 N52°12'12"E 60.00'

L7 N45°51'22"E 167.07'

LINE DATA

NUMBER | BEARING | DISTANCE

L8 S39°40'57"E 60.00'

L9 S7*00'07"E 122.58'

L10 | S23°10'44"W | 138.96'

L11 S16*53'39"W 170.66'

L12 N34°12'16"W 67.50'

L13 | S37°47'48"E | 58.21'

L14 S73°12'50"W 50.00'

LINE DATA

NUMBER BEARING DISTANCE

L15 N19°51'26"W 7.92'

L16 S55°35'47"W 23.79'

L17 S7°06'45"W 13.87'

L18 S82°28'15"E 58.12'

L19 S1*41'59"E 13.76'

L20 N88*15'40"W 14.14'

L21 S44°42'14"E 57.60'

C28 | 330.00' | 23°53'07" |

C30 50.00' 147*52'13"

32**°**51'18"

C29 25.00'

137.57' S 16°31'34" W

14.34' S 12°02'28" W

129.04' S 69°32'56" W

UTILITIES CO.

 $\langle c \rangle$

CENTERPOINT ENERGY

ACREAGE/ SQUARE FOOTAGE

0. 2294 AC. / 9, 992 S. F.

4.819 AC. / 209, 912 S. F.

0. 1229 AC. / 5, 355 S. F.

0. 7915 AC. / 34, 476 S. F.

0. 0491 AC. / 2, 137 S. F.

COUNTY ASSISTANCE DISTRICT NO.

RESERVE TABLE

RESTRICTION

LANDSCAPE/OPEN SPACE

LANDSCAPE/OPEN SPACE

LANDSCAPE/OPEN SPACE

DETENTION

LANDSCAPE/OPEN SPACE/DRAINAGE

GENERAL NOTES

- 1. "(1)" indicates Block Number.
- 2. "U.E." indicates "Utility Easement".
- 3. "A.E." indicates "Aerial Easement".
- 4. "_ " indicates Street Name Change.
- 5. "B.L." indicates Building Line.
- 6. "W.L.E." indicates Water Line Easement.
- 7. "STM. S.E." indicates Storm Sewer Easement.

8. "SAN. S.E." indicates Sanitary Sewer Easement.


- 9. "ESMT." indicates Easement.
- 10. "F.B.C.C.F." indicates Fort Bend County Clerk's File Number.
- 11. "F.B.C.P.R." indicates Fort Bend County Plat Records.
- 12. "F.B.C.D.R." indicates Fort Bend County Deed Records.
- 13. "O.D." indicates Outside Diameter.
- 14. "O. P. R. F. B. C." indicates Official Public Records of Fort Bend County.
- 15. "VOL." indicates volume.
- 16. "PG." indicates page.
- 17. "R. O. W." indicates right-of-way.
- 18. "P.O.B." indicates Point of Beginning.
- 19. The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Surface Coordinates (NAD83) and may be brought to Grid by multiplying by the following combined scale 0.99987002.
- 20. Bearing based on the Texas Coordinate System of 1983 (NAD83), South Central Zone 4204 and referenced to monuments found along the Northeast corner of Restricted Reserve "A" of CROSS CREEK WEST SECTION 5, a subdivision per plat recorded under Plat Number 20210234 of the Fort Bend County Plat Records
- 21. There is no observable evidence of pipelines within the boundaries of the subject tract, based on the title research provided per City Planning Letter prepared by Charter Title Company, August 23,
- 22. The property lies in the Unshaded Zone "X" (areas determined to be outside the 500 year flood plain) as delineated on the Flood Insurance Rate Map for Fort Bend County, Texas and Incorporated Areas, Map Number 48157C0085M, Revised January 29, 2021.
- 23. The drainage system for the subdivision is designed in accordance with the Fort Bend County Drainage Criteria Manual, which allows street ponding with intense rainfall events.
- 24. Set 3/4-inch iron rod with cap stamped "BGE INC" at all plat boundary corners unless otherwise noted.
- 25. This plat is within Lighting Zone LZ3.
- 26. This tract is located within the extraterritorial jurisdiction of the City of Fulshear and Fort Bend County.
- 27. The top of all floor slabs shall be a minimum of 148.92 feet above mean sea level (NAVD 88 datum). In addition, no top of slab elevation shall be less than 24 inches above the lowest top of curb adjacent to the lot in which it lies. In the absence of a curb, the top of slab elevation shall be no less than 24 inches above the highest natural ground along the perimeter of the building foundation and 12 inches above any down gradient roadway or drainage restraint, whichever is higher.
- 28. All drainage easements to be kept clear of fences, buildings, vegetation and other obstructions to the operation and maintenance of the drainage facility.
- 29. All property to drain into the drainage easement only through an approved drainage structure.
- 30. Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval to obtain a Development Permit. Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning construction.
- 31. Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with the A.D.A.
- 32. A one-foot reserve dedicated to the city in fee as a buffer separation between the side or end of streets where such streets abut adjacent acreage tracts, the condition of such dedication being that when adjacent property is subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purpose.
- 33. A minimum distance of 10' shall be maintained between residential dwellings.
- 34. All drainage easements and detention facilities shall be maintained by Fort Bend County Municipal Utility District No. 198.

CURVE DATA						CURVE DATA					
NUMBER	RADIUS	DELTA ANGLE	ARC DISTANCE	CHORD BEARING	CHORD DISTANCE	NUMBER	RADIUS	DELTA ANGLE	ARC DISTANCE	CHORD BEARING	CHORD DISTANCE
C1	500.00'	6°13'31"	54.33'	N 58°42'33" E	54.30'	C31	25.00'	26°04'01"	11.37'	N 49°32'58" W	11.28'
C2	500.00'	10°13'44"	89.26	N 56°42'27" E	89.14	C32	1530.00'	23°14'24"	620.59	N 50°57'46" W	616.35
С3	25.00'	89°23'23"	39.00'	N 6°53'53" E	35.17	C33	25.00'	93°55'06"	40.98'	N 86°18'07" W	36.54
C4	25.00'	94°11'31"	41.10'	S 84°53'34" E	36.62	C34	25.00'	42°50'00"	18.69	S 25°19'20" W	18.26
C5	1770.00'	2*09'19"	66.58	N 46°56'01" E	66.58'	C35	50.00'	265*40'01"	231.84'	N 43°15'40" W	73.33'
C6	1030.00'	4*27'41"	80.20'	N 48°05'12" E	80.18'	C36	25.00'	42°50'00"	18.69'	N 68*09'20" E	18.26'
C7	970.00'	14°41'10"	248.63'	N 57°39'38" E	247.95'	C37	25.00'	88*43'13"	38.71	N 2°22'44" E	34.96'
C8	1750.00'	37*01'48"	1131.02	N 52°43'10" W	1111.43'	C38	25.00'	92*09'46"	40.21	N 88°03'45" W	36.02
C9	90.00'	89*48'03"	141.06	N 10°41'46" E	127.06'	C39	1830.00'	6*46'32"	216.41	S 49°14'37" W	216.28
C10	1800.00'	9*44'26"	306.01	N 50°43'35" E	305.64	C40	500.00'	4°13'29"	36.87	S 50°31'09" W	36.86
C11	1000.00'	4 ° 27'41"	77.87	S 48°05'12" W	77.85'	C41	500.00'	7*11'23"	62.74'	S 52°00'06" W	62.70'
C12	800.00'	7*44'24"	108.07	S 50°36'32" W	107.99	C42	25.00'	83*59'42"	36.65	S 83°31'25" E	33.45'
C13	55.00'	83*59'42"	80.63	N 83°31'25" W	73.60'	C43	270.00'	69 ° 59'41"	329.84	S 6°31'43" E	309.71
C14	300.00'	69 ° 59'41"	366.49	N 6°31'43" W	344.12'	C44	25.00'	89*28'28"	39.04	S 73°12'21" W	35.19'
C15	55.00'	89 ° 28'28"	85.89'	N 73°12'21" E	77.42'	C45	1470.00'	9*40'51"	248.37	N 57°13'00" W	248.08'
C16	1500.00'	24*58'03"	653.64	S 49°34'24" E	648.48'	C46	25.00'	94*03'32"	41.04	N 5°20'49" W	36.59
C17	1800.00'	5*32'55"	174.31'	S 42°36'55" W	174.25'	C47	1770.00'	2*03'30"	63.59'	N 42°42'42" E	63.59'
C18	25.00'	92°17'55"	40.27	S 4°10'05" W	36.06'	C48	25.00'	43*39'51"	19.05	N 65°34'23" E	18.59'
C19	25.00'	86°18'42"	37.66'	S 85°08'14" E	34.20'	C49	50.00'	265*39'16"	231.83'	N 45°25'20" W	73.34'
C20	830.00'	3*24'57"	49.48'	N 53°24'53" E	49.47'	C50	25.00'	42°02'24"	18.34	S 22°46'14" W	17.93
C21	25.00'	22°04'13"	9.63'	N 44°05'15" E	9.57	C51	1830.00'	2°13'10"	70.88	S 42°40'51" W	70.88'
C22	50.00'	128 ° 29'45"	112.13'	S 82°41'58" E	90.07	C52	25.00'	90*25'02"	39.45	S 86°46'48" W	35.48'
C23	25.00'	23*04'28"	10.07	S 29°59'20" E	10.00'	C53	1470.00'	8*58'02"	230.07	N 43°31'40" W	229.83'
C24	330.00'	3°22′14″	19.41'	S 39°50'27" E	19.41	C54	25.00'	85 ° 46'59"	37.43	N 3°50'51" E	34.03'
C25	150.00'	39 ° 37'05"	103.72	S 57°57'53" E	101.67	C55	769.99	7*44'24"	104.02	N 50°36'32" E	103.94
C26	50.00'	121 ° 58'30"	106.44	S 16°47'10" E	87.45						
C27	150.00'	39 ° 37'05"	103.72	S 24°23'33" W	101.67						
000	770.00'	0.715.770.77	477.57	0.404747747 111	170.50						

136.58

14.14'

96.09'



CROSS CREEK WEST SECTION NINE

A SUBDIVISION OF 26.07 ACRES OF LAND LOCATED IN THE RUFUS WRIGHT SURVEY, A-344 FORT BEND COUNTY, TEXAS

LOTS: 69 SCALE: 1"=100' RESERVE: 5

5 BLOCKS: 2
DATE: JULY, 2023

OWNER: CCR WEST, INC., a Texas Corporation 5005 RIVERWAY, SUITE 500

HOUSTON, TEXAS 77056

(713) 960-9977

ROBERT J. BAMFORD

LAND PLANNER:
META PLANNING + DESIGN
24275 KATY FREEWAY, SUITE 200
KATY, TEXAS 77494
(281) 810-1422
CAITLIN KING



BGE, Inc.
10777 Westheimer, Suite 400, Houston, TX 77042
Tel: 281-558-8700 ● www.bgeinc.com
TBPE Registration No. F-1046
TBPLS Licensed Surveying Firm No. 101065-00
JASON SVATEK, P.E.

SHEET 1 OF 2

STATE OF TEXAS COUNTY OF FORT BEND

We, CCR WEST, INC., a Texas corporation, acting by and through Robert J. Bamford, Vice President, owner of the 26.07 acre tract described in the above and foregoing map of CROSS CREEK WEST SECTION NINE, do hereby make and establish said subdivision and development plan of said property according to all lines, dedications, restrictions and notations on said maps or plat and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets, or permanent access easements), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors and assigns to warrant and forever defend the title on the land so dedicated.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21'6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10' 0") for ten feet (10'0") back-to-back ground easements, or eight feet (8'0") for fourteen feet (14'0") back-to-back ground easements or seven feet (7'0") for sixteen feet (16'0") back-to-back ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. and A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30'0") in width.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this plat is hereby restricted to prevent the drainage of any septic tanks into any public or private street, permanent access easement, road or alley or any drainage ditch, either directly or

FURTHER, we do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws, and drainage ditches located in said subdivision, as easement for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purposes of construction and maintenance of drainage facilities and structures.

FURTHER, we do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby acknowledge the receipt of the "Orders for Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

FURTHER, we do hereby certify that we are the owners of all property immediately adjacent to the boundaries of the above and foregoing subdivision of CROSS CREEK WEST SECTION NINE where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

IN TESTIMONY WHEREOF, CCR WEST, INC., a Texas corporation, has caused these presents to be signed by Robert J. Bamford, its Vice President, thereunto authorized.


this 17 day of AUGUST

CCR WEST, INC., a Texas corporation,

STATE OF TEXAS COUNTY OF HARRIS

BEFORE ME, the undersigned authority, on this day personally appeared Robert J. Bamford, Vice President of CCR WEST, INC., a Texas corporation. known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein and herein stated.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this 17th day of August



Notary Public in and for the State of Texas 0-30-33

I, Chris Jordan, am registered under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and correct; was prepared from an actual survey of the property made under my supervision on the ground; that all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other suitable permanent metal) pipes or rods having an outside diameter of not less than three quarter (3/4) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the nearest survey corner.



Texas Registration No. 6750

I, Jason M. Svatek , A Professional Engineer licensed in the State of Texas do hereby certify that this plat meets all requirements of the City of Fulshear, to the best of my knowledge.



Jason M. Svatek, P.E. Texas License No. 100192 TBPE Registration No. F-1046

This plat of CROSS CREEK WEST SECTION NINE is approved by the City Planning Commission of the City of Fulshear, Texas, this _____ day of

This plat of CROSS CREEK WEST SECTION NINE was approved on May 16, 2023 by the City of Fulshear City Council and signed on this 24th day of August _____, 2023; provided, however, this approval shall be invalid and null and void unless the plat is filed with the County Clerk of Fort Bend County, Texas within six (6) months hereafter.

DESCRIPTION OF A 26.07 ACRE TRACT OF LAND SITUATED IN THE RUFUS WRIGHT SURVEY, ABSTRACT NO. 344 FORT BEND COUNTY, TEXAS

BEING a 26.07 acre tract of land situated in the Rufus Wright Survey, Abstract No. 344 of Fort Bend County, Texas and being a portion of a called 471.4 acre tract of land described as Tract One in an instrument to CCR West. Inc. recorded under Clerk's File Number (C.F.N.) 2020038283 of the Official Public Records of Fort Bend County (O. P. R. F. B. C.), said 26.07 acre tract of land described by metes and bounds as follows, with all bearings based on the Texas Coordinate System of 1983 (NAD83), South Central Zone 4204 and referenced to CROSS CREEK WEST SECTION 5 as cited herein:

COMMENCING at a 1/2-inch iron pipe with cap stamped "BGE INC" found for the Northeast corner of Restricted Reserve "A" of CROSS CREEK WEST SECTION 5, a subdivision per plat recorded under Plat Number 20210234 of the Fort Bend County Plat Records, from which a 1/2-inch iron pipe with cap stamped "BGE INC" found for an angle point on the East line of said CROSS CREEK WEST SECTION 5 bears S 10° 49' 26" W, 230.43 feet;

THENCE, over and across said 471.4 acre tract, the following courses and distances:

N 33°25'28" W, a distance of 156.38 feet to the Southeast corner and the POINT OF BEGINNING of the herein described tract, same being the beginning of a curve to the right from which its center bears N 18' 45' 56" E,

In a Northwesterly direction, along said curve to the right, an arc distance of 1,131.02 feet, having a radius of 1,750.00 feet, a central angle of 37°01'48" and chord which bears N 52°43'10" W. 1,111.43 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the point of tangency;

N 34'12'16" W, a distance of 67.50 feet to a 3/4-inch iron rod with cap stamped 'BGE INC" set for the beginning of a curve to the right;

In a Northeasterly direction, along said curve to the right, an arc distance of 141.06 feet, having a radius of 90.00 feet, a central angle of 89°48'03" and chord which bears N 10°41'46" E, 127.06 feet to a 3/4-inch iron rod with cap stamped 'BGE INC" set for the point of tangency;

N 55° 35′ 47" E, a distance of 13.59 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

N 34°24'13" W, a distance of 100.00 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

N 55°35'47" E, a distance of 27.03 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the beginning of a curve to the right;

In a Northeasterly direction, along said curve to the right, an arc distance of 54.33 feet, having a radius of 500.00 feet, a central angle of 06°13′31" and chord which bears N 58°42′33" E, 54.30 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the point of tangency;

N 61°49′19" E, a distance of 102.14 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the beginning of a curve to the left;

In a Northeasterly direction, along said curve to the left, an arc distance of 89.26 feet, having a radius of 500.00 feet, a central angle of 10°13′44" and chord which bears N 56°42′27" E, 89.14 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the beginning of a compound curve to the left;

In a Northeasterly direction, along said curve to the left, an arc distance of 39.00 feet, having a radius of 25.00 feet, a central angle of 89°23'23" and chord which bears N 6°53'53" E, 35.17 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the point of tangency;

N 37*47'48" W, a distance of 4.58 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

N 52°12'12" E, a distance of 60.00 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner, same being the beginning of a non-tangent curve to the left, from which its center bears N 52°12'12" E,

In a Southeasterly direction, along said curve to the left, an arc distance of 41.10 feet, having a radius of 25.00 feet, a central angle of 94°11'31" and chord which bears S 84°53'34" E, 36.62 feet to a 3/4-inch iron rod with cap stamped "BĞE INC" set for the beginning of a compound curve to the left;

In a Northeasterly direction, along said curve to the left, an arc distance of 66.58 feet, having a radius of 1,770.00 feet, a central angle of 02'09'19" and chord which bears N 46'56'01" E, 66.58 feet to a 3/4-inch iron rod with cap stamped 'BGE INC" set for the point of tangency;

N 45°51'22" E, a distance of 167.07 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the beginning of a curve to the right;

In a Northeasterly direction, along said curve to the right, an arc distance of 80.20 feet, having a radius of 1,030.00 feet, a central angle of 04°27'41" and chord which bears N 48°05'12" E, 80.18 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

S 39°40′57" E, a distance of 60.00 feet to a 3/4-inch iron rod with cap stamped 'BGE INC" set for corner, same being the beginning of a non-tangent curve to the right from which its center bears S 39°40'57" E,

In a Northeasterly direction, along said curve to the right, an arc distance of 248.63 feet, having a radius of 970.00 feet, a central angle of 14'41'10" and chord which bears N 57'39'38" E, 247.95 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for the most Northerly corner of the herein described tract;

S 41°31′34" E, a distance of 411.01 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;


S 51*58'07" E, a distance of 273.30 feet to a 3/4-inch iron rod with cap stamped 'BGE INC" set for corner; S 07°00'07" E, a distance of 122.58 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

S 23°10′44″ W, a distance of 138.96 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

S 26°50'16" W, a distance of 373.34 feet to a 3/4-inch iron rod with cap stamped 'BGE INC" set for corner;

S 16°53'39" W, a distance of 170.66 feet to a 3/4-inch iron rod with cap stamped "BGE INC" set for corner;

S 18°45'52" W, a distance of 249.98 feet to the POINT OF BEGINNING and containing 26.07 acres of land.



SCALE: 1"=4,000' KEY MAP NO. 482 Y & 522 C

I, J. Stacy Slawinski, P.E., Fort Bend County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area of subdivision within the watershed.

	J. Stacy Slawinski, P.E. Fort Bend County Engineer
oproved by the Commissioners Court	of Fort Bend County, Texas, this day of
incent M. Morales, Jr. recinct 1, County Commissioner	Grady Prestage Precinct 2, County Commissioner
	KP George County Judge
A. "Andy" Meyers recinct 3, County Commissioner	Dexter L. McCoy Precinct 4, County Commissioner
nstrument with its certificate	o' clock, m. in Plat Numbero' clock, m.
ne Plat Records of Fort Bend County Witness my hand and seal of	Texas. office, at Richmond, Texas. The day and date last above written.

CROSS CREEK WEST SECTION NINE

Laura Richard

County Clerk

By: _____

Fort Bend County, Texas

A SUBDIVISION OF 26.07 ACRES OF LAND LOCATED IN THE RUFUS WRIGHT SURVEY, A-344 FORT BEND COUNTY, TEXAS

LOTS: 69 SCALE: 1"=100'

RESERVE: 5

DATE: JULY, 2023 LAND PLANNER:

OWNER: CCR WEST, INC., a Texas Corporation 5005 RIVERWAY, SUITE 500 HOUSTON, TEXAS 77056 (713) 960-9977 ROBERT J. BAMFORD

META PLANNING + DESIGN 24275 KATY FREEWAY, SUITE 200 KATY, TEXAS 77494 (281) 810-1422 CAITLIN KING

BLOCKS: 2



10777 Westheimer, Suite 400, Houston, TX 77042 Tel: 281-558-8700 • www.bgeinc.com TBPE Registration No. F-1046 TBPLS Licensed Surveying Firm No. 101065-00 JASON SVATEK, P.E.

SHEET 2 OF 2