

**PLAT RECORDING SHEET**

**PLAT NAME:** Brookewater Section Four Partial Replat No. 1

\_\_\_\_\_

**PLAT NO:** \_\_\_\_\_

**ACREAGE:** 2.689

\_\_\_\_\_

**LEAGUE:** A. Vallett Survey, Sec, 6

\_\_\_\_\_

**ABSTRACT NUMBER:** 535

\_\_\_\_\_

**NUMBER OF BLOCKS:** 1

\_\_\_\_\_

**NUMBER OF LOTS:** 16

\_\_\_\_\_

**NUMBER OF RESERVES:** 2

\_\_\_\_\_

**OWNERS:** Finney Vallet Rd Owner LP,

\_\_\_\_\_

\_\_\_\_\_  
**(DEPUTY CLERK)**



STATE OF TEXAS §  
COUNTY OF FORT BEND §

We, Finney Vallet RD Owner LP, a Delaware limited partnership, acting by and through Carson Nunnelly, Managing Director of Finney Vallet RD Owner LP, a Delaware limited partnership, Authorized Agent of Finney Vallet RD Owner LP, a Delaware limited partnership, owner (or owners) hereinafter referred to as Owners (whether one or more) of the 2.689 acre tract described in the above and foregoing map of Brookewater Section Four Partial Replat No. 1 do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions, and notations on said maps or plat and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors and assigns to warrant and forever defend the title on the land so dedicated.

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11' 6") for ten feet (10' 0") perimeter ground easements or seven feet, six inches (7' 6") for fourteen feet (14' 0") perimeter ground easements or five feet, six inches (5' 6") for sixteen feet (16' 0") perimeter ground easements, from a plane sixteen feet (16' 0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21' 6") in width.

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10' 0") for ten feet (10' 0") back-to-back ground easements or eight feet (8' 0") for fourteen feet (14' 0") back-to-back ground easements or seven feet (7' 0") for sixteen feet (16' 0") back-to-back ground easements, from a plane sixteen feet (16' 0") above ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30' 0") in width.

FURTHER, We do hereby declare that all parcels of land designated as lots on this plat are intended for the construction of single family residential dwelling units thereon (or the placement of mobile homes) and shall be restricted for same under the terms and conditions of such restrictions filed separately.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this plat shall be restricted to prevent the drainage of any septic tanks into any public or private street, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, We do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bays, creeks, gulches, drains, and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purpose of construction and maintenance of drainage facilities and structures.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such obutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby certify that I am (or we are) the owner(s) of all property immediately adjacent to the boundaries of the above and foregoing subdivision of Brookewater Section Four where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

FURTHER, We do hereby acknowledge the receipt of the "Orders of Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, the Finney Vallet RD Owner LP, a Delaware limited partnership, has caused these presents to be signed by Carson Nunnelly, Managing Director of Finney Vallet RD Owner LP, a Delaware limited partnership, Authorized Agent of Finney Vallet RD Owner LP, a Delaware limited partnership, thereunto authorized, this \_\_\_\_ day of \_\_\_\_\_, 2024.

OWNER

FINNEY VALLET RD OWNER LP,  
a Delaware limited partnership

By: Finney Vallet RD GP LLC,  
a Delaware limited liability company,  
its general partner

By: Finney Vallet RD LP,  
a Delaware limited partnership  
its sole member

By: HCS Finney Vallet RD GP LP,  
a Delaware limited partnership  
its general partner

By: Hines Finney Vallet RD Associates LP,  
a Delaware limited partnership  
its general partner

By: Hines Finney Vallet RD GP LLC,  
a Delaware limited liability company  
its general partner

By: Hines Investment Management Holdings Limited Partnership  
a Texas limited partnership

By: \_\_\_\_\_  
Name: Carson Nunnelly,  
Title: Managing Director

STATE OF TEXAS §  
COUNTY OF \_\_\_\_\_ §

BEFORE ME, the undersigned authority, on this day personally appeared Carson Nunnelly, Managing Director of Finney Vallet RD Owner LP, a Delaware limited partnership, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purposes and considerations therein expressed and in the capacity therein and herein stated, and as the act and deed of said corporation.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this \_\_\_\_ day of \_\_\_\_\_, 2024.

Notary Public in and for the State of Texas  
My Commission expires: \_\_\_\_\_

I, Kevin M. Reidy, am registered under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown, all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.

Kevin M. Reidy,  
Registered Professional Land Surveyor  
Texas Registration No. 6450

METES AND BOUNDS DESCRIPTION  
BEING 2.689 ACRES  
IN THE A. VALLET SURVEY, SECTION 6, ABSTRACT NO. 535  
FORT BEND COUNTY, TEXAS

A 2.689 ACRE TRACT OF LAND IN THE A. VALLET SURVEY, SECTION 6, ABSTRACT NO. 535, FORT BEND COUNTY, TEXAS, BEING ALL OF BLOCK 6 OF BROOKEWATER SECTION FOUR, MAP OR PLAT THEREOF RECORDED UNDER PLAT NO. 20230241 OF THE FORT BEND COUNTY PLAT RECORDS (F.B.C.P.R.), AND BEING OUT OF A CALLED 850.31 ACRE TRACT OF LAND, CONVEYED TO FINNEY VALLET RD OWNER LP, RECORDED UNDER FORT BEND COUNTY CLERK'S FILE NUMBER (F.B.C.C.F. NO.) 2022107316, THE SAID 2.689 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS, (WITH BEARINGS BASED ON TEXAS STATE PLANE COORDINATE SYSTEM OF 1983, SOUTH CENTRAL ZONE, AS DETERMINED BY GPS MEASUREMENTS):

BEGINNING at a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found at the north end of a cutback corner at the intersection of the northeasterly Right-of-Way (R.O.W.) line of Stream Bend Way (50-feet-wide) as recorded under Plat No. 20230241, F.B.C.P.R., and the southeasterly R.O.W. line of Field Sparrow Lane (50-feet-wide) as recorded under Plat No. 20230241, F.B.C.P.R., marking a southwest corner of said Block 6, and the herein described tract, and the beginning of a non-tangent curve to the right;

THENCE, along and with the boundary of said Block 6, the following eleven (11) courses and distances:

- In a northeasterly direction, along the arc of said non-tangent curve to the right having a radius of 875.00 feet, a central angle of 08°00'38", an arc length of 122.33 feet, and a chord bearing of North 48°04'36" East, for a distance of 122.23 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the point of tangency;
- North 52°04'55" East, a distance of 123.15 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the beginning of a curve to the left;
- In a northeasterly direction, along the arc of said curve to the left having a radius of 925.00 feet, a central angle of 09°30'27", an arc length of 153.49 feet, and a chord bearing of North 47°19'41" East, for a distance of 153.32 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the point of reverse curvature;
- In an easterly direction, along the arc of said reverse curve to the right having a radius of 25.00 feet, a central angle of 89°32'07", an arc length of 39.07 feet, and a chord bearing of North 87°20'31" East, for a distance of 35.21 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the point of tangency;
- South 47°53'26" East, a distance of 204.07 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found making the beginning of a curve to the right;
- In a southerly direction, along the arc of said curve to the right having a radius of 25.00 feet, a central angle of 89°38'27", an arc length of 39.11 feet, and a chord bearing of South 03°04'12" East, for a distance of 35.24 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the point of compound curvature;
- In a southwesterly direction, along the arc of said compound curve to the right having a radius of 1275.00 feet, a central angle of 09°03'43", an arc length of 201.65 feet, and a chord bearing of South 46°16'52" West, for a distance of 201.44 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the beginning of a curve to the right;
- South 50°48'44" West, a distance of 221.78 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the beginning of a curve to the right;
- In a westerly direction, along the arc of said curve to the right having a radius of 25.00 feet, a central angle of 91°35'56", an arc length of 39.97 feet, and a chord bearing of North 83°23'18" West, for a distance of 35.85 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the point of reverse curvature;
- In a northwesterly direction, along the arc of said reverse curve to the left having a radius of 1225.00 feet, a central angle of 09°24'45", an arc length of 201.24 feet, and a chord bearing of North 42°17'43" West, for a distance of 201.02 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" found marking the point of reverse curvature;
- In a northerly direction, along the arc of said reverse curve to the right having a radius of 25.00 feet, a central angle of 91°04'22", an arc length of 39.74 feet, and a chord bearing of North 01°27'54" West, for a distance of 35.68 feet to the POINT OF BEGINNING, and containing 2.689 acres of land.

This is to certify that the City Planning Commission of the City of Rosenberg, Texas, has approved this plat and subdivision of Brookewater Section Four Partial Replat No. 1 in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as shown hereon and authorized the recording of this plat this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

By: Pete Pavlovsky, Chairperson  
By: Wayne Poldrack, Secretary

This is to certify that the City Council of the City of Rosenberg, Texas, has approved this plat and subdivision of Brookewater Section Four Partial Replat No. 1 in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as shown hereon and authorized the recording of this plat this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

By: Kevin Raines, Mayor  
By: Danyel Swint, City Secretary

I, Camaron Jackson, P.E., a professional engineer registered in the state of Texas do hereby certify that this plat meets all requirements of Fort Bend County to the best of my knowledge.

Camaron Jackson, P.E.  
Licensed Professional Engineer  
Texas License No. 129617


GENERAL NOTES:

- B.L. indicates Building Line  
ETJ indicates Extraterritorial Jurisdiction  
F.B.C.C.F. NO. indicates Fort Bend County Clerk's File  
F.B.C.P.R. indicates Fort Bend County Plat Records  
P.O.B. indicates Point of Beginning  
P.U.E. indicates Public Utility Easement  
R= indicates Radius  
R.O.W. indicates Right-of-Way  
Sq. Ft. indicates Square Feet  
U.E. indicates Utility Easement  
  
\_\_\_\_\_ indicates Street Name Change
- Benchmark: AN NGS MONUMENT HGCD 68, PID AW5544, BEING A STAINLESS STEEL ROD STAMPED "HGCD 68 1986" ENCASED IN A 1-INCH PVC SLEEVE, RECESSED 8 CM BELOW THE GROUND SURFACE, FROM THE INTERSECTION OF FM ROAD 360 AND US HIGHWAY 59, GO 0.8 MILES NORTHEAST ON US HIGHWAY 59 BUSINESS ROUTE TO THE JUNCTION OF FM 1875 ON THE LEFT, AND CONTINUE ALONG US HIGHWAY 59 FOR 1.05 MILES TO THE BEASLEY POST OFFICE ON THE RIGHT. THE STATION IS LOCATED 69.5 FEET SOUTH-SOUTHEAST OF THE WEST CORNER OF THE POST OFFICE, 64.0 FEET WEST OF THE SOUTH CORNER OF THE POST OFFICE, 54.0 FEET NORTHEAST OF THE CENTER OF A NORTHWEST-SOUTHEAST SIDE STREET, AND 3.5 FEET SOUTHWEST OF THE SOUTHWEST CURB OF THE POST OFFICE PARKING LOT. ELEVATION = 105.92' (NAVD 1988)(GEOD 18)  
  
NAVD--88  
Elev. = 105.92' feet
- Project Benchmark  
- 2-1/2" Brass Disc set in concrete, stamped "451" located approximately 2,430 feet southeast of the southeasterly R.O.W. line of US Highway 59, 990 feet southwest of the centerline of Finney Vallet Road, and 8,590 feet northwest of the northwesterly R.O.W. line of Zuker Road.  
  
- X = 2,959,253.11  
- Y = 13,745,731.07  
- Elev. = 107.23' (NAVD88)
- Elevations used for delineating contour lines are based upon NAVD--88.
- This plat was prepared to meet City of Rosenberg and Fort Bend County requirements.
- This plat was prepared from information furnished by Charter Title Company, G.F. No. 107655210035711, effective date January 12, 2024. The surveyor has not obstructed the above property.
- This plat lies wholly within Fort Bend County Municipal Utility District No. 253, Fort Bend Subsidence District, Fort Bend County Drainage District, Lamar Consolidated I.S.D., ESD 8, West Fort Bend Management District, and the ETJ of the City of Rosenberg, and Fort Bend County.
- "Brookewater Section Four Partial Replat No. 1" lies within Unshaded Zone "X" as per Flood Insurance Rate Map, Map Number 48157C0225L, dated 04/02/2014.
- Approval of this plat will expire one year from City Council approval if not recorded in the Real Property Records of the County of Fort Bend.
- According to the city planning letter dated January 12, 2024 from Charter Title Company, there are no pipeline easements within the subdivision.
- Five-eighths inch (5/8") iron rods three feet (3') in length shall be on all perimeter boundary corners, all angle points, all points of curvature and tangency, and all block corners, unless otherwise noted.
- The top of all floor slabs shall be a minimum of 108.80 feet above mean sea level. However, the minimum slab elevation shall be elevated to or above a height which is the higher of twenty-four (24) inches above the lowest adjacent top of curb, or in the absence of a curb, twenty-four (24) inches above highest natural ground along the perimeter of the building foundation, or twelve (12) inches above the down gradient roadway or any down gradient drainage restraint.
- The drainage system for this subdivision shall be designed to meet the requirements of the Fort Bend County Drainage Criteria Manual which allows street ponding during intense rainfall events.
- This plat lies within Fort Bend County Lighting Ordinance Zone No. LZ2 and LZ3.
- The coordinates shown hereon are Texas State Plane Coordinates, South Central Zone (Grid NAD 83) and may be brought to surface by applying the following "combine scale factor" of 1.000132990813
- Sidewalks shall be built or caused to be built through restrictive covenants within all road rights-of-way dedicated to the public.
- This subdivision shall comply with City of Rosenberg Resolution No. R-3266, the Development Agreement approved on April 19, 2022.
- The square footage totals as shown hereon are based on the mathematical closure of the courses and distances reflected on this plat. It does not include the tolerances that may be present due to the positional accuracy of the boundary monumentation.
- No owner of the land subject to an easement may place, build or construct any permanent building, structure or obstruction of any kind over, under or upon the easement, provided that such owner may cross or cover the easement with a paved driveway/parking lot under the following conditions. The driveway shall be jointed at the boundary line of the easement to limit the amount of paving that must be removed to provide access, and there shall be no obligation of the city to replace/repair any paving removed in the exercise of this easement.
- All drainage easements shall be kept clear of fences, buildings, vegetation, and other obstructions for the purpose of operation and maintenance of the drainage facility by the appropriate entity.
- All property to drain into drainage easement only through an approved drainage structure.
- All lots shall have a minimum of five (5) foot side building line.
- All easements are centered on lot lines unless otherwise indicated.
- Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with A.D.A.
- Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval to obtain a Development Permit. Development Permits and all other applicable permits shall be obtained by Fort Bend County prior to beginning construction.
- Subject to agreement for underground electric service easement as recorded under Fort Bend County Clerk's File No. 2023073877
- Subject to short form blanket easement as recorded under Fort Bend County Clerk's File No. 2023110129

| BROOKEWATER BOULEVARD PHASE ONE PARKLAND DEDICATION TABLE  |   |  |   |
|--|---|--|---|
| RESERVE  | RECREATION CENTER / PARK<br>(100% OF GROSS ACREAGE) | LANDSCAPE RESERVES / DETENTION<br>(25% OF GROSS ACREAGE) | ACREAGE APPLIED TO<br>PARKLAND DEDICATION |
| B  | 0.0000  | 0.0292 x 0.25 = 0.0073                                   | 0.0073                                    |
| TOTAL  | 0.0000 ACRES  | 0.0073 ACRES   | 0.0073 ACRES                              |
| PRIVATE PARKLAND FEE: 0 LOTS @ \$0 = \$0<br>REQUIRED PARKLAND (1.651 AC. / 100 DWELLING UNITS)*(TOTAL LOTS) = 0 ACRES<br>PARKLAND PROVIDED: 0.0073 ACRES |   |  |   |
| TOTAL PARKLAND PROVIDED  |   |  |   |
| SUBMITTED PLAT   |   | PARKLAND PROVIDED  |   |
| SECTION 1  |   | 0.2435   |   |
| SECTION 2  |   | 1.1652   |   |
| SECTION 3  |   | 0.4464   |   |
| SECTION 4  |   | 0.5651   |   |
| SECTION 12   |   | 0.7275   |   |
| DETENTION POND 6   |   | 4.1875   |   |
| DETENTION POND 7 AND RECREATION CENTER   |   | 8.8263   |   |
| BROOKEWATER BOULEVARD PHASE ONE  |   | 0.4128   |   |
| SECTION 7  |   | 0.5311   |   |
| SECTION 4 PARTIAL REPLAT NO. 1   |   | 0.0073   |   |
| TOTAL  |   | 17.1147  |   |
| TOTAL REQUIRED FOR ENTIRE PROJECT  |   | 50.0000  |   |



10011 MEADOWGLEN LN  
HOUSTON, TEXAS 77042  
713-784-4500  
WWW.EHRA.TEAM  
Firm No. F-726  
Firm No. 10092300



I, Stacy Slawinski, P.E., Fort Bend County Engineer, do hereby certify that the plot of this subdivision complies with all of the existing rules and regulations of the office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

J. Stacy Slawinski, P.E.  
Fort Bend County Engineer

Approved by the Commissioners' Court of Fort Bend County, Texas, this \_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_.

Vincent M. Morales, Jr.,  
Commissioner, Precinct 1  
Grady Prestage  
Commissioner, Precinct 2

KP George  
County Judge

W.A. "Andy" Meyers  
Commissioner, Precinct 3  
Dexter L. McCoy  
Commissioner, Precinct 4

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on \_\_\_\_\_, 20\_\_\_\_, at \_\_\_\_\_ o'clock \_\_\_\_\_ M. Filed in plat number(s) \_\_\_\_\_ of the plat records of Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.

Laura Richard, County Clerk  
Fort Bend County, Texas

By: \_\_\_\_\_  
Deputy

## BROOKEWATER SECTION FOUR PARTIAL REPLAT NO. 1

BEING A SUBDIVISION OF 2.689 ACRES OUT OF  
THE A. VALLETT SURVEY, SEC. 6 ABSTRACT NO. 535  
IN FORT BEND COUNTY, TEXAS,  
ALSO BEING A PARTIAL REPLAT OF  
LOTS 1-16, AND RESTRICTED RESERVE 'F',  
BLOCK 6 OF BROOKEWATER SECTION FOUR  
RECORDED AT PLAT NO. 20230241, F.B.C.P.R.

16 LOTS, 1 BLOCK, AND 2 RESERVES

REASON FOR REPLAT:  
TO CREATE 16 SINGLE FAMILY LOTS AND  
2 RESTRICTED RESERVES

OWNER

FINNEY VALLET RD OWNER LP,  
A DELAWARE LIMITED PARTNERSHIP  
845 TEXAS ST, SUITE 3400  
HOUSTON, TX 77002  
713-237-5691

FEBRUARY 6, 2024



| LOT SIZE TABLE |       |                |             |
|----------------|-------|----------------|-------------|
| BLOCK #        | LOT # | AREA (SQ. FT.) | WIDTH (FT.) |
| 1              | 1     | 6,555.80       | 51.03       |
|                | 2     | 6,707.13       | 51.25       |
|                | 3     | 6,700.96       | 51.25       |
|                | 4     | 6,572.89       | 51.25       |
|                | 5     | 6,687.99       | 53.28       |
|                | 6     | 6,851.60       | 55.35       |
|                | 7     | 7,443.54       | 60.15       |
|                | 8     | 8,345.47       | 52.35       |
|                | 9     | 7,667.63       | 45.05       |
|                | 10    | 6,610.94       | 49.96       |
|                | 11    | 6,679.98       | 49.96       |
|                | 12    | 6,618.98       | 49.99       |
|                | 13    | 6,542.10       | 50.00       |
|                | 14    | 6,557.61       | 50.89       |
|                | 15    | 6,944.08       | 56.28       |
|                | 16    | 6,807.09       | 55.56       |



| BROOKEWATER TYPICAL LOT SIZE DATA |            |           |           |         |        |
|-----------------------------------|------------|-----------|-----------|---------|--------|
| SECTION                           | LOT WIDTH  |           |           |         |        |
|                                   | <40 to <45 | 45 to <50 | 50 to <60 | > 60    |        |
| SECTION 1                         | 0          | 90        | 0         | 0       |        |
| SECTION 2                         | 85         | 0         | 0         | 0       |        |
| SECTION 3                         | 0          | 0         | 0         | 82      |        |
| SECTION 4                         | 0          | 0         | 97        | 0       |        |
| SECTION 12                        | 0          | 0         | 111       | 0       |        |
| TOTALS                            | 85         | 90        | 208       | 82      | 465    |
| PERCENTAGES                       | 18.3%      | 19.4%     | 44.7%     | 17.6%   | 100.0% |
| REQUIRED                          | MIN 10%    | MIN 10%   | MIN 10%   | MIN 10% |        |
|                                   | MAX 20%    |           |           |         |        |
| *2,800 Max Units                  |            |           |           |         |        |

| LAND USE ACREAGES |      |
|-------------------|------|
| LANDSCAPE         | 0.16 |
| RIGHT-OF-WAY      | 0.00 |
| RESIDENTIAL       | 2.53 |
| TOTAL             | 2.69 |

## BROOKEWATER SECTION FOUR PARTIAL REPLAT NO. 1

BEING A SUBDIVISION OF 2.689 ACRES OUT OF  
THE A. VALLETT SURVEY, SEC. 6 ABSTRACT NO. 535  
IN FORT BEND COUNTY, TEXAS,  
ALSO BEING A PARTIAL REPLAT OF  
LOTS 1-16, AND RESTRICTED RESERVE 'F',  
BLOCK 6 OF BROOKEWATER SECTION FOUR  
RECORDED AT PLAT NO. 20230241, F.B.C.P.R.

16 LOTS, 1 BLOCK, AND 2 RESERVES

REASON FOR REPLAT:  
TO CREATE 16 SINGLE FAMILY LOTS AND  
2 RESTRICTED RESERVES

OWNER  
FINNEY VALLET RD OWNER LP,  
A DELAWARE LIMITED PARTNERSHIP  
845 TEXAS ST, SUITE 3400  
HOUSTON, TX 77002  
713-237-5691

FEBRUARY 6, 2024



10011 MEADOWGLEN LN  
HOUSTON, TEXAS 77042  
713-784-4500  
WWW.EHRA.TEAM  
Firm No. F-726  
Firm No. 10092300

| RESERVE TABLE |   |                              |
|---------------|---|------------------------------|
| RESERVE       | RESTRICTED TO                               | AREA                         |
| F             | LANDSCAPE, OPEN SPACE, AND UTILITY PURPOSES | 0.1278 ACRE/5,569 SQ. FT.    |
| G             | LANDSCAPE, OPEN SPACE, AND UTILITY PURPOSES | 0.0292 ACRE/1,274 SQ. FT.    |
|               |   | TOTAL ACREAGE = 0.1570 ACRES |

| CURVE TABLE |           |            |              |               |             |
|-------------|-----------|------------|--------------|---------------|-------------|
| CURVE       | RADIUS    | ARC LENGTH | CHORD LENGTH | CHORD BEARING | DELTA ANGLE |
| C1          | 875.00'   | 122.33'    | 122.23'      | N 48°04'36" E | 8°00'38"    |
| C2          | 925.00'   | 153.49'    | 153.32'      | N 47°19'41" E | 9°30'27"    |
| C3          | 25.00'    | 39.07'     | 35.21'       | N 87°20'31" E | 89°32'07"   |
| C4          | 25.00'    | 39.11'     | 35.24'       | S 03°04'12" E | 89°38'27"   |
| C5          | 1,275.00' | 201.65'    | 201.44'      | S 46°16'52" W | 9°03'43"    |
| C6          | 25.00'    | 39.97'     | 35.85'       | N 83°23'18" W | 91°35'56"   |
| C7          | 1,225.00' | 201.24'    | 201.02'      | N 42°17'43" W | 9°24'45"    |
| C8          | 25.00'    | 39.74'     | 35.68'       | N 01°27'54" W | 91°04'22"   |

