

PLAT RECORDING SHEET

PLAT NAME: Shops at Jordan Crossing

PLAT NO: _____

ACREAGE: 4.452

LEAGUE: J.G. Bennett Survey

ABSTRACT NUMBER: A-611

NUMBER OF BLOCKS: 1

NUMBER OF LOTS: 0

NUMBER OF RESERVES: 2

OWNERS: Shops at Jordan Crossing, LLC,

(DEPUTY CLERK)

STATE OF TEXAS

COUNTY OF FORT BEND

I, Sanford P. Aron, Manager of SHOPS AT JORDAN CROSSING, LLC, a Texas limited liability company, hereinafter referred to as owners of the 4.452 acre tract described in the above and foregoing map of SHOPS AT JORDAN CROSSING, do hereby make and establish said subdivision and development plat of said property according to all lines, dedications, restrictions and notations on said maps or plat, and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements, and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors, and assigns to warrant and forever defend the title to the land so dedicated.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11'6") for ten feet (10'0") perimeter ground easements or seven feet, six inches (7'6") for fourteen feet (14'0") perimeter ground easements or five feet, six inches (5'6") for sixteen feet (16'0") perimeter ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (UE and AE) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21'6") in width.

FURTHER, Owners have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10'0") for ten feet (10'0") back-to-back ground easements, or eight feet (8'0") for fourteen feet (14'0") back-to-back ground easements or seven feet (7'0") for sixteen feet (16'0") back-to-back ground easements, from a plane sixteen feet (16'0") above the ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (UE and AE) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30'0") in width.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this plat is hereby restricted to prevent the drainage of any septic tanks into any public or private street, permanent access easement, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, Owners do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purposes of construction and maintenance of drainage facilities and structures.

FURTHER, Owners do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, Owners do hereby acknowledge the receipt of the "Orders for Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, SHOPS AT JORDAN CROSSING, LLC, a Texas limited liability company, has caused these presents to be signed by Sanford P. Aron, Manager, this ____ day of _____, 2024.

BY: SHOPS AT JORDAN CROSSING, LLC,
a Texas limited liability company

By: _____
SANFORD P. ARON, MANAGER

STATE OF TEXAS

COUNTY OF HARRIS

BEFORE ME, the undersigned authority, on this day personally appeared Sanford P. Aron, Manager, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein and herein set out, and as the act and deed of said corporation.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this ____ day of _____, 2024.

Notary Public in and for the
State Of Texas

I, Michael L. Swan, am authorized under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plat boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.

"PRELIMINARY, THIS DOCUMENT SHALL NOT BE RECORDED FOR ANY PURPOSE AND SHALL NOT BE USED, VIEWED OR RELIED UPON AS A FINAL SURVEY DOCUMENT."

Michael L. Swan, RPLS
Registered Professional Land Surveyor
Texas Registration No 5551

I, John R. Herzog, A Professional Engineer registered in the State of Texas do hereby certify that this plat meets the requirements of Fort Bend County to the best of my knowledge.

THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF REVIEW UNDER THE AUTHORITY OF JOHN R. HERZOG, P.E. 126468 ON 11/20/23, IT IS NOT TO BE USED FOR CONSTRUCTION PURPOSES.

John R. Herzog, PE
Licensed Professional Engineer, No 126468

This plat of SHOPS AT JORDAN CROSSING is approved by the City Planning Commission of the City of Fulshear, Texas this ____ day of _____, 2024.

Amy Pearce, Chair

Joan Berger, Co-Chair

The plat of SHOPS AT JORDAN CROSSING was approved by the City of Fulshear Council on the ____ day of _____, 2024, and signed on this ____ day of _____, 2024, provided; however, this approval shall be invalid, and null and void, unless this plat if filed with the County Clerk of Fort Bend, Texas within one (1) year hereafter.

Aaron Groff, Mayor

Mariela Rodriguez, City Secretary

NOTES:

- The coordinates shown hereon are Texas South Central Zone No. 4204 State Plane Surface Coordinates (NAD83) and may be brought to grid by applying the combined scale factor of 0.99987.
- B.L. Indicates a building line
A.E. Indicates a aerial easement
U.E. indicates a utility easement
W.S.E. indicates a water and sewer easement
P.R.F.B.C. Indicates Public Records of Fort Bend County
VOL., PG. indicates Volume, Page
F.B.C.P.R. indicates Fort Bend County Public Records
O.P.R.F.B.C. indicates Official Public Records of Fort Bend County
ESMT. indicates Easement
HL & P indicates Houston Lighting and Power
SQ. Ft. indicates square feet
AC. indicates acre
R.O.W. indicates right-of-way
O.R.F.B.C. indicates Original Records of Fort Bend County
F.B.C.O.P.R.R.P. indicates Fort Bend County Official Public Records of Real Property
● indicates found 5/8" iron rod (unless otherwise noted)
○ indicates set 5/8" iron rod (unless otherwise noted)
— indicates street name change

- All building lines along street rights-of-way are as shown on the plat.
- All non-perimeter easements on property lines are centered unless otherwise noted.
- All bearings are based on the Texas Coordinate System of 1983, South Central Zone.
- The platted area is located within unshaded Zone X, defined as areas determined to be outside the 500 year floodplain, per FEMA Flood Insurance Rate Map Panel No. 48157C0020L, effective January 29, 2021.
- Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with the A.D.A.
- The drainage system for this subdivision is designed in accordance with the "Fort Bend County Drainage Criteria Manual" which allows street ponding with intense rainfall events.
- The Lighting Zone Code is L23.
- To the best of the engineer's knowledge, all existing pipeline easements within the subdivision are shown on the plat.
- Absent written authorization by the affected utilities, all utility easements must be kept unobstructed from any non-utility improvements or obstruction by property owner. Any unauthorized improvements or obstructions may be removed by the utility at the property owner's expense.
- Benchmark:
Elevations are based on Harris County Floodplain RM 190055, located on the east side of FM 1463, approximately 550' south of Corbitt Road, 15'± east of the power lines and 2'± off curb line of a driveway leading to a shopping center. Top of a stainless-steel rod inside an 8" PVC sleeve.

Note: The RM is now 3'± below ground level

NAVD88, 2001 Adj. Elevation = 136.32
- All drainage easements to be kept clear of fences, buildings, vegetation and other obstructions for the purpose of the operation and maintenance of the drainage facility by the appropriate entity.
- Site plans shall be submitted to Fort Bend County and any other applicable jurisdiction for review and approval to obtain a Development Permit. Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning construction.
- Reserves A & B within this plat will be owned and maintained by the property owner.
- The top of all floor slabs shall be a minimum of 150.36 feet above mean sea level (NAVD 88 datum). In addition, no top of slab elevation shall be less than 24 inches above the lowest top of curb adjacent to the lot in which it lies. In absence of a curb, the top of slab elevation shall be no less than 24 inches above the highest natural ground along the perimeter of the building foundation and 12 inches above any down gradient roadway or drainage restraint, whichever is higher.
- The tract shown hereon is subject to the Easement as Recorded under File No. 2017083302 in the Official Public Records of Fort Bend County, Texas.

DISTRICT NAMES	
COUNTY ASSISTANCE DISTRICT	NO. 7
WCID	N/A
MUD	FULSHEAR M.U.D. NO. 3A
LID	N/A
DID	N/A
SCHOOL	LAMAR CONSOLIDATED I.S.D.
FIRE	E.S.D. NO. 4
IMPACT FEE AREA	N/A
CITY OR CITY ETJ	FULSHEAR ETJ
UTILITIES CO.	COMCAST CONSOLIDATED COMMUNICATIONS CENTERPOINT SIENERGY

BEING 4.452 acres of land in the J.G. Bennett Survey, A-611, Fort Bend County, Texas, being a portion of the 1352.43 acre tract described in the deed from The Massimo Fabio Silvestri Irrevocable Trust and The Rocco Paolo Silvestri Irrevocable Trust to Fort Bend Jordan Ranch LP recorded under File Number 2015027940 in the Official Public Records of Fort Bend County, Texas, and being more particularly described by metes and bounds as follows with bearings based on the Texas Coordinate System of 1983, South Central Zone:

BEGINNING at a 5/8-inch iron rod with cap stamped "IDS" found for the southwest corner of Unrestricted Reserve "A" of SHOPS AT JORDAN RANCH according to the plat thereof, recorded under Plat No. 20220193 of the Plat records of Fort Bend County, Texas, and the southeast corner of the herein described tract, in the north line of a called 473.25 acre tract described in the deed from Harrison Interests, LTD. to DJH Ranching L.P. recorded in File Number 2017112485 of the Official Public Records of Fort Bend County, Texas;

THENCE South 87° 14' 45" West - 447.69 feet, with the north line of said called 473.25 acre tract, to a 5/8-inch iron rod with cap stamped "IDS" set for the southwest corner of the herein described tract;

THENCE North 04° 22' 38" East - 328.93 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the most westerly northwest corner of the herein described tract;

THENCE North 38° 42' 33" East - 304.69 feet to a 5/8-inch iron rod with cap stamped "IDS" set for the most northerly northwest corner of the herein described tract and the beginning of a non-tangent curve to the left, being in the southerly right-of-way line of Jordan Crossing Blvd. (100' ROW);

THENCE, in an easterly direction, with the south right-of-way line of said Jordan Crossing Blvd. and said curve to the left, having a radius of 1850.00 feet, a central angle of 04° 16' 16", a chord bearing and distance of South 85° 22' 06" East - 137.88 feet, and an arc distance of 137.91 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for the northwest corner of said SHOPS AT JORDAN RANCH;

THENCE, with the west line of said SHOPS AT JORDAN RANCH, the following courses, and distances:


South 02° 45' 15" East - 78.60 feet to a 5/8-inch iron rod with cap stamped "IDS" found for the beginning of a curve to the left;

in a southerly direction, with said curve to the left, having a radius of 100.00 feet, a central angle of 14° 22' 19", a chord bearing and distance of South 09° 56' 25" East - 25.02 feet, and an arc distance of 25.08 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for a point of compound curvature;

in a southeasterly direction, with said curve to the left, having a radius of 561.84 feet, a central angle of 14° 35' 56", a chord bearing and distance of South 24° 25' 32" East - 142.77 feet, and an arc distance of 143.16 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for a point of reverse curvature;

in a southerly direction, with said curve to the right, having a radius of 100.00 feet, a central angle of 28° 58' 15", a chord bearing and distance of South 17° 14' 22" East - 50.03 feet, and an arc distance of 50.56 feet, to a 5/8-inch iron rod with cap stamped "IDS" found for the end of said curve;

South 02° 45' 15" East - 252.46 feet to the POINT OF BEGINNING of the herein described tract and containing 4.452 acres of land.



FORT BEND COUNTY KEY MAP NO. 483J

VICINITY MAP
SCALE 1" = 5,000'

I, J. Stacy Slawinski, Fort Bend County Engineer, do hereby certify that the plat of this subdivision complies with all of the existing rules and regulations of this office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

J. Stacy Slawinski, P.E.
Fort Bend County Engineer

APPROVED by the Commissioners' Court of Fort Bend County, Texas, this ____ day of _____, 2024.

Vincent M. Morales, Jr.
Precinct 1, County Commissioner

W.A. "Andy" Meyers
Precinct 3, County Commissioner

KP George
County Judge

Grady Prestage
Precinct 2, County Commissioner

Dexter L. McCoy
Precinct 4, County Commissioner

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on _____, 2024, at _____ o'clock ____ M. Filed in plat number(s) _____ of the plat records of Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.

Laura Richard, County Clerk
Fort Bend County, Texas

By: _____
Deputy

SHOPS AT JORDAN CROSSING

A SUBDIVISION OF

4.452 ACRES

LOCATED IN

**J.G. BENNETT SURVEY, A-611
FORT BEND COUNTY, TEXAS**

0 LOTS 1 BLOCK 2 RESERVES



OWNER: SHOPS AT JORDAN CROSSING, LLC,
A TEXAS LIMITED LIABILITY COMPANY
3773 RICHMOND AVE, SUITE 800, HOUSTON, TEXAS 77046 (713) 623-6984

ENGINEER: IDS Engineering Group

13430 NW, Freeway
Suite 700
Houston, Tx. 77040
713-462-3178
T&E Firm 2776
T&Surv Firm 10110700

February 2024 IDS PROJECT NO. 2357-005-00 SHEET 1 OF 2

SHOPS AT JORDAN CROSSING



FORT BEND COUNTY KEY MAP NO. 483J
VICINITY MAP
SCALE 1" = 5,000'

RESERVE TABLE				
	RESERVE NAME	RESTRICTION	SQ. FT.	ACRES
(A)	RESERVE A	UNRESTRICTED	40,288	0.925
(B)	RESERVE B	UNRESTRICTED	153,656	3.527

LINE TABLE			CURVE TABLE			
LINE	BEARING	LENGTH	CURVE	DELTA	RADIUS	CHORD BEARING
L1	S02°45'15"E	78.60'	C1	4°16'16"	1,850.00'	S85°22'06"E
			C2	14°22'19"	100.00'	S09°56'25"E
			C3	14°35'56"	561.84'	S24°25'32"E
			C4	28°58'15"	100.00'	S17°14'22"E

SHOPS AT JORDAN CROSSING

A SUBDIVISION OF
4.452 ACRES
LOCATED IN
J.G. BENNETT SURVEY, A-611
FORT BEND COUNTY, TEXAS
0 LOTS 1 BLOCK 2 RESERVES

OWNER: **SHOPS AT JORDAN CROSSING, LLC,**
A TEXAS LIMITED LIABILITY COMPANY
3773 RICHMOND AVE., SUITE 800, HOUSTON, TEXAS 77046 (713) 623-6944

ENGINEER: **IDS**
Engineering Group

13430 NW, Freeway
Suite 700
Houston, Tx. 77040
713-462-3178
TxEng Firm 2726
TxSurv Firm 10110700

