PLAT RECORDING SHEET

PLAT NAME:	Tamarron Section 78
DI ATINO	
PLAT NO:	
ACREAGE:	6.750
LEAGUE:	H. & T.C. R.R. CO. Survey
ABSTRACT NU	UMBER: 261
112011110111	
NUMBER OF F	RLOCKS: 1
NUMBER OF I	LOTS: 0
NUMBER OF I	RESERVES: 5
OWNERS: D.	R. Horton – Texas, LTD.
	,
(DEPUTY CLERK)	

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSES FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11' 6") FOR TEN FEET (10' 0") PERIMETER GROUND EASEMENTS OR SEVEN FEET, SIX INCHES (7' 6") FOR FOURTEEN FEET (14' 0") PERIMETER GROUND EASEMENTS OR FIVE FEET, SIX INCHES (5' 6") FOR SIXTEEN FEET (16' 0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16' 0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED, HEREON, WHEREBY THE AERIAL EASEMENT TOTALS TWENTY ONE FEET, SIX INCHES (21' 6") IN WIDTH.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC FOR PUBLIC UTILITY PURPOSES FOREVER UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10' 0") FOR TEN FEET (10' 0") BACK-TO-BACK GROUND EASEMENTS, OR EIGHT FEET (8' 0") FOR FOURTEEN FEET (14' 0") BACK-TO-BACK GROUND EASEMENTS OR SEVEN FEET (7' 0") FOR SIXTEEN FEET (16' 0") BACK-TO-BACK GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16' 0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY THE AERIAL EASEMENT TOTALS THIRTY FEET (30' O") IN WIDTH.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT IS HEREBY RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY OR INDIRECTLY.

FURTHER, OWNERS DO HEREBY DEDICATE TO THE PUBLIC A STRIP OF LAND TWENTY (20) FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL BAYOUS, CREEKS, GULLIES, RAVINES, DRAWS, AND DRAINAGE DITCHES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES. FORT BEND COUNTY OR ANY OTHER GOVERNMENTAL AGENCY SHALL HAVE THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSES OF CONSTRUCTION AND MAINTENANCE OF DRAINAGE FACILITIES AND STRUCTURES.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS SUBDIVISION AND ADJACENT TO ANY DRAINAGE EASEMENT, DITCH, GULLY, CREEK OR NATURAL DRAINAGE WAY SHALL HEREBY BE RESTRICTED TO KEEP SUCH DRAINAGE WAYS AND EASEMENTS CLEAR OF FENCES, BUILDINGS, EXCESSIVE VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AND THAT SUCH ABUTTING PROPERTY SHALL NOT BE PERMITTED TO DRAIN DIRECTLY INTO THIS EASEMENT EXCEPT BY MEANS OF AN APPROVED DRAINAGE STRUCTURE.

FURTHER, OWNERS DO HEREBY CERTIFY THAT THEY ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION OF TAMARRON SECTION 78 WHERE BUILDING SETBACK LINES OR PUBLIC UTILITY EASEMENTS ARE TO BE ESTABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION AND DO HEREBY MAKE AND ESTABLISH ALL BUILDING SETBACK LINES AND DEDICATE TO THE USE OF THE PUBLIC, ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID ADJACENT ACREAGE.

FURTHER, OWNERS DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS' COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT

IN TESTIMONY WHEREOF, D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED PARTNERSHIP, ACTING BY AND THROUGH D.R. HORTON INC., A DELAWARE CORPORATION, ITS AUTHORIZED AGENT, HAS CAUSED THESE PRESENTS TO BE SIGNED BY ERNEST S. LOEB, ITS VICE PRESIDENT OF LAND, THEREUNTO AUTHORIZED, DAY OF APPIL

D.R. HORTON-TEXAS, LTD. A TEXAS LIMITED PARTNERSHIP

BY: D.R. HORTON INC..

ON. ITS AUTHORIZED AGENT

STATE OF TEXAS COUNTY OF FORT BEND

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED ERNEST S. LOEB, VICE PRESIDENT OF LAND, OF D.R. HORTON INC., A DELAWARE CORPORATION, THE AUTHORIZED AGENT OF D.R. HORTON-TEXAS, LTD., A TEXAS LIMITED PARTNERSHIP, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS 5th DAY OF APRIL





MELONY F. GAY, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE BEST OF MY KNOWLEDGE.

LICENSED PROFESSIONAL ENGINEER TEXAS LICENSE NO. 85459



I, GARY D. NUTTER, A REGISTERED PROFESSIONAL LAND SURVEYOR, AM REGISTERED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT; WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND; THAT ALL BOUNDARY CORNERS, ANGLE POINTS, POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE HAVE BEEN MARKED WITH IRON (OR OTHER SUITABLE PERMANENT METAL) PIPES OR RODS HAVE AN OUTSIDE DIAMETER OF NOT LESS THAN FIVE EIGHTHS (5/8) INCH AND A LENGTH OF NOT LESS THAN THREE (3) FEET WITH PLASTIC CAP MARKED "LJA SURVEY" UNLESS OTHERWISE NOTED.

19 MAR 2024 REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS REGISTRATION NO. 5659



1. BENCHMARK: NGS MONUMENT HGCSD 66: TOP OF A STAINLESS STEEL ROD THAT IS ENCASED IN A 5 INCH PVC PIPE WITH A LOGO CAP STAMPED HGCSD 66 1986. THE POINT IS LOCATED +/- 72 FEET WEST OF THE CENTERLINE OF FM 1463 AND +/- 0.34 MILES NORTH OF THE INTERSECTION OF FM 1463 AND CHURCHILL FARMS BLVD. KATY, TX.

ELEV. = 136.21 FEET NAVD88

2. TBM INDICATES TEMPORARY BENCHMARK: TBM 14: A BRASS DISK ON A CONCRETE CURB INLET LOCATED ALONG THE SOUTH SIDE OF TAMARRON PARKWAY +/- 220 FEET WEST OF THE CENTERLINE OF A CULVERT BETWEEN TWO PONDS ON EITHER SIDE OF TAMARRON PARKWAY AND LOCATED +/- 500 FEET EAST OF THE INTERSECTION OF TAMARRON PARKWAY AND COLES CANYON.

ELEV. = 142.94 FEET NAVD88

TO ADJUST TO FORT BEND CO. LIDAR DATUM ADD 0.39 FEET.

- 3. ELEVATIONS FOR DELINEATING CONTOUR LINES ARE BASED UPON NAVD-88.
- 4. THIS PLAT WAS PREPARED TO MEET THE CITY OF FULSHEAR AND FORT BEND COUNTY REQUIREMENTS.
- 5. THIS PLAT WAS PREPARED FROM INFORMATION FURNISHED BY DHI TITLE AGENCY, EFFECTIVE NOVEMBER 6, 2023 AND ISSUED NOVEMBER 13, 2023. THE SURVEYOR HAS NOT ABSTRACTED THE ABOVE PROPERTY.
- 6. THIS PLAT LIES WITHIN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT #188, FORT BEND SUBSIDENCE DISTRICT, FORT BEND COUNTY DRAINAGE DISTRICT, FORT BEND COUNTY ASSISTANCE DISTRICT #7, FORT BEND COUNTY EMERGENCY SERVICES DISTRICT #4, LAMAR CONSOLIDATED INDEPENDENT SCHOOL DISTRICT, THE ETJ OF THE CITY OF FULSHEAR AND FORT BEND COUNTY.
- 7. THIS SUBDIVISION LIES WITHIN UNSHADED ZONE X AS PER FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA) FLOOD INSURANCE RATE MAP (FIRM), MAP NO. 48157C0085M, REVISED JANUARY 29, 2021, DEFINED AS AREAS OUTSIDE THE 0.2% ANNUAL CHANCE FLOODPLAIN; LJA DOES NOT WARRANT NOR SUBSCRIBE TO THE ACCURACY OR SCALE OF SAID MAPS.
- 8. APPROVAL OF THIS PLAT WILL EXPIRE ONE YEAR FROM PLANNING AND ZONING APPROVAL IF NOT RECORDED IN THE REAL PROPERTY RECORDS OF THE COUNTY OF FORT BEND.
- 9. THE PIPELINES AND/OR PIPELINE EASEMENTS WITHIN THE LIMITS OF THE SUBDIVISION ARE SHOWN HEREON.
- 10. THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 153.53 FEET ABOVE MEAN SEA LEVEL (NAVD 88 DATUM). IN ADDITION, NO TOP OF SLAB ELEVATION SHALL BE LESS THAN (24) INCHES ABOVE THE LOWEST TOP OF CURB ADJACENT TO THE LOT IN WHICH IT LIES. IN THE ABSENCE OF A CURB, THE TOP OF SLAB ELEVATION SHALL BE NO LESS THAN (24) INCHES ABOVE THE HIGHEST NATURAL GROUND ALONG THE PERIMETER OF THE BUILDING FOUNDATION AND (12) INCHES ABOVE ANY DOWN GRADIENT ROADWAY OR DRAINAGE RESTRAINT, WHICHEVER IS HIGHER.
- 11. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING DURING INTENSE RAINFALL EVENTS.
- 12. ALL DRAINAGE EASEMENTS TO BE KEPT CLEAR OF FENCES, BUILDINGS, VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATION AND MAINTENANCE OF THE DRAINAGE
- 13. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED DRAINAGE STRUCTURE.
- 14. THIS PLAT LIES WITHIN FORT BEND COUNTY LIGHTING ORDINANCE ZONE NO. 3.
- 15. THE COORDINATES AND BEARINGS SHOWN HEREON ARE TEXAS COORDINATE SYSTEM NORTH AMERICAN DATUM OF 1983 (NAD 83), SOUTH CENTRAL ZONE NO. 4204 STATE PLANE GRID COORDINATES AND MAY BE BROUGHT TO SURFACE BY APPLYING THE FOLLOWING COMBINED SCALE 1.00011591065.
- 16. SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT NOT LESS THAN 5 FEET IN WIDTH ON BOTH SIDES OF ALL DEDICATED RIGHTS-OF-WAY WITHIN SAID PLAT AND ON THE CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS SURROUNDING SAID PLAT, IN ACCORDANCE WITH ADA REQUIREMENTS.
- 17. OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE DRAINAGE & DETENTION FACILITY IS VESTED IN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 188.
- 18. FIVE EIGHTHS INCH (5/8") IRON RODS THREE FEET (3") IN LENGTH WITH A PLASTIC CAP MARKED "GBI PARTNERS" WILL BE SET ON ALL PERIMETER BOUNDARY CORNERS. LOT, BLOCK, AND RESERVE CORNERS WILL BE SET UPON COMPLETION OF ROAD CONSTRUCTION AND PRIOR TO LOT CONSTRUCTION.
- 19. SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE JURISDICTION FOR REVIEW AND APPROVAL, DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING CONSTRUCTION.

THIS PLAT OF TAMARRON SECTION 78 IS APPROVED BY THE CITY PLANNING COMMISSION OF THE CITY OF FULSHEAR, TEXAS DAY OF DECEMBER

THIS PLAT OF TAMARRON SECTION 78 WAS APPROVED ON DECEMBER 19, 2023 THE CITY FULSHEAR CITY COUNCIL AND SIGNED ON THIS 12-TM DAY OF ______, 2024, PROVIDED, HOWEVER, THIS APPROVAL SHALL BE INVALID AND NULL AND VOID UNLESS THE PLAT IS FILED WITH THE COUNTY CLERK OF FORT BEND COUNTY, TEXAS WITHIN SIX (6) MONTHS HEREAFTER.

RIELA RODRIGUEZ, CITY SECRETARY

BEING 6.750 ACRES (294,011 SQUARE FEET) OF LAND LOCATED IN THE H. & T.C. R.R. CO. SURVEY, ABSTRACT NUMBER 261, FORT BEND COUNTY, TEXAS, MORE PARTICULARLY BEING ALL OF THAT CERTAIN CALLED 6.750 ACRE TRACT (TRACT 1) CONVEYED TO D.R. HORTON - TEXAS, LTD. BY AN INSTRUMENT OF RECORD IN FILE NUMBER 2023097054, OF THE OFFICIAL PUBLIC RECORDS OF FORT BEND COUNTY. TEXAS (F.B.C.O.P.R.), SAID 6.750 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS (ALL BEARINGS REFERENCED TO THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE, NAD83):

COMMENCING FOR REFERENCE AT A 1-INCH IRON PIPE FOUND FOR THE NORTHWEST CORNER OF THAT CERTAIN CALLED 631.26 ACRE TRACT CONVEYED TO D.R. HORTON - TEXAS, LTD. BY AN INSTRUMENT OF RECORD IN FILE NUMBER 2013000056, F.B.C.O.P.R., AND THAT CERTAIN CALLED 0.1148 ACRE TRACT CONVEYED TO D.R. HORTON - TEXAS, LTD. BY AN INSTRUMENT OF RECORD UNDER FILE NUMBER 2022024223, F.B.C.O.P.R., SAME BEING THE NORTHEAST CORNER OF THAT CERTAIN CALLED 927.88 ACRE TRACT (TRACT 1) CONVEYED TO 1003 FRANZ INVESTMENTS, LTD BY AN INSTRUMENT OF RECORD IN FILE NUMBER 2020183372, F.B.C.O.P.R., BEING ON THE SOUTH LINE OF THAT CERTAIN CALLED 3.880 ACRE TRACT (TRACT 1) CONVEYED TO D.R. HORTON - TEXAS, LTD. BY AN INSTRUMENT OF RECORD IN FILE NUMBER 2023097054, F.B.C.O.P.R., AND ON THE SOUTH LINE OF SAID H. & T. C. R.R. CO SURVEY COMMON TO A NORTH LINE OF THE MICAJAH AUTREY SURVEY, ABSTRACT 100, FORT BEND COUNTY, TEXAS, FROM WHICH A 1-INCH IRON PIPE FOUND FOR THE SOUTHWEST CORNER OF SAID 631.26 ACRE TRACT BEARS SOUTH 02° 28' 44" EAST, 3,037.30 FEET;

THENCE, SOUTH 87° 59' 28" WEST, ALONG SAID COMMON SURVEY LINE AND THE SOUTH LINE OF 3.880 ACRE TRACT, 1,258.45 FEET TO A POINT FOR CORNER IN THE EAST LINE OF A CALLED 50-FOOT WIDE EASEMENT GRANTED TO PHILLIPS PETROLEUM CO. BY AN INSTRUMENT OF RECORD IN VOLUME 309, PAGE 85, FORT BEND COUNTY DEED RECORDS (F.B.C.D.R);

THENCE, NORTH 11° 11' 00" WEST, DEPARTING SAID COMMON LINE, ALONG SAID EAST LINE, 50.65 FEET TO THE SOUTHEAST CORNER OF SAID 6.750 ACRE TRACT AND THE POINT OF BEGINNING OF THE HEREIN THENCE, ALONG THE COMMON LINE OF SAID 6.750 AND 3.880 ACRE TRACT THE FOLLOWING THREE (3)

- 1. SOUTH 87° 59' 28" WEST, 706.69 FEET TO A POINT FOR CORNER, THE BEGINNING OF A
- 2. 188.55 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 120.00 FEET, A CENTRAL ANGLE OF 90° 01' 40", AND A CHORD WHICH BEARS NORTH 46° 59' 42" WEST, 169.75 FEET TO A POINT FOR CORNER:
- 3. NORTH 01° 58' 51" WEST, PARTIALLY ALONG THE EAST LINE OF SAID 3.880 ACRE TRACT AND ITS EXTENSION ALONG THE EAST LINE OF THAT CERTAIN CALLED 1.280 ACRE TRACT (TRACT 3) CONVEYED TO D.R. HORTON - TEXAS, LTD. BY AN INSTRUMENT OF RECORD IN FILE NUMBER 2023097054, F.B.C.O.P.R., 479.90 FEET TO A POINT FOR CORNER, THE BEGINNING OF A

THENCE, ALONG THE EAST LINE OF SAID 1.280 ACRE TRACT AND A WEST LINE OF SAID 6.750 ACRE TRACT, AND 54.98 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 35.00 FEET. A CENTRAL ANGLE OF 90° 00' 00". AND A CHORD WHICH BEARS NORTH 43° 01' 09' EAST, 49.50 FEET TO A POINT FOR AN EASTERLY CORNER ON THE EAST LINE OF SAID 1.280 ACRE

THENCE, DEPARTING THE EAST LINE OF SAID 1.280 ACRE TRACT AND ALONG THE INTERIOR LINE OF SAID 6.750 ACRE TRACT THE FOLLOWING TWENTY-SEVEN (27) COURSES:

- 1. NORTH 88° 01' 09" EAST, 80.00 FEET TO A POINT FOR CORNER, THE BEGINNING OF A CURVE; 2. 39.27 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 90° 00' 00", AND A CHORD WHICH BEARS SOUTH 46° 58' 51"
- EAST, 35.36 FEET TO A POINT FOR CORNER;
- 3. SOUTH 01° 58' 51" EAST, 5.00 FEET TO A POINT FOR CORNER; 4. SOUTH 88° 01' 09" WEST, 105.00 FEET TO A POINT FOR CORNER;
- 5. SOUTH 43° 01' 09" WEST, 21.21 FEET TO A POINT FOR CORNER;
- 6. SOUTH 01° 58' 51" EAST, 429.89 FEET TO A POINT FOR CORNER;
- 7. SOUTH 46° 59' 42" EAST, 198.02 FEET TO A POINT FOR CORNER;
- 8. NORTH 87° 59' 28" EAST, 560.63 FEET TO A POINT FOR CORNER; 9. NORTH 32° 25' 14" EAST, 74.68 FEET TO A POINT FOR CORNER ON THE WEST LINE OF THE
- AFOREMENTIONED 50-FOOT WIDE PHILLIPS PETROLEUM CO. EASEMENT; 10. NORTH 11° 11' 00" WEST, ALONG THE WEST LINE OF SAID EASEMENT, 803.42 FEET TO A
- 11. SOUTH 78° 49' 00" WEST, DEPARTING THE WEST LINE OF SAID EASEMENT, 108.19 FEET TO A POINT FOR CORNER. THE BEGINNING OF A CURVE:
- 12. 38.18 FEET ALONG THE ARC OF A NON-TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 50.00 FEET, A CENTRAL ANGLE OF 43° 45' 00", AND A CHORD WHICH BEARS NORTH 30° 08'
- 45" WEST, 37.26 FEET TO A POINT FOR CORNER; 13. NORTH 37° 58' 45" FAST, 114.06 FFFT TO A POINT FOR CORNER:
- 14. NORTH 11° 11' 00" WEST, 28.99 FEET TO A POINT FOR CORNER:
- 15. NORTH 67° 41' 13" WEST, 99.09 FEET TO A POINT FOR CORNER;
- 16. NORTH 82° 41' 13" WEST, 30.79 FEET TO A POINT FOR CORNER;
- 17. SOUTH 82° 18' 47" WEST, 30.79 FEET TO A POINT FOR CORNER; 18. SOUTH 67° 18' 47" WEST, 93.72 FEET TO A POINT FOR CORNER;
- 19. SOUTH 82° 18' 47" WEST, 49.21 FEET TO A POINT FOR CORNER;
- 20. NORTH 82° 41' 13" WEST, 49.21 FEET TO A POINT FOR CORNER;
- 21. NORTH 67° 41' 13" WEST, 111.38 FEET TO A POINT FOR CORNER;
- 22. SOUTH 58° 39' 19" WEST, 138.36 FEET TO A POINT FOR CORNER;
- 23. SOUTH 01° 58' 51" EAST, 252,26 FEET TO A POINT FOR CORNER:
- 24. SOUTH 46° 58' 51" EAST, 21.21 FEET TO A POINT FOR CORNER;
- 26. 28.98 FEET ALONG THE ARC OF A NON-TANGENT CURVE TO THE RIGHT. HAVING A RADIUS OF 25.00 FEET, A CENTRAL ANGLE OF 66° 25' 19", AND A CHORD WHICH BEARS SOUTH 54° 48'

25. NORTH 88° 01' 09" EAST, 102.91 FEET TO A POINT FOR CORNER, THE BEGINNING OF A

29" WEST, 27.39 FEET TO A POINT FOR CORNER; 27. SOUTH 88° 01' 09" WEST, 80.00 FEET TO A POINT FOR CORNER ON THE EAST LINE OF THE AFOREMENTIONED 1.280 ACRE TRACT, SAID POINT ALSO BEING ON THE WEST LINE OF SAID 6.750 ACRE TRACT, THE BEGINNING OF A CURVE;

THENCE, ALONG SAID COMMON LINE, AND 54.98 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT. HAVING A RADIUS OF 35.00 FEET, A CENTRAL ANGLE OF 90° 00' 00", AND A CHORD WHICH BEARS NORTH 46° 58' 51" WEST, 49.50 FEET TO A POINT FOR CORNER;

THENCE, NORTH 01° 58' 51" WEST, CONTINUING ALONG SAID COMMON LINE, 791.54 FEET TO A POINT FOR THE COMMON NORTH CORNER OF SAID 6.750 AND 1.280 ACRE TRACTS;

THENCE, ALONG THE NORTH LINE OF SAID 6.750 ACRE TRACT THE FOLLOWING FOUR (4) COURSES: SOUTH 67° 41' 22" EAST, 211.09 FEET TO A POINT FOR CORNER, THE BEGINNING OF A CURVE;


- 1. 8.01 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 5.00 FEET, A CENTRAL ANGLE OF 91° 48' 13", AND A CHORD WHICH BEARS SOUTH 21° 47' 15" EAST, 7.18 FEET TO A POINT FOR CORNER:
- 2. SOUTH 24° 06' 51" WEST, 96.25 FEET TO A POINT FOR CORNER ON THE NORTH LINE OF AN EASEMENT GRANTED TO HOUSTON LIGHTING & POWER CO. BY AN INSTRUMENT OF RECORD IN VOLUME 431, PAGE 372, F.B.C.D.R.;
- 3. 67° 39' 56" EAST, ALONG THE NORTH LINE OF SAID HOUSTON LIGHTING & POWER CO. EASEMENT, 537.24 FEET TO A POINT FOR THE NORTHEAST CORNER OF SAID 6.750 ACRE TRACT AND ON THE EAST LINE OF THE AFOREMENTIONED 50-FOOT WIDE PHILLIPS PETROLEUM CO.

THENCE, SOUTH 11° 11' 00" EAST, DEPARTING SAID HOUSTON LIGHTING & POWER CO. EASEMENT, AND ALONG THE EAST LINE OF SAID 50-FOOT WIDE PHILLIPS PETROLEUM CO. EASEMENT AND THE EAST LINE OF SAID 6.750 ACRE TRACT, 1,154.71 FEET TO THE POINT OF BEGINNING AND CONTAINING 6.750 ACRES (294,011 SQUARE FEET) OF LAND.

LINE TABLE					
LINE	BEARING	DISTANCE			
L1	S 24°06'51" W	96.25			
L2	N 88'01'09" E	80.00'			
L3	S 01°58'51" E	5.00'			
L4	S 88"01'09" W	105.00'			
L5	S 43°01'09" W	21.21'			
L6	N 32*25'14" E	74.68			
L7	S 78"49'00" W	108.19'			
· L8	N 37°58'45" E	114.06'			
L9	N 11'11'00" W	28.99			
L10	N 67'41'13" W	99.09'			
L11	N 82'41'13" W	30.79			
L12	S 82*18'47" W	30.79'			
L13	S 67°18'47" W	93.72'			
L14	S 82*18'47" W	49.21			
L15	N 82*41'13" W	49.21'			
L16	S 46'58'51" E	21.21'			
L17	N 88'01'09" E	102.91'			
L18	S 88"01'09" W	80.00'			
L19	N 82*41'26" W	34.74'			
L20	S 82*18'34" W	34.74			
L21	S 82'18'34" W	45.26'			
L22	N 82°41'26" W	45.26'			
L23	N 82"41'26" W	32.10			
L24	S 82*18'34" W	32.10'			
L25	S 82*18'34" W	47.90'			
L26	S 82'41'26" E	47.90'			
L27	N 22*19'51" E	3.16'			

CURVE TABLE							
CURVE	RADIUS	DELTA	ARC	CHORD BEARING	CHORD		
C1	5.00'	91°48'13"	8.01'	S 21°47'15" E	7.18		
C2	120.00	90°01'40"	188.55'	N 46°59'42" W	169.75		
C3	35.00	89'59'59"	54.98	N 43°01'09" E	49.50		
C4	25.00'	90°00'00"	39.27'	S 46°58′51" E	35.36		
C5	50.00'	43'45'00"	38.18'	N 30°08'45" W	37.26		
C6	25.00'	66'25'19"	28.98'	S 54'48'29" W	27.39		
C7	35.00'	90'00'00"	54.98	N 46*58'51" W	49.50		

RESERVE TABLE							
RESERVE	ACREAGE	SQ.FT.	TYPE				
А	0.446	19,427	RESTRICTED TO WATER WELL/LANDSCAPE/OPEN SPACE				
В	3.293	143,424	RESTRICTED TO PIPELINES/UTILITIES/LANDSCAPE/OPEN SPACE				
С	1.252	54,557	RESTRICTED TO WATER PLANT/LANDSCAPE/OPEN SPACE				
D	0.853	37,178	RESTRICTED TO UTILITIES/LANDSCAPE/OPEN SPACE				
E	0.905	39,426	RESTRICTED TO UTILITIES/LANDSCAPE/OPEN SPACE				
TOTAL	6.750	294,012					



KEY MAP NO. 482V

I, J. STACY SLAWINSKI, FORT BEND COUNTY ENGINEER, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ON ANY OTHER AREA OR SUBDIVISION WITHIN THE WATERSHED

J. STACY SLAWINSKI, P.E. FORT BEND COUNTY ENGINEER

APPROVED BY THE COMMISSIONERS' COURT OF FORT BEND COUNTY, TEXAS,

THIS ______, 2024.

VINCENT M. MORALES, JR. PRECINCT 1, COUNTY COMMISSIONER

GRADY PRESTAGE PRECINCT 2. COUNTY COMMISSIONER

KP GEORGE COUNTY JUDGE

W. A. (ANDY) MEYERS

PRECINCT 3, COUNTY COMMISSIONER

PRECINCT 4, COUNTY COMMISSIONER

I, LAURA RICHARD, COUNTY CLERK IN AND FOR FORT BEND COUNTY, HEREBY CERTIFY THAT THE FOREGOING INSTRUMENT WITH ITS CERTIFICATE OF AUTHENTICATION WAS FILED FOR RECORDATION IN MY OFFICE ON

______, 2024 AT _______O'CLOCK _____.M. IN PLAT NUMBER _____ THE PLAT RECORDS OF FORT BEND COUNTY, TEXAS.

WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS. THE DAY AND DATE LAST ABOVE WRITTEN.

LAURA RICHARD, COUNTY CLERK FORT BEND COUNTY, TEXAS

TAMARRON SECTION 78

A SUBDIVISION OF 6.750 ACRES OF LAND LOCATED IN THE H. & T.C. R.R. CO. SURVEY, ABSTRACT 261, FORT BEND COUNTY, TEXAS.

0 LOTS 5 RESERVES (6.750 ACRES) 1 BLOCK

MARCH 4, 2024 JOB NO. 1931-6072C OWNERS:

D.R. HORTON - TEXAS, LTD. A TEXAS LIMITED PARTNERSHIP BY: D.R. HORTON INC., A DELAWARE

CORPORATION ERNEST S. LOEB, VICE PRESIDENT OF LAND 6744 HORTON VISTA DRIVE, SUITE 100, RICHMOND, TEXAS 77407

PH: 281-566-2100

SURVEYOR:

LJA Surveying, Inc.

Houston, Texas 77042

Suite 175

3600 W Sam Houston Parkway S

Phone 713.953.5200

Fax 713.953.5026 T.B.P.E.L.S. Firm No. 10194382

ENGINEER: LJA Engineering, Inc. 1904 W. Grand Parkway North Suite 100

Katy, Texas 77449

FRN-F-1386

SHEET 1 OF 2

Phone 713.953.5200 Fax 713.953.5026

