

Fort Bend County Pricing Form
Bid 24-067
Term Contract for Asphalt Pavement Rehabilitation

Term: through September 30, 2025

Recommendation: Primary = Texas Materials Group, Inc.
Secondary = AAA Asphalt Paving, Inc.
Tertiary = Durwood Greene Construction Co.

| Company | Texas Materials Group, Inc. Baytown, TX | AAA Asphalt Paving, Inc. Pinehurst, TX | Durwood Greene Construction Co. Stafford, TX | Ballew Construction, LLC Katy, TX |
|--|--|---|---|--------------------------------------|
| Asphalt Pavement Rehabilitation Service | Unit Bid Price | Unit Bid Price | Unit Bid Price | Unit Bid Price |
| Roadway Excavation, price per cubic yard | \$ 66.00 | \$ 65.00 | \$ 95.00 | \$ 55.00 |
| Asphalt 2" Overlay, Minimum 1,000 Square Yards (driveways included), price per ton | \$ 116.00 | \$ 165.00 | \$ 245.00 | \$ 325.00 |
| Asphalt 3" Overlay, Minimum 1,000 Square Yards (driveways included), price per ton | \$ 116.00 | \$ 165.00 | \$ 245.00 | \$ 295.00 |
| Black Base Laydown, 6" thick, Minimum 1,000 Square Yards, price per ton | \$ 107.00 | \$ 145.00 | \$ 200.00 | \$ 202.00 |
| Flexbase (Limestone) Laydown, 1 1/2" , 8" thick, Minimum 1,000 Square Yards, price per ton | \$ 50.50 | \$ 80.00 | \$ 48.00 | \$ 109.00 |
| Asphalt / Base Recycle - 12" Depth, Minimum 1,000 Square Yards, price per square yard | \$ 2.85 | \$ 17.00 | \$ 21.00 | \$ 17.00 |
| Manipulation for Cement Stabilization, 9", Price per square yard | \$ 3.75 | \$ 17.00 | \$ 24.00 | \$ 17.00 |
| Cement Stabilize, 9", Minimum 1,000 Square Yards, price per ton | \$ 222.00 | \$ 425.00 | \$ 350.00 | \$ 225.00 |
| Manipulation for Lime Stabilization, 9", Price per square yard | \$ 5.00 | \$ 17.00 | \$ 21.00 | \$ 17.00 |
| Lime Stabilize, 9", Minimum 1,000 Square Yards, price per ton | \$ 365.00 | \$ 475.00 | \$ 425.00 | \$ 490.00 |
| Prime Coat for Base Course, Minimum 1,000 Square yards, price per gallon | \$ 5.00 | \$ 5.00 | \$ 5.00 | \$ 26.00 |
| Striping and Pavement markers, Minimum 2,000 Linear Feet, price per linear foot | \$ 2.00 | \$ 7.50 | \$ 1.90 | \$ 10.50 |
| Grand Total for above items: | \$ 4,183,460.00 | \$ 6,633,250.00 | \$ 8,338,000.00 | \$ 9,492,350.00 |
| Additional Pricing | | | | |
| Reclaimed Asphalt Pavement (shoulder dressing), Minimum 2,000 Linear Feet, price per ton | \$ 27.00 | \$ 125.00 | \$ 110.00 | \$ 57.00 |

Fort Bend County Pricing Form
Bid 24-067
Term Contract for Asphalt Pavement Rehabilitation

Term: through September 30, 2025

Recommendation: Primary = Texas Materials Group, Inc.
Secondary = AAA Asphalt Paving, Inc.
Tertiary = Durwood Greene Construction Co.

| Company | | | Texas Materials Group, Inc. Baytown, TX | | AAA Asphalt Paving, Inc. Pinehurst, TX | | Durwood Greene Construction Co. Stafford, TX | | Ballew Construction, LLC Katy, TX | |
|--|---------------------------|-----------------|--|-----------------|---|-----------------|--|-----------------|--------------------------------------|-----------------|
| Asphalt Pavement Rehabilitation Service | Estimated Annual Quantity | Unit of Measure | Unit Bid Price | Extended Price | Unit Bid Price | Extended Price | Unit Bid Price | Extended Price | Unit Bid Price | Extended Price |
| Roadway Excavation | | | | | | | | | | |
| Remove and dispose of existing asphaltic surface and base material as required (various depths). | | | | | | | | | | |
| Roadway Excavation, price per cubic yard | 10,000 | cubic yard | \$ 66.00 | \$ 660,000.00 | \$ 65.00 | \$ 650,000.00 | \$ 95.00 | \$ 950,000.00 | \$ 55.00 | \$ 550,000.00 |
| Asphalt Overlay, 2" | | | | | | | | | | |
| Laydown contractor to provide all necessary labor, equipment, material, and tack oil to complete the laydown process. Contractor will follow TXDOT Specifications for proper temperature of hot mix, laydown and compaction. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| 2" Overlay, Minimum 1,000 Square Yards (driveways included), price per ton | 6,500 | ton | \$ 116.00 | \$ 754,000.00 | \$ 165.00 | \$ 1,072,500.00 | \$ 245.00 | \$ 1,592,500.00 | \$ 325.00 | \$ 2,112,500.00 |
| Asphalt Overlay, 3" | | | | | | | | | | |
| Laydown contractor to provide all necessary labor, equipment, material, and tack oil to complete the laydown process. Contractor will follow TXDOT Specifications for proper temperature of hot mix, laydown and compaction. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| 3" Overlay, Minimum 1,000 Square Yards (driveways included), price per ton | 10,000 | ton | \$ 116.00 | \$ 1,160,000.00 | \$ 165.00 | \$ 1,650,000.00 | \$ 245.00 | \$ 2,450,000.00 | \$ 295.00 | \$ 2,950,000.00 |
| Black Base Laydown, 6" thick | | | | | | | | | | |
| Laydown contractor to provide all necessary labor, equipment, material to complete the laydown process. Contractor will follow TXDOT Specifications for proper temperature of Black base, laydown and compaction. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| Laydown, Minimum 1,000 Square Yards, price per ton | 4,000 | ton | \$ 107.00 | \$ 428,000.00 | \$ 145.00 | \$ 580,000.00 | \$ 200.00 | \$ 800,000.00 | \$ 202.00 | \$ 808,000.00 |
| Flexbase (Limestone) Laydown, 1 1/2" , 8" thick | | | | | | | | | | |
| Furnish new base material that meets the requirements of TXDOT Item 247, "Flexible Base," for the type and grade shown on the plans and/or specified by county official. Provide machinery, tools, and equipment necessary for proper execution of the work. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| Laydown, Minimum 1,000 Square Yards, price per ton | 11,000 | ton | \$ 50.50 | \$ 555,500.00 | \$ 80.00 | \$ 880,000.00 | \$ 48.00 | \$ 528,000.00 | \$ 109.00 | \$ 1,199,000.00 |
| Asphalt / Base Recycle - 12" Depth | | | | | | | | | | |
| Pulverization Equipment. Provide pulverization equipment that: cuts and pulverizes material uniformly to the proper depth with cutters that will plane to a uniform surface over the entire width of the cut, provides a visible indication of the depth of cut at all times, and uniformly mixes the materials chosen by County Officials. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| Minimum 1,000 Square Yards, price per square yard | 24,000 | square yard | \$ 2.85 | \$ 68,400.00 | \$ 17.00 | \$ 408,000.00 | \$ 21.00 | \$ 504,000.00 | \$ 17.00 | \$ 408,000.00 |

| Company | | | Texas Materials Group, Inc. Baytown, TX | | AAA Asphalt Paving, Inc. Pinehurst, TX | | Durwood Greene Construction Co. Stafford, TX | | Ballew Construction, LLC Katy, TX | |
|---|---------------------------|-----------------|--|---------------------|---|---------------------|--|---------------------|--------------------------------------|---------------------|
| Asphalt Pavement Rehabilitation Service Specifications (cont'd) | Estimated Annual Quantity | Unit of Measure | Unit Bid Price | Extended Price | Unit Bid Price | Extended Price | Unit Bid Price | Extended Price | Unit Bid Price | Extended Price |
| Cement Stabilization, 9" | | | | | | | | | | |
| Mix and compact cement, water, and subgrade or base (with or without asphalt concrete pavement) in the roadway. When new base stabilizer is required to be mixed with existing base, deliver, place, and spread the new material in the required amount per station. Manipulate and thoroughly mix new base with existing material to provide a uniform mixture to the specified depth before shaping. Compact the mixture in one lift using density control unless otherwise directed by County Officials. Complete compaction within 2 hours after the application of water to the mixture of material and cement. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| Manipulation, Price per square yard | 24,000 | square yard | \$ 3.75 | \$ 90,000.00 | \$ 17.00 | \$ 408,000.00 | \$ 24.00 | \$ 576,000.00 | \$ 17.00 | \$ 408,000.00 |
| Cement Stabilize, Minimum 1,000 Square Yards, price per ton | 430 | ton | \$ 222.00 | \$ 95,460.00 | \$ 425.00 | \$ 182,750.00 | \$ 350.00 | \$ 150,500.00 | \$ 225.00 | \$ 96,750.00 |
| Lime Stabilization, 9" | | | | | | | | | | |
| Mix and compact lime, water, and subgrade or base (with or without asphalt concrete pavement) in the roadway. When new base stabilizer is required to be mixed and remixed with existing base, deliver, place, and spread the new material in the required amount per station. Manipulate and thoroughly mix new base with existing material to provide a uniform mixture to the specified depth before shaping. Compact the mixture in one lift using density control unless otherwise directed by County Officials. Complete compaction within 2 hours after the application of water to the mixture of material and lime. Price includes all traffic control, flagmen, and or signage needed to maintain the safety of all crews and constituents. County officials may shut down any project at anytime for improper traffic control. | | | | | | | | | | |
| Manipulation, Price per square yard | 24,000 | square yard | \$ 5.00 | \$ 120,000.00 | \$ 17.00 | \$ 408,000.00 | \$ 21.00 | \$ 504,000.00 | \$ 17.00 | \$ 408,000.00 |
| Lime Stabilize, Minimum 1,000 Square Yards, price per ton | 540 | ton | \$ 365.00 | \$ 197,100.00 | \$ 475.00 | \$ 256,500.00 | \$ 425.00 | \$ 229,500.00 | \$ 490.00 | \$ 264,600.00 |
| Prime Coat for Base Course | | | | | | | | | | |
| Apply layer of prime to completely seal base before final surface is placed. | | | | | | | | | | |
| Minimum 1,000 Square yards, price per gallon | 5,000 | gallon | \$ 5.00 | \$ 25,000.00 | \$ 5.00 | \$ 25,000.00 | \$ 5.00 | \$ 25,000.00 | \$ 26.00 | \$ 130,000.00 |
| Striping and Pavement markers: | | | | | | | | | | |
| All striping and pavement markers must be restored to original markings after work has been completed. | | | | | | | | | | |
| Minimum 2,000 Linear Feet, price per linear foot | 15,000 | linear foot | \$ 2.00 | \$ 30,000.00 | \$ 7.50 | \$ 112,500.00 | \$ 1.90 | \$ 28,500.00 | \$ 10.50 | \$ 157,500.00 |
| Grand Total for above items: | | | \$ | 4,183,460.00 | \$ | 6,633,250.00 | \$ | 8,338,000.00 | \$ | 9,492,350.00 |
| Additional Pricing | | | | | | | | | | |
| Reclaimed Asphalt Pavement (shoulder dressing) | | | | | | | | | | |
| Using the appropriate equipment, spread material on edge of roadway to dress up shoulders for proper water runoff. | | | | | | | | | | |
| Minimum 2,000 Linear Feet, price per ton | 1,500 | ton | \$ 27.00 | \$ 40,500.00 | \$ 125.00 | \$ 187,500.00 | \$ 110.00 | \$ 165,000.00 | \$ 57.00 | \$ 85,500.00 |

* Unit bid includes all expenses (i.e. signage, traffic control). No additional fees will be paid.