
PLAT RECORDING SHEET

PLAT NAME:	Four Corner	rs Ranch Subdivision
PLAT NO:		
ACREAGE:	99.38	
nenthiot.	<i>77</i> . 20	
LEAGUE:	William Car	mott Cumror
LEAGUE:	William Gar	nett Survey
ABSTRACT NU	UMBER: 18	2
112011111		
NUMBER OF E	BLOCKS:	3
NUMBER OF I	OTS	52
NUMBER OF F	RESERVES:	5
OWNERS: BS	SR Properties	VI, LLC
	-	
(DEPUTY CLERK)		
•		



OWNER'S ACKNOWLEDGEMENT

STATE OF TEXAS

COUNTY OF FORT BEND

I, BRETT ROWLEY AS MANAGING MEMBER OF BSR PROPERTIES VI, LLC, A TEXAS LIMITED LIABILITY COMPANY, OWNER OF THE CALLED 99.38 ACRES DESCRIBED IN THE ABOVE AND FOREGOING MAP OF FOUR CORNERS RANCH SUBDIVISION, DO HEREBY MAKE AND ESTABLISH SAID SUBDIVISION AND DEVELOPMENT PLAT OF SAID PROPERTY ACCORDING TO ALL LINES, DEDICATIONS, RESTRICTIONS AND NOTATIONS ON SAID MAPS OR PLAT AND HEREBY DEDICATE TO THE USE OF THE PUBLIC FOREVER, ALL STREETS (EXCEPT THOSE STREETS DESIGNATED AS PRIVATE STREET), ALLEYS, PARKS, WATER COURSES. DRAINS. EASEMENTS AND PUBLIC PLACES SHOWN THEREON FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED; AND DO HEREBY BIND MYSELF, MY HEIRS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DEDICATED.

- FURTHER, I DO HEREBY DEDICATE FOR PUBLIC UTILITY PURPOSES AN UNOBSTRUCTED AERIAL EASEMENT FIVE (5) FEET IN WIDTH FROM A PLANE TWENTY (20) FEET ABOVE THE GROUND LEVEL UPWARD, LOCATED ADJACENT TO ALL PUBLIC UTILITY EASEMENTS SHOWN HEREON.
- FURTHER, I DO HEREBY DECLARE THAT ALL PARCELS OF LAND DESIGNATED AS LOTS ON THIS PLAT ARE INTENDED FOR THE CONSTRUCTION OF SINGLE FAMILY RESIDENTIAL DWELLING UNITS THEREON (OR THE PLACEMENT OF MOBILE HOMES) AND SHALL BE RESTRICTED FOR SAME UNDER THE TERMS AND CONDITIONS OF SUCH RESTRICTIONS FILED SEPARATELY.
- FURTHER, I DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT SHALL BE RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD, OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY OR INDIRECTLY.
- FURTHER, I DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT SHALL BE RESTRICTED TO PROVIDE THAT DRAINAGE STRUCTURES UNDER DRIVEWAYS SHALL HAVE A NET DRAINAGE OPENING AREA OF SUFFICIENT SIZE TO PERMIT THE FREE FLOW OF WATER WITHOUT BACKWATER AND IN NO INSTANCE HAVE A DRAINAGE OPENING OF LESS THAN ONE AND THREE QUARTERS (1 3/4) SQUARE FEET (24" DIAMETER).
- FURTHER, WE DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT AMENDMENTS.

EXECUTION OF OWNER'S ACKNOWLEDGEMENT

IN TESTIMONY WHEREOF, BSR PROPERTIES VI, LLC HAS CAUSED THESE PRESENTS TO BE SIGNED BY BRETT ROWLEY, ITS MANAGING MEMBER, HEREUNTO AUTHORIZED, AND ITS COMMON SEAL HEREUNTO AFFIXED THIS ______ DAY OF _______, 2024.

BSR PROPERTIES VI, LLC.

BY:	
	MANAGING MEMBER

NOTARY PUBLIC ACKNOWLEDGEMENT

STATE OF TEXAS

COUNTY OF FORT BEND

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED BRETT ROWLEY, MANAGING MEMBER, KNOWN TO ME TO BE THE PERSONS WHOSE NAMES ARE SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGE TO ME THAT THEY EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN AND HEREIN SET OUT, AND AS THE ACT AND DEED OF SAID CORPORATION.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS ______ DAY OF _____, 2024.

SIGNATURE OF NOTARY PUBLIC	
NOTARY PUBLIC IN AND FOR	COUNTY, TEXA
(AFFIX NOTARY SEAL)	

CERTIFICATE FOR SURVEYOR

I, MATTHEW WADE LOESSIN, AM AUTHORIZED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT, WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND AND THAT ALL BOUNDARY CORNERS, ANGLES, POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE (UNLESS NOTED OTHERWISE) HAVE BEEN MARKED WITH 5/8 INCH IRON RODS NOT LESS THAN TWO (2) FEET.



ENGINEER'S PLAT AFFIDAVIT

I, KIRK LOWE, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE BEST OF MY KNOWLEDGE.



FIRM NO: 17957



STANDARD PLAT NOTES

- SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE JURISDICTION FOR REVIEW AND APPROVAL TO OBTAIN A DEVELOPMENT PERMIT. DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING CONSTRUCTION. THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 79.5 FEET ABOVE MEAN SEA LEVEL (NAVD 88 DATUM). IN ADDITION, NO TOP OF SLAB ELEVATION SHALL BE LESS THAN 24 INCHES ABOVE THE LOWEST TOP OF CURB ADJACENT TO THE LOT WHICH IT LIES. IN THE ABSENCE OF A CURB, THE TOP OF SLAB ELEVATION SHALL BE NO LESS THAN 24
- INCHES ABOVE THE HIGHEST NATURAL GROUND ALONG THE PERIMETER OF THE BUILDING FOUNDATION AND 12 INCHES ABOVE ANY DOWN GRADIENT ROADWAY OR DRAINAGE RESTRAIN, WHICHEVER IS HIGHER. 3. ALL DRAINAGE EASEMENTS TO BE KEPT CLEAR OF FENCES, BUILDINGS, VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATION AND MAINTENANCE OF THE DRAINAGE
- 4. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED DRAINAGE STRUCTURE. THE COORDINATES SHOWN HERE ARE TEXAS SOUTH CENTRAL ZONE NUMBER 4204 STATE PLANE GRID COORDINATES (NAD 83 - 2011) AND MAY BE BROUGHT TO SURFACE BY
- APPLYING THE FOLLOWING COMBINED SCALE FACTOR OF 1.00013605. 6. THIS PROPERTY LIES WITHIN ZONE "X" AS PER FLOOD INSURANCE RATE MAPS, MAP NUMBER 48157C0500M, EFFECTIVE DECEMBER 21, 2017 AND MAP NUMBER 48157C0525M, EFFECTIVE DATE DECEMBER 21, 2017.
- ALL VISIBLE PIPELINES AND OR EASEMENTS ARE SHOWN WITHIN THE PLATTED AREA. THIS PLAT LIES WITHIN LIGHT ZONE LZ2 OF THE FORT BEND COUNTY LIGHTING ORDINANCE.
- THIS PROPERTY LIES WITHIN 9.1. FORT BEND COUNTY
- NEEDVILLE SCHOOL DISTRICT 9.3. FORT BEND COUNTY ESD NO. 9
- WHARTON COUNTY JR. COLLEGE
- CENTERPOINT ENERGY UTILITY CO 10. A MINIMUM DISTANCE OF 10' SHALL BE MAINTAINED BETWEEN RESIDENTIAL DWELLINGS.
- 1. THE SUBDIVISION HOA ENTITY WILL HAVE OWNERSHIP AND THE MAINTENANCE RESPONSIBILITY OF DRAINAGE EASEMENTS AND DRAINAGE RESERVES. 12. LAND USE WITHIN THE SUBDIVISION IS LIMITED TO AN AVERAGE IMPERVIOUSNESS OF NO MORE THAN 30 PERCENT. THE DRAINAGE AND/OR DETENTION SYSTEM HAS BEEN
- DESIGNED WITH THE ASSUMPTION THAT THIS AVERAGE PERCENT IMPERVIOUSNESS WILL NOT BE EXCEEDED. THIS THIS PERCENTAGE IS TO BE EXCEEDED, A REPLAT AND/OR 13. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS STREET PONDING DURING INTENSE RAINFALL EVENTS.

835.00' 715.00' 535.00' 25.00' 25.00' 65.00'	198.34' 311.57' 468.56' 36.72' 21.03' 313.54'	197.87' 309.11' 453.72' 33.51' 20.41'	S 48°51'35" W N 43°10'51" E N 55°47'13" E N 38°47'57" W S 27°22'26" E	13°36'34" 24°58'03" 50°10'48" 84°09'21" 48°11'23"
535.00' 25.00' 25.00'	468.56' 36.72' 21.03'	453.72' 33.51'	N 55°47'13" E N 38°47'57" W	50°10'48" 84°09'21"
25.00' 25.00'	36.72' 21.03'	33.51'	N 38°47'57" W	84°09'21"
25.00' 25.00'	36.72' 21.03'	33.51'		84°09'21"
25.00'	21.03'			
		20.71		
05.00		86.67'	S 86°43'16" W	276°22'46"
25 001				48°11'23"
25.00'	21.03'	20.41'	N 20°48'57" W	
 25.00'	36.45'	33.31'	S 45°03'01" E	83°32'33"
 535.00'	446.98'	434.09'	S 62°53'12" W	47°52'10"
570.00'	222.01'	220.61'	S 50°06'36" W	22°18'57"
25.00'	39.43'	35.47'	S 73°32'39" W	90°22'33"
1085.00'	1020.35'	983.16'	S 55°17'49" W	53°52'54"
535.00'	468.55'	453.72'	N 72°40'21" W	50°10'45"
	20.421		S 87°14'09" W	90°21'43"
25.00'	39.43'	35.47'		
25.00'	39.11'	35.24'	S 02°45'51" W	89°38'17"
765.00'	181.71'	181.28'	S 48°51'35" W	13°36'34"
785.00'	342.07'	339.37'	S 43°10'51" W	24°58'03"
465.00'	893.73'	762.38'	N 85°45'29" E	110°07'23"
640.00'	200.48'	199.66'	S 47°55'33" W	17°56'51"
25.00'	37.20'	33.86'	S 14°16'18" E	85°15'21"
1015.00'	954.52'	919.73'	S 55°17'49" W	53°52'54"
25.00'	39.99'	35.86'	S 51°56'14" W	91°38'59"
265.00'	170.25'	167.34'	N 12°17'32" W	36°48'34"
25.00'	21.03'	20.41'	N 54°47'31" W	48°11'23"
65.00'	313.54'	86.67'	S 59°18'11" W	276°22'46"
25.00'	21.03'	20.41'	S 06°36'08" W	48°11'23"
335.00'	218.43'	214.59'	N 12°01'02" W	37°21'34"
25.00'	38.79'	35.01'	S 37°47'16" W	88°54'01"
465.00'	407.24'	394.35'	N 72°40'21" W	50°10'45"
				1°28'53"
 2914.82'	75.37'	75.36'	S 28°54'21" W	1-20 55
 2815.05'	681.50'	679.84'	S 35°13'38" W	13°52'15"
 1005.41'	182.81'	182.56'	S 37°01'48" W	10°25'05"
535.00'	468.55'	453.72'	N 72°40'21" W	50°10'45"
1025.41'	184.68'	184.43'	N 37°04'43" E	10°19'09"
1085.00'	943.09'	913.68'	S 57°20'13" W	49°48'07"
1085.00'	77.26'	77.24'	S 30°23'46" W	4°04'47"
				0°30'55"
2795.05'	25.13'	25.13'	S 28°32'58" W	
 2775.05'	194.32'	194.28'	S 30°24'04" W	4°00'43"
2775.05'	218.69'	218.64'	S 34°39'53" W	4°30'55"
2795.05'	651.52'	650.05'	N 35°29'06" E	13°21'20"
2954.82'	30.55'	30.55'	S 29°31'06" W	0°35'33"
2954.82'	54.47'	54.47'	S 28°41'38" W	1°03'22"
570.00'	170.86'	170.22'	S 52°40'50" E	17°10'30"
570.00'	51.14'	51.13'	S 41°31'21" E	5°08'27"
 535.00'	139.42'	139.02'	S 46°25'03" E	14°55'52"
 535.00'	175.98'	175.19'	S 63°18'23" E	18°50'49"
 535.00'	131.58'	131.25'	S 79°46'32" E	14°05'31"
65.00'	94.49'	86.39'	S 03°15'55" W	83°17'27"
65.00'	80.68'	75.60'	S 73°56'20" E	71°07'05"
65.00'	61.96'	59.64'	N 43°11'45" E	54°36'45"
65.00'	76.42'	72.09'	N 17°47'22" W	67°21'29"
535.00'			N 73°02'43" E	15°39'49"
	146.26'	145.81'		
535.00'	106.52'	106.35'	N 59°30'34" E	11°24'28"
535.00'	175.94'	175.14'	N 44°23'04" E	18°50'31"
535.00'	39.84'	39.83'	N 32°49'49" E	4°16'00"
715.00'	139.86'	139.64'	N 36°18'03" E	11°12'27"
715.00'	151.08'	150.80'	N 47°57'28" E	12°06'24"
715.00'	20.63'	20.63'	N 54°50'16" E	1°39'11"
835.00'	85.95'	85.91'	N 52°42'56" E	5°53'52"
835.00'	112.39'	112.30'	N 45°54'39" E	7°42'42"
785.00'	140.64'	140.45'	S 50°31'55" W	10°15'53"
785.00'	186.21'	185.77'	S 38°36'14" W	13°35'28"
785.00'	15.23'	15.23'	S 31°15'10" W	1°06'41"
 465.00'	228.95'	226.64'	S 44°48'06" W	28°12'37"
465.00'	277.91'	273.79'	S 76°01'41" W	34°14'33"
465.00'	283.71'	279.33'	N 69°22'19" W	34°57'27"
 465.00'	103.17'	102.96'	N 45°32'12" W	12°42'46"
640.00'	3.03'	3.03'	N 39°05'15" W	0°16'16"
640.00'	197.45'	196.67'	N 48°03'41" W	17°40'35"
1015.00'	95.70'	95.66'	N 31°03'26" E	5°24'07"
1015.00'	194.74'	194.44'	N 39°15'16" E	10°59'34"
	231.40'	230.90'	N 51°16'56" E	13°03'44"
1015.00'				17°09'54"
 1015.00'	304.08'	302.94'	N 66°23'45" E	
 1015.00'	128.61'	128.52'	N 78°36'29" E	7°15'35"
 65.00'	75.76'	71.54'	S 45°29'52" W	66°46'41"
65.00'	68.00'	64.94'	S 17°51'48" E	59°56'38"
65.00'	60.26'	58.12'	S 74°23'33" E	53°06'53"
65.00'	109.52'	97.02'	N 30°46'43" E	96°32'34"
335.00'	112.70'	112.17'	N 21°03'34" E	19°16'31"
335.00'	105.74'	105.30'	N 02°22'47" E	18°05'03"
465.00'	70.15'	70.08'	N 86°33'34" E	8°38'35"
	337.10'		S 68°21'04" E	41°32'10"
465.00'		329.76'		
 1045.41'	181.37'	181.14'	N 36°59'04" E	9°56'25"
1045.34'	5.16'	5.16'	N 42°05'46" E	0°16'59"
1045.41'	181.37'	181.14'	S 36°59'04" W	9°56'25"
2775.05'	253.80'	253.71'	S 39°32'33" W	5°14'25"
2934.82'	81.62'	81.62'	N 28°56'11" E	1°35'37"
 220.00'	50.06'	49.95'	N 45°28'13" W	13°02'11"
220.00'	132.55'	130.55'	N 69°14'55" W	34°31'11"
			, UU ± 1 UU YY	
			S 76°11'58" \\\/	
220.00'	132.79'	130.79'	S 76°11'58" W	34°35'04"
220.00' 220.00'	132.79' 62.78'	130.79' 62.57'	S 50°43'54" W	34°35'04" 16°21'03"
220.00'	132.79'	130.79'		34°35'04"

	CENTERLINE ROAD CURVE TABLE					
CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE	
CL1	800.00'	190.02'	189.58'	S 48°51'35" W	13°36'34"	
CL2	750.00'	326.82'	324.24'	S 43°10'51" W	24°58'03"	
CL3	500.00'	962.99'	820.90'	N 85°52'21" E	110°21'03"	
CL4	605.00'	235.64'	234.15'	S 50°06'36" W	22°18'57"	
CL5	1050.00'	987.43'	951.45'	S 55°17'49" W	53°52'54"	
CL6	500.00'	437.90'	424.03'	S 72°40'21" E	50°10'45"	
CL7	300.00'	201.37'	197.61'	N 11°28'03" W	38°27'33"	

CENTE	RLINE ROAD LINE	ETABLE
LINE	BEARING	DISTANC
L1	N 42°03'18" E	399.99
L2	N 55°39'52" E	211.39
L3	N 30°41'49" E	445.48
L4	S 38°57'07" E	284.38
L5	S 61°16'04" E	291.0
L8	S 28°21'22" W	361.83
L9	S 82°14'16" W	444.96
L10	N 47°34'59" W	278.29
L11	N 07°45'44" W	53.09
L12	N 30°41'49" E	666.93
I 13	N 03°16'44" W	178 39

HORIZONTAL DATUM: NAD83/2011(EPOCH: 2010) VERTICAL DATUM: NAVD 88 COMBINED SCALE FACTOR: 0.99986397/1.00013605 BEARING BASIS: TX LAMBERT GRID SOUTH CENTRAL ZONE DISTANCES & ACREAGE SHOWN ARE SURFACE VALUES

- SOME FEATURES SHOWN ON THIS PLAT MAY BE SHOW OUT OF SCALE FOR CLARITY. DIMENSIONS ON THIS PLAT ARE EXPRESSED IN FEET AND DECIMAL PART THEREOF UNLESS OTHERWISE NOTED AND ARE SHOWN IN SURFACE/GROUND MEASUREMENTS.
- THE SURVEYOR DID NOT ABSTRACT THE PROPERTY AND MATTERS OF RECORD SHOWN ARE STRICTLY BASED ON CLIENT PROVIDED DOCUMENTS.
- 4. PROPERTY IS SUBJECT TO THOSE EASEMENTS, RESTRICTIONS, COVENANTS, ETC. THAT APPEAR OF RECORD OR UNRECORDED AND NOT SHOWN ON SURVEY.

HOA MAINTENANCE NOTE

1. PER DEVELOPER AN HOA WILL BE FORMED AND WILL BE RESPONSIBLE FOR OWNERSHIP, OPERATION AND MAINTENANCE OF THE DETENTION POND, PUMPS AND OUTFALL STRUCTURE ALONG WITH NOTED RESERVES AND LANDSCAPE RESERVATION RESERVES.

METES AND BOUNDS DESCRIPTION

DESCRIPTION OF A 99.38 ACRE TRACT OF LAND OUT OF THE WILLIAM GARNETT SURVEY, ABSTRACT NO. 182, FORT BEND COUNTY, TEXAS AND BEING A PART OF THAT CALLED LOT 53 OF THE PLAT OF BERNARD SUBDIVISION, RECORDED IN VOLUME 12, PAGE 243, OF THE DEED RECORDS OF FORT BEND COUNTY, TEXAS AND BEING THAT SAME CALLED 99,38 ACRE TRACT OF LAND DESCRIBED IN A DEED DATED JUNE 25, 2012 FROM CALVIN SCHULTZ, AND LANETTE SCHULTZ TO BSR PROPERTIES VI, LLC., AS RECORDED IN INSTRUMENT NO. 2021206246, OF THE OFFICIAL RECORDS OF FORT BEND COUNTY, TEXAS FOR WHICH REFERENCE IS MADE AND THE SAID 99.38 ACRE TRACT OF LAND BEING DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

BEGINNING AT A 5/8 INCH IRON ROD FOUND SET W/ CAP [GRID COORDINATES: N 13.695.605.29 USFT E 2.936.403.22 USFT] IN THE SOUTHWEST LINE OF A CALLED 82.5 ACRE TRACT OF LAND DESCRIBED IN A DEED DATED APRIL 10, 1969 FROM J.K. DAVIS, ET UX TO A.J. DAVIS, ET UX, RECORDED IN VOLUME 514, PAGE 465, FORT BEND COUNTY DEED RECORDS, FOR THE EASTERLY CORNER OF WESTON ESTATES SUBDIVISION, SLIDE NO. 906A, FORT BEND COUNTY PLAT RECORDS, BEING THE COMMON NORTHERLY CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE SOUTH 48° 37' 13" EAST (CALLED SOUTH 48° 36' 46" EAST) WITH THE SOUTHWEST LINE OF SAID 82.5 ACRE TRACT, BEING THE COMMON NORTHEAST LINE OF THE HEREIN DESCRIBED TRACT A DISTANCE OF 1564.04 FEET (CALLED 1564.09') TO A 5/8 INCH IRON ROD FOUND FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE SOUTH 41° 34' 40" WEST (CALLED SOUTH 41° 31' 46" WEST) ALONG THE RESIDUE OF LOT 53 AND BEING AN INTERIOR LINE OF THE HEREIN DESCRIBED TRACT A DISTANCE OF 29.97 FEET (CALLED 30.00') TO A 5/8 INCH IRON ROD FOUND FOR

THENCE SOUTH 48° 08' 18" EAST (CALLED SOUTH 48° 36' 46" EAST) ALONG THE RESIDUE OF SAID LOT 53 AND BEING AN INTERIOR LINE OF THERE HEREIN DESCRIBED TRACT A DISTANCE OF 55.80 FEET (CALLED 55.80') TO A 5/8 INCH IRON ROD SET W/ CAP IN THE NORTHWEST LINE OF F.M. HIGHWAY NO. 1236 (100' R.O.W. PER TEXAS HIGHWAY DEPARTMENT RIGHT-OF-WAY MAP OF F.M. HIGHWAY 1236, FORT BEND COUNTY, FROM F.M. 442 NE TO NEEDVILLE, PROJECT S 2434 (I)) FOR THE EASTERLY CORNER OF THE HEREIN DESCRIBED TRACT AND BEING A POINT IN A CURVE TO THE LEFT;

THENCE WITH THE NORTHWEST LINE OF F.M. HIGHWAY NO. 1236 AND BEING THE SOUTHEAST LINE OF THE HEREIN DESCRIBED TRACT THE FOLLOWING:

- WITH SAID CURVE TO THE LEFT HAVING A RADIUS OF 2914.82 FEET, AN ARC LENGTH OF 75.37 FEET, DELTA ANGLE 01° 28' 53" AND CHORD SOUTH 28° 54' 21" WEST A DISTANCE OF 75.36 FEET TO A 5/8 INCH IRON ROD FOUND FOR CORNER;
- SOUTH 28° 15' 43" WEST (CALLED SOUTH 28° 17' 46" WEST) A DISTANCE OF 200.97 FEET (CALLED 201.00') TO A 5/8 INCH
- IRON ROD SET W/ CAP FOR CORNER AND THE BEGINNING OF A CURVE TO THE RIGHT;
- WITH SAID CURVE TO THE RIGHT HAVING A RADIUS OF 2815.05 FEET, ARC LENGTH OF 681.50 FEET, DELTA ANGLE 13° 52' 15" AND CHORD SOUTH 35° 13' 38" WEST A DISTANCE OF 679.84 FEET TO A 5/8 INCH IRON ROD FOUND FOR CORNER;
- SOUTH 42° 10' 09" WEST (CALLED SOUTH 42° 09' 46" WEST) A DISTANCE OF 579.00 FEET (CALLED 579.10') TO A 5/8 INCH IRON ROD FOUND FOR CORNER AND THE BEGINNING OF A CURVE TO THE LEFT;
- WITH SAID CURVE TO THE LEFT HAVING A RADIUS OF 1005.41 FEET, ARC LENGTH 182.81 FEET, DELTA ANGLE 10° 25' 05" AND CHORD SOUTH 37° 01' 48" WEST A DISTANCE OF 182.56 FEET TO A 5/8 INCH IRON ROD FOUND AT THE INTERSECTION OF NEEDVILLE - 4 CORNERS ROAD (R.O.W. VARIES) AND F.M. HIGHWAY NO. 1236;

THENCE SOUTH 41° 48' 22" WEST (CALLED SOUTH 41° 49' 15" WEST) WITH THE NORTHWEST LINE OF NEEDVILLEL - 4 CORNERS ROAD, BEING THE COMMON SOUTHEAST LINE OF THE HEREIN DESCRIBED TRACT A DISTANCE OF 557.56 FEET (CALLED 557.42') TO A 5/8 INCH IRON ROD SET W/ CAP FOR AN INTERIOR CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE SOUTH 47° 36' 36" EAST (CALLED SOUTH 47° 35' 45" EAST) WITH THE INTERIOR LINE OF THE HEREIN DESCRIBED

TRACT A DISTANCE OF 16.00 FEET (CALLED 16.00') TO A 5/8 INCH IRON ROD FOUND IN THE NORTHWEST LINE OF NEEDVILLE -

4 CORNERS ROAD FOR AN EXTERIOR CORNER OF THE HEREIN DESCRIBED TRACT; THENCE SOUTH 41° 49' 20" WEST (CALLED SOUTH 41° 49' 15" WEST) WITH THE NORTHWEST LINE OF NEEDVILLE - 4 CORNERS ROAD A DISTANCE OF 46.59 FEET (CALLED 46.69') TO A 5/8 INCH IRON ROD FOUND FOR AN EXTERIOR CORNER OF THE HEREIN


THENCE NORTH 47° 15' 55" WEST (CALLED NORTH 47° 17' 20" WEST) WITH AN INTERIOR LINE OF THE HEREIN DESCRIBED TRACT AND AT 19.04 FEET PASSING THE EASTERLY CORNER OF A CALLED 0.0455 ACRE TRACT OF LAND DESCRIBED IN A DEED DATED JUNE 10, 2021 FROM LANETTE J. SCHULTZ, ET AL TO JOSE ALEJANDRO TROCHEZ, RECORDED IN INSTRUMENT NO. 2021103566, FORT BEND COUNTY OFFICIAL RECORDS AND CONTINUING ALONG SAID LINE FOR A TOTAL DISTANCE OF 159.05 FEET (CALLED 159.27') TO A 5/8 INCH IRON ROD FOUND FOR THE NORTHERLY CORNER OF SAID 0.0455 ACRE TRACT;

THENCE SOUTH 42° 08' 34" WEST (CALLED SOUTH 42° 07' 09" WEST) WITH THE NORTHWEST LINE OF SAID 0.0455 ACRE TRACT, THE NORTHWEST LINE OF A CALLED 0.0721 ACRE TRACT OF LAND DESCRIBED IN A DEED DATED JUNE 10, 2021 FROM LANETTE J. SCHULTZ, ET AL TO JOSE ALEJANDRO TROCHEZ, RECORDED IN INSTRUMENT NO. 2021103566, FORT BEND COUNTY OFFICIAL RECORDS, BEING A COMMON INTERIOR LINE OF THE HEREIN DESCRIBED TRACT AND AT 118.90 FEET PASSING A 5/8 INCH IRON ROD SET W/ CAP FOR REFERENCE, AND CONTINUING ALONG SAID LINE FOR A TOTAL DISTANCE OF 164.12 FEET (CALLED 164.12') A POINT WITHIN THE MARGINS OF BUSHNELL ROAD, BEING THE COMMON NORTHEAST LINE OF A CALLED 50.503 ACRE TRACT OF LAND DESCRIBED IN A DEED DATED MARCH 22, 2016 FROM RODNEY D. SCHMIDT TO RODNEY D. SCHMIDT, TRUSTEE OF THE RODNEY D. SCHMIDT REVOCABLE TRUST FOR THE WESTERLY CORNER OF SAID 0.0721 ACRE TRACT, BEING THE COMMON SOUTHERLY CORNER OF THE HEREIN DESCRIBED TRACT;

THENCE NORTH 47° 35' 58" WEST (CALLED NORTH 47° 34' 59" WEST) WITH THE NORTHEAST LINE OF SAID 50.503 ACRE TRACT, BEING THE COMMON SOUTHWEST LINE OF THE HEREIN DESCRIBED TRACT AND BEING WITHIN THE MARGINS OF BUSHNELL ROAD A DISTANCE OF 1640.01 FEET (CALLED 1639.92') TO A POINT FOR THE SOUTHERLY CORNER OF SAID WESTON ESTATES SUBDIVISION, BEING THE COMMON WESTERLY CORNER OF THE HEREIN DESCRIBED TRACT:

THENCE NORTH 42° 03' 15" EAST (CALLED NORTH 42° 03' 18" EAST) WITH THE SOUTHEAST LINE OF SAID WESTON ESTATES SUBDIVISION LOT NO. 1 - 4. THE SOUTHEAST LINE OF THE RE-PLAT OF LOT 5 & 6 WESTON ESTATES SUBDIVISION RECORDED. IN SIDE NO. 906A, FORT BEND COUNTY PLAT RECORDS, THE SOUTHEAST LINE OF LOT NO. 7 - 9 OF SAID WESTON ESTATES SUBDIVISION AND BEING THE NORTHWEST LINE OF THE HEREIN DESCRIBED TRACT A DISTANCE OF 2472.37 FEET (CALLED 2472.23') TO THE **POINT OF BEGINNING**, CONTAINING **99.38 ACRES** OF LAND, MORE OR LESS.

VICINITY MAP



CERTIFICATE OF FORT BEND COUNTY ENGINEER AND COMMISSIONERS' COURT

I, J. STACY SLAWINSKI, FORT BEND COUNTY ENGINEER, DO HEREBY CERTIFY THAT THE PLAT OF THIS SUBDIVISION COMPLIES WITH ALL OF THE EXISTING RULES AND REGULATIONS OF THIS OFFICE AS ADOPTED BY THE FORT BEND COUNTY COMMISSIONERS' COURT. HOWEVER, NO CERTIFICATION IS HEREBY GIVEN AS TO THE EFFECT OF DRAINAGE FROM THIS SUBDIVISION ON THE INTERCEPTING DRAINAGE ARTERY OR PARENT STREAM OR ANY OTHER AREA OR SUBDIVISION WITHIN THE WATERSHED.

J. STACY SLAWINSKI, P.E. FORT BEND COUNTY ENGINEER	-		
APPROVED BY THE COMMISSIONERS' COURT OF FORT B	SEND COUNTY, TEXAS THIS	DAY OF	
, 2024.	,		
VINCENT M. MORALES, JR.	-		
PRECINCT 1, COUNTY COMMISSIONER			
GRADY PRESTAGE PRECINCT 2, COUNTY COMMISSIONER	-		
FRECINCI 2, COUNTI COMMISSIONER			
	-		
W.A. (ANDY) MEYERS PRECINCT 3, COUNTY COMMISSIONER			
DEXTER L. MCCOY	-		
PRECINCT 4, COUNTY COMMISSIONER			
	_		
KP GEORGE COUNTY JUDGE			
COUNTY CLERK'S FILING ACKNOWLEDGEMENT STA	TEMENT		
, LAURA RICHARD, COUNTY CLERK IN AND FOR FORT BEND COU	NTY, HEREBY CERTIFY THAT THE FOR	REGOING INSTRUMENT WITH ITS CERTI	IFICATE OF AUTHENTICATION WAS
Filed for recordation in My Office on of the plat records of		AT O' CLOCK	M. IN PLAT NUMBER
WITNESS MY HAND AND SEAL OF OFFICE, AT RICHMOND, TEXAS.		SITTEN.	
AURA RICHARD COUNTY CLERK FORT BEND COUNTY, TEXAS			
ON DERD COUNTY, TEARS			
3Y:			
DEPUTY			

FOUR CORNERS RANCH SUBDIVISION FINAL PLAT - SHEET 2 OF 2

> WILLIAM GARNETT SURVEY ABSTRACT NO. 182

FORT BEND COUNTY, TEXAS OUT OF A CALLED 99.38 ACRES IN THE WILLAIM GARNETT SURVEY, ABSTRACT NO. 182, DESCRIBED IN A DEED DATED JUNE 25, 2021 FROM CALVIN SCHULTZ AND LANETTE SCHULTZ TO BSR PROPERTIES VI, LLC, RECORDED IN INSTRUMENT NO. 2021106246, OF THE OFFICIAL PUBLIC RECORDS OF FORT BEND COUNTY, TEXAS

53 RESIDENTIAL LOTS - 3 BLOCKS - 5 RESERVES

2205 Walnut Street - Columbus, TX 78934 Toll Free 1.855.637.5725 - www.fscinc.net TBPLS FIRM 10000100 - TBPE FIRM 17957 Driving Performance. Delivering Results.