#### PLAT RECORDING SHEET

PLAT NAME:	Fulshear Lakes Recreation Center							
	-							
PLAT NO:								
<b>ACREAGE:</b>	9.506							
LEACHE								
LEAGUE:	John Randon League							
ABSTRACT NU	UMBER: 76							
ADSTRACTNO	JIMBER: 70							
NUMBER OF E	BLOCKS: 1							
NUMBER OF I	LOTS: 0							
NUMBER OF F	RESERVES: 1							
OWNERS: Fu	dshear Lakes, LTD.							
-								
(DEDITON OF EDIT)	<del></del>							
(DEPUTY CLERK)								

FULSHEAR LAKES

LOU WATERS PARKWAY

FULSHEAR LAKES

FULSHEAR LAKES

CREEKSIDE

REYNOLDS

J. STACY SLAWINSKI, P.E.

SEC 5

### FINAL PLAT OF FULSHEAR LAKES RECREATION CENTER

A SUBDIVISION OF 9.506 ACRES OF LAND SITUATED IN THE JOHN RANDON LEAGUE, ABSTRACT 76, CITY OF FULSHEAR ETJ, FORT BEND COUNTY, TEXAS.

0 LOTS 1 RESERVE (9.506 ACRES) 1 BLOCK

JANUARY 29, 2025

Phone 713.953.5200

Fax 713.953.5026

JOB NO. 2493-0140.310

OWNER:

FULSHEAR LAKES, LTD. A TEXAS LIMITED PARTNERSHIP BY: FULSHEAR LAKES GP, LLC A TEXAS LIMITED LIABILITY COMPANY ITS GENERAL PARTNER SAMUEL H. YAGER III, VICE PRESIDENT

1500 CITYWEST BOULEVARD, SUITE 400, HOUSTON, TEXAS 77042 PH. (713) 783-0308

SURVEYOR:

Houston, Texas 77042 T.B.P.E.L.S. Firm No. 10194382

LJA Surveying, Inc.

Suite 175

3600 W Sam Houston Parkway S

**ENGINEER:** 

LJA Engineering, Inc. 3600 W Sam Houston Parkway S Suite 600

Houston, Texas 77042

Phone 713.953.5200 Fax 713.953.5026 FRN - F-1386

SHEET 1 OF 2

STATE OF TEXAS COUNTY OF FORT BEND

WE. FULSHEAR LAKES. LTD.. A TEXAS LIMITED PARTNERSHIP, ACTING BY AND THROUGH SAMUEL H. YAGER III. VICE PRESIDENT. BEING AN OFFICER OF FULSHEAR LAKES GP. LLC. A TEXAS LIMITED LIABILITY COMPANY. GENERAL PARTNER OF FULSHEAR LAKES LTD., A TEXAS LIMITED PARTNERSHIP, OWNER OF THE 9.506 ACRE TRACT DESCRIBED IN THE ABOVE AND FOREGOING PLAT OF FULSHEAR LAKES RECREATION CENTER, DO HEREBY MAKE AND ESTABLISH SAID SUBDIVISION PLAT OF SAID PROPERTY ACCORDING TO ALL LINES, DEDICATIONS, RESTRICTIONS AND NOTATIONS ON SAID PLAT AND HEREBY DEDICATE TO THE USE OF THE PUBLIC FOREVER, ALL STREETS (EXCEPT THOSE STREETS DESIGNATED AS PRIVATE STREETS, IF APPLICABLE), ALLEYS, PARKS, WATER COURSES, DRAINS, EASEMENTS AND PUBLIC PLACES SHOWN THEREON FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED; AND DO HEREBY BIND OURSELVES, OUR HEIRS AND ASSIGNS TO WARRANT AND FOREVER DEFEND THE TITLE TO THE LAND SO DEDICATED.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC. FOR PUBLIC UTILITY PURPOSES FOREVER, UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL ELEVEN FEET, SIX INCHES (11'6") FOR TEN FEET (10'0") PERIMETER GROUND EASEMENTS OR SEVEN FEET, SIX INCHES (7'6") FOR FOURTEEN FEET (14'0") PERIMETER GROUND EASEMENTS OR FIVE FOOT, SIX INCHES (5'6") FOR SIXTEEN FEET (16'0") PERIMETER GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON WHEREBY EACH AERIAL EASEMENT TOTALS TWENTY-ONE FEET, SIX INCHES (21'6") IN WIDTH.

FURTHER, OWNERS HAVE DEDICATED AND BY THESE PRESENTS DO DEDICATE TO THE USE OF THE PUBLIC, FOR PUBLIC UTILITY PURPOSES FOREVER, UNOBSTRUCTED AERIAL EASEMENTS. THE AERIAL EASEMENTS SHALL EXTEND HORIZONTALLY AN ADDITIONAL TEN FEET (10'0") FOR TEN FEET (10'0") BACK-TO-BACK GROUND EASEMENTS, OR EIGHT FEET (8'0") FOR FOURTEEN FEET (14'0") BACK-TO-BACK GROUND EASEMENTS OR SEVEN FEET (7'0") FOR SIXTEEN FEET (16'0") BACK-TO-BACK GROUND EASEMENTS, FROM A PLANE SIXTEEN FEET (16'0") ABOVE GROUND LEVEL UPWARD, LOCATED ADJACENT TO BOTH SIDES AND ADJOINING SAID PUBLIC UTILITY EASEMENTS THAT ARE DESIGNATED WITH AERIAL EASEMENTS (U.E. AND A.E.) AS INDICATED AND DEPICTED HEREON, WHEREBY EACH AERIAL EASEMENT TOTALS THIRTY FEET (30'0") IN WIDTH.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS PLAT IS HEREBY RESTRICTED TO PREVENT THE DRAINAGE OF ANY SEPTIC TANKS INTO ANY PUBLIC OR PRIVATE STREET, ROAD OR ALLEY OR ANY DRAINAGE DITCH, EITHER DIRECTLY OR INDIRECTLY.

FURTHER, OWNERS DO HEREBY DEDICATE TO THE PUBLIC A STRIP OF LAND TWENTY (20) FEET WIDE ON EACH SIDE OF THE CENTER LINE OF ANY AND ALL BAYOUS, CREEKS, GULLIES, RAVINES, DRAWS, AND DRAINAGE DITCHES LOCATED IN SAID SUBDIVISION, AS EASEMENTS FOR DRAINAGE PURPOSES. FORT BEND COUNTY OR ANY OTHER GOVERNMENTAL AGENCY SHALL HAVE THE RIGHT TO ENTER UPON SAID EASEMENT AT ANY AND ALL TIMES FOR THE PURPOSES OF CONSTRUCTION AND MAINTENANCE OF DRAINAGE FACILITIES AND STRUCTURES.

FURTHER, OWNERS DO HEREBY COVENANT AND AGREE THAT ALL OF THE PROPERTY WITHIN THE BOUNDARIES OF THIS SUBDIVISION AND ADJACENT TO ANY DRAINAGE EASEMENT, DITCH, GULLY, CREEK OR NATURAL DRAINAGE WAY SHALL HEREBY BE RESTRICTED TO KEEP SUCH DRAINAGE WAYS AND EASEMENTS CLEAR OF FENCES, BUILDINGS, EXCESSIVE VEGETATION AND OTHER OBSTRUCTIONS TO THE OPERATIONS AND MAINTENANCE OF THE DRAINAGE FACILITY AND THAT SUCH ABUTTING PROPERTY SHALL NOT BE PERMITTED TO DRAIN DIRECTLY INTO THIS EASEMENT EXCEPT BY MEANS OF AN APPROVED DRAINAGE STRUCTURE.

FURTHER, OWNERS DO HEREBY CERTIFY THAT THEY ARE THE OWNERS OF ALL PROPERTY IMMEDIATELY ADJACENT TO THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION OF FULSHEAR LAKES RECREATION CENTER, WHERE BUILDING SETBACK LINES OR PUBLIC UTILITY EASEMENTS ARE TO BE ESTABLISHED OUTSIDE THE BOUNDARIES OF THE ABOVE AND FOREGOING SUBDIVISION AND DO HEREBY MAKE AND ESTABLISH ALL BUILDING SETBACK LINES AND DEDICATE TO THE USE OF THE PUBLIC, ALL PUBLIC UTILITY EASEMENTS SHOWN IN SAID

FURTHER, OWNERS DO HEREBY ACKNOWLEDGE THE RECEIPT OF THE "ORDERS FOR REGULATION OF OUTDOOR LIGHTING IN THE UNINCORPORATED AREAS OF FORT BEND COUNTY, TEXAS", AND DO HEREBY COVENANT AND AGREE AND SHALL COMPLY WITH THIS ORDER AS ADOPTED BY FORT BEND COUNTY COMMISSIONERS' COURT ON MARCH 23, 2004, AND ANY SUBSEQUENT

IN TESTIMONY WHEREOF, THE FULSHEAR LAKES, LTD., A TEXAS LIMITED PARTNERSHIP, HAS CAUSED THESE PRESENTS TO BE SIGNED BY FULSHEAR LAKES GP, LLC, A TEXAS LIMITED LIABILITY COMPANY, ITS GENERAL PARTNER, THEREUNTO AUTHORIZED, BY ITS VICE PRESIDENT SAMUEL H. YAGER III, THIS \_\_\_\_\_\_\_\_, 2025.

FULSHEAR LAKES, LTD. A TEXAS LIMITED PARTNERSHIP

- BY: FULSHEAR LAKES GP, LLC A TEXAS LIMITED LIABILITY COMPANY, ITS GENERAL PARTNER
- SAMUEL H. YAGER III, VICE PRESIDENT

STATE OF TEXAS

BEFORE ME, THE UNDERSIGNED AUTHORITY, ON THIS DAY PERSONALLY APPEARED SAMUEL H. YAGER III, VICE PRESIDENT OF FULSHEAR LAKES GP, LLC, A TEXAS LIMITED LIABILITY COMPANY, GENERAL PARTNER OF FULSHEAR LAKES, LTD. A TEXAS LIMITED PARTNERSHIP, KNOWN TO ME TO BE THE PERSON WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 2025.

NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS

I, AARON G. FERGUSON, A REGISTERED PROFESSIONAL LAND SURVEYOR, AM REGISTERED UNDER THE LAWS OF THE STATE OF TEXAS TO PRACTICE THE PROFESSION OF SURVEYING AND HEREBY CERTIFY THAT THE ABOVE SUBDIVISION IS TRUE AND CORRECT; WAS PREPARED FROM AN ACTUAL SURVEY OF THE PROPERTY MADE UNDER MY SUPERVISION ON THE GROUND; THAT ALL BOUNDARY CORNERS. ANGLE POINTS. POINTS OF CURVATURE AND OTHER POINTS OF REFERENCE HAVE BEEN MARKED WITH IRON (OR OTHER SUITABLE PERMANENT METAL) PIPES OR RODS HAVE AN OUTSIDE DIAMETER OF NOT LESS THAN FIVE EIGHTHS (5/8) INCH AND A LENGTH OF NOT LESS THAN THREE (3) FEET WITH PLASTIC CAP MARKED "LJA SURVEY" UNLESS

AARON G. FERGUSON, R.P.L.S. REGISTERED PROFESSIONAL LAND SURVEYOR TEXAS REGISTRATION NO. 6601



I, PHILLIP KANE MUDD, A PROFESSIONAL ENGINEER REGISTERED IN THE STATE OF TEXAS DO HEREBY CERTIFY THAT THIS PLAT MEETS ALL REQUIREMENTS OF FORT BEND COUNTY TO THE BEST OF MY KNOWLEDGE.

PHILLIP KANE MUDD, P.E. LICENSED PROFESSIONAL ENGINEER TEXAS LICENSE NO. 130524



THIS PLAT OF FULSHEAR LAKES RECREATION CENTER IS APPROVED BY THE CITY PLANNING COMMISSION OF THE CITY OF FULSHEAR, TEXAS

THIS \_\_\_\_\_\_, 2025.

AMY PEARCE, CHAIR

JOAN BERGER, CO-CHAIR

THIS PLAT OF FULSHEAR LAKES RECREATION CENTER WAS APPROVED ON \_\_\_\_\_\_ 2025, BY THE CITY FULSHEAR CITY COUNCIL AND SIGNED ON \_\_\_\_\_ DAY OF \_ APPROVAL SHALL BE INVALID AND NULL AND VOID UNLESS THE PLAT IS FILED WITH THE COUNTY CLERK OF FORT BEND COUNTY, TEXAS WITHIN SIX (6) MONTHS HEREAFTER.

DONALD McCOY, MAYOR

MARIELA RODRIGUEZ, CITY SECRETARY

BEING 9.506 ACRES OF LAND LOCATED IN THE JOHN RANDON LEAGUE, ABSTRACT NUMBER 76 FORT BEND COUNTY, TEXAS, BEING A PORTION OF THAT CERTAIN CALLED 411.052 ACRE TRACT DESCRIBED IN THE DEED TO FULSHEAR LAKES, LTD., BY AN INSTRUMENT OF RECORD IN FILE NUMBER 2014007854 OF THE OFFICIAL PUBLIC RECORDS OF SAID FORT BEND COUNTY, TEXAS (F.B.C.O.P.R.), SAID 9.506 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS (ALL BEARINGS REFERENCED TO THE TEXAS COORDINATE SYSTEM, SOUTH CENTRAL ZONE, NAD 83, 2001 ADJUSTMENT):

BEGINNING AT 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET AT THE SOUTH END OF THE SOUTHWEST CUTBACK CORNER OF BLUET LAKE DRIVE (CALLED 50-FOOT WIDE) AS SHOWN ON FULSHEAR LAKES LAKESIDE PARK SECTION 2, A SUBDIVISION OF RECORD UNDER PLAT NUMBER 20240006 OF THE PLAT RECORDS OF SAID FORT BEND COUNTY, TEXAS (F.B.C.P.R.) WITH THE WEST RIGHT-OF-WAY LINE OF FULSHEAR LAKES WAY (WIDTH VARIES) AS SHOWN ON FULSHEAR LAKES WAY AND LOU WATERS PARKWAY STREET DEDICATION, A SUBDIVISION OF RECORD UNDER PLAT NUMBER 20230251, F.B.C.P.R., THE BEGINNING OF A

THENCE, ALONG SAID WEST RIGHT-OF-WAY LINE THE FOLLOWING FOUR (4) COURSES:

1. 377.81 FEET ALONG THE ARC OF SAID CURVE TO THE RIGHT, HAVING A RADIUS OF 3,330.00 FEET, A CENTRAL ANGLE OF 06° 30' 02", AND A CHORD WHICH BEARS SOUTH 13° 28' 13" WEST, 377.60 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER;

2. SOUTH 16° 43' 14" WEST, 75.11 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER, THE BEGINNING OF A TANGENT CURVE;

3. 625.13 FEET ALONG THE ARC OF A TANGENT CURVE TO THE LEFT, HAVING A RADIUS OF 750.00 FEET, A CENTRAL ANGLE OF 47° 45' 23", AND A CHORD WHICH BEARS SOUTH 07° 09' 28" EAST, 607.19 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER;

4. SOUTH 31° 02' 10" EAST, 125.31 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" SET FOR CORNER;

THENCE, SOUTH 61° 50' 48" WEST, DEPARTING SAID WEST RIGHT-OF-WAY LINE, 61.55 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER; THENCE, SOUTH 50° 36' 29" WEST, 142.73 FEET TO A 5/8-INCH IRON ROD WITH CAP

THENCE, NORTH 83° 29' 20" WEST, 242.79 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER;

STAMPED "LJA SURVEY SET FOR CORNER:

THENCE, NORTH 41° 51' 42" WEST, 17.15 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER;

THENCE, SOUTH 70° 24' 49" WEST, 61.95 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER: THENCE, NORTH 63° 22' 25" WEST, 41.53 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER;

THENCE, NORTH 63° 01' 50" WEST, 22.19 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER;

THENCE, NORTH 85° 24' 29" WEST, 17.81 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER; THENCE, NORTH 28° 58' 56" WEST, 96.00 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER:

THENCE, SOUTH 85° 42' 34" WEST, 15.85 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER;

THENCE, NORTH 32° 34' 45" WEST, 45.70 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY SET FOR CORNER: THENCE, NORTH 44° 44' 13" WEST, 169.41 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR THE MOST SOUTHERLY CORNER OF THE

AFOREMENTIONED FULSHEAR LAKES LAKESIDE PARK SECTION 2: THENCE. ALONG THE EASTERLY LINES OF SAID FULSHEAR LAKES LAKESIDE PARK SECTION 2 THE FOLLOWING NINETEEN (19) COURSES:

1. NORTH 50° 52' 38" EAST, 135.03 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER;

NORTH 08° 41' 12" EAST, 46.05 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER; 3. NORTH 53° 04' 25" EAST, 95.44 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER; 4. NORTH 86° 09' 26" EAST. 42.20 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER; 5. NORTH 28° 23' 21" EAST, 68.51 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER;

6. NORTH 77° 46' 49" EAST, 47.21 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER; 7. NORTH 33° 30' 44" EAST, 89.56 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER; 8. NORTH 89° 28' 02" EAST, 68.53 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER;

9. NORTH 69° 20' 00" EAST, 19.37 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER; 10. NORTH 07° 17' 04" EAST, 94.62 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER; 11. NORTH 01° 42' 10" EAST, 48.77 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER; 12. NORTH 11° 06' 37" EAST, 165.29 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER;

13. NORTH 09° 18' 49" WEST, 165.55 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER; 14. NORTH 60° 29' 34" EAST, 79.44 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER;

15. NORTH 15° 29' 34" EAST, 21.21 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER;

16. NORTH 29° 30' 26" WEST, 110.00 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED

"LJA SURVEY" PREVIOUSLY SET FOR CORNER; 17. NORTH 60° 29' 34" EAST, 13.28 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER, THE BEGINNING OF A TANGENT CURVE;

18. 212.17 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT, HAVING A RADIUS OF 325.00 FEET, A CENTRAL ANGLE OF 37° 24' 18", AND A CHORD WHICH BEARS NORTH 79° 11' 43" EAST, 208.43 FEET TO A 5/8-INCH IRON ROD WITH CAP STAMPED "LJA SURVEY" PREVIOUSLY SET FOR CORNER, THE BEGINNING OF A COMPOUND CURVE;

19. 48.34 FEET ALONG THE ARC OF A TANGENT CURVE TO THE RIGHT. HAVING A RADIUS OF 30.00 FEET, A CENTRAL ANGLE OF 92° 19' 19", AND A CHORD WHICH BEARS SOUTH 35° 56' 28" EAST, 43.28 FEET TO THE POINT OF BEGINNING AND CONTAINING 9.506 ACRES OF LAND.

COUNTY OF FORT BEND

#### LEGEND

INDICATES BUILDING LINE U.E. INDICATES UTILITY EASEMENT D.E. INDICATES DRAINAGE EASEMENT INDICATES RIGHT-OF-WAY P.O.B. INDICATES POINT OF BEGINNING RES. INDICATES RESERVE

INDICATES NUMBER

INDICATES VOLUME INDICATES PAGE INDICATES FILE NUMBER

F.B.C.P.R. INDICATES FORT BEND COUNTY PLAT RECORDS INDICATES FORT BEND COUNTY DEED RECORDS F.B.C.D.R. F.B.C.O.P.R. INDICATES FORT BEND COUNTY OFFICIAL PUBLIC RECORDS

INDICATES SET 5/8 INCH IRON ROD WITH CAP STAMPED "LJA SURVEY"

INDICATES PREVIOUSLY SET 5/8 INCH IRON ROD WITH CAP STAMPED "LJA SURVEY"

1. BENCHMARK: NGS MONUMENT HGCSD 66: A STAINLESS STEEL ROD IN SLEEVE THROUGH LOGO CAP STAMPED HGCSD 66 1986. THE POINT IS LOCATED AT THE EAST SIDE OF FM 1463 +/- 625 FEET SOUTHEAST OF THE INTERSECTION OF 1463 AND CORBITT ROAD AND

3. THIS PLAT WAS PREPARED TO MEET THE CITY OF FULSHEAR AND FORT BEND COUNTY

4. THIS PLAT LIES WHOLLY WITHIN FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 216, FORT BEND SUBSIDENCE DISTRICT, FORT BEND COUNTY DRAINAGE DISTRICT, LAMAR

5. BY GRAPHICAL PLOTTING AND AS SHOWN ON FEDERAL EMERGENCY MANAGEMENT AGENCY

6. APPROVAL OF THIS PLAT WILL EXPIRE ONE YEAR FROM PLANNING AND ZONING APPROVAL IF

7. THE PIPELINES OR PIPELINE EASEMENTS WITHIN THE LIMITS OF THE SUBDIVISION ARE AS

8. THE DRAINAGE SYSTEM FOR THIS SUBDIVISION SHALL BE DESIGNED TO MEET THE REQUIREMENTS OF THE FORT BEND COUNTY DRAINAGE CRITERIA MANUAL WHICH ALLOWS

9. SIDEWALKS SHALL BE BUILT OR CAUSED TO BE BUILT ON BOTH SIDES OF ALL DEDICATED RIGHTS-OF-WAYS WITHIN SAID PLAT AND ON THE CONTIGUOUS RIGHT-OF-WAY OF ALL PERIMETER ROADS, SURROUNDING SAID PLAT. SIDEWALKS SHALL BE A MINIMUM 4 FEET IN WIDTH ON FRONT PROPERTY LINES OF SINGLE FAMILY LOTS AS LONG AS PASSING AREAS ARE PROVIDED WITH EACH DRIVEWAY AND THE SIDEWALKS AND DRIVEWAYS ARE CONSTRUCTED IN ACCORDANCE WITH THE ADA. ALL OTHER SIDEWALKS NOT ADJACENT TO

CURBS SHALL BE A MINIMUM 5 FEET IN WIDTH AND CONSTRUCTED IN ACCORDANCE WITH

10. ALL DRAINAGE EASEMENTS TO BE KEPT CLEAR OF FENCES, BUILDINGS, VEGETATION AND

OTHER OBSTRUCTIONS TO THE OPERATION AND MAINTENANCE OF THE DRAINAGE FACILITY.

11. ALL PROPERTY TO DRAIN INTO THE DRAINAGE EASEMENT ONLY THROUGH AN APPROVED

13. THE COORDINATES AND BEARINGS SHOWN HEREON ARE TEXAS COORDINATE SYSTEM SOUTH

14. FIVE-EIGHTHS (5/8") INCH IRON RODS THREE (3') FEET IN LENGTH WITH PLASTIC CAP MARKED "LJA SURVEY" ARE SET ON ALL PERIMETER BOUNDARY CORNERS, UNLESS

15. SITE PLANS SHALL BE SUBMITTED TO FORT BEND COUNTY AND ANY OTHER APPLICABLE

16. THE FORT BEND COUNTY DRAINAGE DISTRICT RESERVES THE RIGHT FOR MAINTENANCE

17. SUBJECT TO A SHORT FORM BLANKET EASEMENT GRANTED TO CENTERPOINT ENERGY

18. THE TOP OF ALL FLOOR SLABS SHALL BE A MINIMUM OF 112.90 FEET (NAVD-88 DATUM,

HOUSTON ELECTRIC, LLC, AS RECORDED UNDER FORT BEND COUNTY CLERK'S FILE NO.

2001 ADJUSTMENT) ABOVE MEAN SEA LEVEL. IN ADDITION, NO TOP OF SLAB ELEVATION SHALL BE LESS THAN 24 INCHES ABOVE THE LOWEST TOP OF CURB ADJACENT TO THE LOT

IN WHICH IT LIES. IN THE ABSENCE OF A CURB, THE TOP OF SLAB ELEVATION SHALL BE NO LESS THAN 24 INCHES ABOVE THE HIGHEST NATURAL GROUND ALONG THE PERIMETER

OF THE BUILDING FOUNDATION AND 12 INCHES ABOVE ANY DOWN GRADIENT ROADWAY OR

19. OWNERSHIP AND MAINTENANCE RESPONSIBILITY OF THE DRAINAGE EASEMENTS IS VESTED IN

JURISDICTION FOR REVIEW AND APPROVAL. DEVELOPMENT PERMITS AND ALL OTHER APPLICABLE PERMITS SHALL BE OBTAINED FROM FORT BEND COUNTY PRIOR TO BEGINNING

CENTRAL ZONE NO. 4204 STATE PLANE GRID COORDINATES (NAD83) AND MAY BE BROUGHT

12. THIS PLAT LIES WITHIN FORT BEND COUNTY LIGHTING ORDINANCE ZONE NO. 3.

TO SURFACE BY APPLYING THE FOLLOWING COMBINED SCALE 0.999877178

NOT RECORDED IN THE REAL PROPERTY RECORDS OF THE COUNTY OF FORT BEND.

CONSOLIDATED INDEPENDENT SCHOOL DISTRICT, FORT BEND COUNTY ESD 4, FORT BEND

FLOOD INSURANCE RATE MAP (FIRM) NOS. 48157C0085M, WITH REVISED DATES OF JANUARY 29, 2021, THE SUBJECT TRACT LIES WITHIN ZONE X (UNSHADED), AND ZONE AE DESCRIBED AS 0.2% ANNUAL CHANCE FLOOD HAZARD, AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTH LESS THAN ONE FOOT OR WITH DRAINAGE AREAS OF LESS THAN ONE SQUARE MILE AND ZONE AE (SHADED BLUE), DESCRIBED AS SPECIAL FLOOD HAZARD AREAS, WITH BFE OR DEPTH. LJA DOES NOT WARRANT NOR SUBSCRIBE TO THE

+/- 55 FEET EAST OF THE EASTERN EDGE OF PAVEMENT LINE OF FM 1463.

2. ELEVATIONS FOR DELINEATING CONTOUR LINES ARE BASED UPON NAVD-88.

CAD 7, THE ETJ OF THE CITY OF FULSHEAR AND FORT BEND COUNTY.

ELEV. = 136.60 FEET NAVD88 (2001) FBC LIDAR DATUM

ACCURACY OR SCALE OF SAID MAPS.

OTHERWISE NOTED.


CONSTRUCTION.


OPERATIONS ALONG BESSIE'S CREEK.

DRAINAGE RESTRAINT, WHICHEVER IS HIGHER.

FORT BEND COUNTY MUNICIPAL UTILITY DISTRICT NO. 216.

STREET PONDING DURING INTENSE RAINFALL EVENTS.





KEY MAP NO. 522J

CURVE TABLE

LINE TABLE								
LINE	BEARING	DISTANC						
L1	N 50°52'38" E	135.03'						
L2	N 08°41'12" E	46.05						
L3	N 53°04'25" E	95.44						
L4	N 86°09'26" E	42.20'						
L5	N 28°23'21" E	68.51'						
L6	N 77°46'49" E	47.21						
L7	N 33°30'44" E	89.56						
L8	N 89°28'02" E	68.53'						
L9	N 69°20'00" E	19.37						
L10	N 07°17'04" E	94.62						
L11	N 01°42'10" E	48.77						
L12	N 11°06'37" E	165.29						
L13	N 09°18'49" W	165.55						
L14	N 60°29'34" E	79.44						
L15	N 15°29'34" E	21.21						
L16	N 29°30'26" W	110.00'						
L17	N 60°29'34" E	13.28'						
L18	S 16°43'14" W	75.11						
L19	S 31°02'10" E	125.31						
L20	S 61°50'48" W	61.55						
L21	S 50°36'29" W	142.73						
L22	N 41°51'42" W	17.15						
L23	S 70°24'49" W	61.95'						
L24	N 63°22'25" W	41.53'						
L25	N 63°01'50" W	22.19'						
L26	N 85°24'29" W	17.81'						
L27	N 28°58'56" W	96.00'						
L28	S 85°42'34" W	15.85'						
L29	N 32°34'45" W	45.70'						
		I .						

L30 N 44°44'13" W 169.41'

ANCE	CURVE	RADIUS	DELTA	ARC	CHORD BEARING	CHORD
5.03'	C1	325.00'	37°24'18"	212.17	N 79°11'43" E	208.43
.05'	C2	30.00'	92°19'19"	48.34'	S 35°56'28" E	43.28'
.44'	С3	3,330.00'	6°30'02"	377.81'	S 13°28'13" W	377.60'
.20'	C4	750.00'	47°45'23"	625.13'	S 07°09'28" E	607.19
.51'						
.21'						
.56'						
.53'						
.37'						
.62'						
.77'						
5.29'						
5.55'						
.44'						
.21'						

## FULSHEAR LAKES RECREATION CENTER

THE JOHN RANDON LEAGUE, ABSTRACT 76, CITY OF FULSHEAR ETJ, FORT BEND COUNTY, TEXAS.

0 LOTS 1 RESERVE (9.506 ACRES) 1 BLOCK

JOB NO. 2493-0140.310

OWNER:

FULSHEAR LAKES, LTD.

A TEXAS LIMITED PARTNERSHIP BY: FULSHEAR LAKES GP, LLC A TEXAS LIMITED LIABILITY COMPANY

PH. (713) 783-0308

ITS GENERAL PARTNER SAMUEL H. YAGER III, VICE PRESIDENT 1500 CITYWEST BOULEVARD, SUITE 400, HOUSTON, TEXAS 77042

SURVEYOR:

LJA Surveying, Inc. 3600 W Sam Houston Parkway S Suite 175

**ENGINEER:** 

LJA Engineering, Inc. 3600 W Sam Houston Parkway S Suite 600

Houston, Texas 77042

Phone 713.953.5200 Fax 713.953.5026

Phone 713.953.5200 Fax 713.953.5026 T.B.P.E.L.S. Firm No. 10194382 Houston, Texas 77042

FRN - F-1386

SHEET 2 OF 2

# FINAL PLAT OF

A SUBDIVISION OF 9.506 ACRES OF LAND SITUATED IN

JANUARY 29, 2025