

PLAT RECORDING SHEET

PLAT NAME: Brookewater Detention Pond No. Four and Five

PLAT NO: _____

ACREAGE: 19.97

LEAGUE: A.Vallet Survey, Section 6 & D. Braswell Survey, Sec 6

ABSTRACT NUMBER: 535 & 612

NUMBER OF BLOCKS: 1

NUMBER OF LOTS: 0

NUMBER OF RESERVES: 1

OWNERS: Spur Brookewater Development, L.P.,

(DEPUTY CLERK)

STATE OF TEXAS §
COUNTY OF FORT BEND §

We, SPUR BROOKEWATER DEVELOPMENT, L.P., a Delaware limited partnership, acting by and through Brian Stidham, Authorized Signatory of SPUR BROOKEWATER DEVELOPMENT GP, L.L.C., a Delaware limited liability company, General Partner of SPUR BROOKEWATER DEVELOPMENT, L.P., a Delaware limited partnership, owner (or owners) hereinafter referred to as Owners (whether one or more) of the 19.97 acre tract described in the above and foregoing map of Brookewater Detention Pond No. Four and Five, do hereby make and establish said subdivision and development plot of said property according to all lines, dedications, restrictions, and notations on said maps or plat and hereby dedicate to the use of the public forever, all streets (except those streets designated as private streets), alleys, parks, water courses, drains, easements and public places shown thereon for the purposes and considerations therein expressed; and do hereby bind ourselves, our heirs, successors and assigns to warrant and forever defend the title on the land so dedicated.

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purpose forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional eleven feet, six inches (11' 6") for ten feet (10' 0") perimeter ground easements or seven feet, six inches (7' 6") for fourteen feet (14' 0") perimeter ground easements or five feet, six inches (5' 6") for sixteen feet (16' 0") perimeter ground easements, from a plane sixteen feet (16' 0") above the ground level upward, located adjacent to and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals twenty one feet, six inches (21' 6") in width.

FURTHER, We have dedicated and by these presents do dedicate to the use of the public for public utility purposes forever unobstructed aerial easements. The aerial easements shall extend horizontally an additional ten feet (10' 0") for ten feet (10' 0") back-to-back ground easements or eight feet (8' 0") for fourteen feet (14' 0") back-to-back ground easements or seven feet (7' 0") for sixteen feet (16' 0") back-to-back ground easements, from a plane sixteen feet (16' 0") above ground level upward, located adjacent to both sides and adjoining said public utility easements that are designated with aerial easements (U.E. & A.E.) as indicated and depicted hereon, whereby the aerial easement totals thirty feet (30' 0") in width.

FURTHER, We do hereby declare that all parcels of land designated as lots on this plat are intended for the construction of single family residential dwelling units thereon (or the placement of mobile homes) and shall be restricted for same under the terms and conditions of such restrictions filed separately.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this plat shall be restricted to prevent the drainage of any septic tanks into any public or private street, road or alley or any drainage ditch, either directly or indirectly.

FURTHER, We do hereby dedicate to the public a strip of land twenty (20) feet wide on each side of the center line of any and all bayous, creeks, gullies, ravines, draws, and drainage ditches located in said subdivision, as easements for drainage purposes. Fort Bend County or any other governmental agency shall have the right to enter upon said easement at any and all times for the purpose of construction and maintenance of drainage facilities and structures.

FURTHER, We do hereby covenant and agree that all of the property within the boundaries of this subdivision and adjacent to any drainage easement, ditch, gully, creek or natural drainage way shall hereby be restricted to keep such drainage ways and easements clear of fences, buildings, excessive vegetation and other obstructions to the operations and maintenance of the drainage facility and that such abutting property shall not be permitted to drain directly into this easement except by means of an approved drainage structure.

FURTHER, We do hereby certify that I am (or we are) the owner(s) of all property immediately adjacent to the boundaries of the above and foregoing subdivision of Brookewater Detention Pond No. Four and Five where building setback lines or public utility easements are to be established outside the boundaries of the above and foregoing subdivision and do hereby make and establish all building setback lines and dedicate to the use of the public, all public utility easements shown in said adjacent acreage.

FURTHER, We do hereby acknowledge the receipt of the "Orders of Regulation of Outdoor Lighting in the Unincorporated Areas of Fort Bend County, Texas", and do hereby covenant and agree and shall comply with this order as adopted by Fort Bend County Commissioners Court on March 23, 2004, and any subsequent amendments.

IN TESTIMONY WHEREOF, the SPUR BROOKEWATER DEVELOPMENT, L.P., a Delaware limited partnership, acting by and through Brian Stidham, Authorized Signatory of SPUR BROOKEWATER DEVELOPMENT GP, L.L.C., a Delaware limited liability company, General Partner of SPUR BROOKEWATER DEVELOPMENT, L.P., a Delaware limited partnership,

a Delaware limited partnership, thereunto authorized, this ___ day of _____, 20__.

OWNER

SPUR BROOKEWATER DEVELOPMENT, L.P., a Delaware limited partnership

By: SPUR BROOKEWATER DEVELOPMENT GP, L.L.C., a Delaware limited liability company, its general partner

By: Brian Stidham, Authorized Signatory

STATE OF TEXAS §
COUNTY OF _____ §

BEFORE ME, the undersigned authority, on this day personally appeared Brian Stidham, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that they executed the same for the purposes and considerations therein expressed and in the capacity therein and herein stated, and as the act and deed of said corporation.

GIVEN UNDER MY HAND AND SEAL OF OFFICE, this ___ day of _____, 20__.

Notary Public in and for the State of Texas
My Commission expires: _____

This is to certify that the City Planning Commission of the City of Rosenberg, Texas, has approved this plat and subdivision of Brookewater Detention Pond No. Four and Five in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as shown hereon and authorized the recording of this plat this _____ day of _____, 20__.

By: Wayne Poldrack, Chairperson; Cecilio Moreno, Secretary

This is to certify that the City Council of the City of Rosenberg, Texas, has approved this plat and subdivision of Brookewater Detention Pond No. Four and Five in conformance with the laws of the State of Texas and the ordinances of the City of Rosenberg as shown hereon and authorized the recording of this plat this _____ day of _____, 20__.

By: William Benton, Mayor; Danyel Swint, City Secretary

I, Kevin M. Reidy, am registered under the laws of the State of Texas to practice the profession of surveying and hereby certify that the above subdivision is true and accurate; was prepared from an actual survey of the property made under my supervision on the ground; that, except as shown all boundary corners, angle points, points of curvature and other points of reference have been marked with iron (or other objects of a permanent nature) pipes or rods having an outside diameter of not less than five eighths (5/8) inch and a length of not less than three (3) feet; and that the plot boundary corners have been tied to the Texas Coordinate System of 1983, South Central Zone.

Kevin M. Reidy, Registered Professional Land Surveyor Texas Registration No. 6450

I, Cameron Jackson, P.E., a professional engineer registered in the state of Texas do hereby certify that this plat meets all requirements of Fort Bend County to the best of my knowledge.

Cameron Jackson, P.E. Licensed Professional Engineer Texas License No. 129617

GENERAL NOTES:

- 1. B.L. indicates Building Line
ESMT indicates Easement
ETJ indicates Extraterritorial Jurisdiction
(F) indicates Found 5/8" iron rod with cap stamped "E.H.R.A. 713-784-4500"
F.B.C.C.F. NO. indicates Fort Bend County Clerk's File
F.B.C.D.R. indicates Fort Bend County Deed Records
F.B.C.P.R. indicates Fort Bend County Plat Records
H.O.A. indicates Home Owner's Association
M.U.D. indicates Municipal Utility District
P.O. indicates Pole Pole
P.O.B. indicates Point of Beginning
P.O.C. indicates Point of Commencing
P.U.E. indicates Public Utility Easement
R= indicates Radius
R.O.W. indicates Right-Of-Way
S.S.E. indicates Sanitary Sewer Easement
Sq. Ft. indicates Square Feet
U.E. indicates Utility Easement
Vol. indicates Volume
W.L.E. indicates Water Line Easement
A.E. indicates Aerial Easement
(F) indicates Found iron rod with cap stamped "E.H.R.A. 713-784-4500"
2. Benchmark: AN NGS MONUMENT HGCSD 68, PID AWS544, BEING A STAINLESS STEEL ROD STAMPED "HGCSD 68 1986" ENCASED IN A 1-INCH PVC SLEEVE, RECESSED 8 CM BELOW THE GROUND SURFACE. FROM THE INTERSECTION OF FM ROAD 360 AND US HIGHWAY 59, GO 0.8 MILES NORTHEAST ON US HIGHWAY 59 BUSINESS ROUTE TO THE JUNCTION OF FM 1875 ON THE LEFT, AND CONTINUE ALONG US HIGHWAY 59 FOR 1.05 MILES TO THE BEASLEY POST OFFICE ON THE RIGHT. THE STATION IS LOCATED 69.5 FEET SOUTH OF THE WEST CORNER OF THE POST OFFICE, 64.0 FEET WEST OF THE SOUTH CORNER OF THE POST OFFICE, 54.0 FEET NORTHEAST OF THE CENTER OF A NORTHWEST-SOUTHWEST SIDE STREET, AND 3.5 FEET SOUTHWEST OF THE SOUTHWEST CURB OF THE POST OFFICE PARKING LOT. ELEVATION = 105.92' (NAVD 1988)(GEOID 18)
NAVD--88
Elev. = 105.92' feet
3. Project Benchmark
- 2-1/2" Brass Disc set in concrete, stamped "450" located approximately 2,600 feet southeast of the southeasterly R.O.W. line of US Highway 59, 3,240 feet southeast of the centerline of Finney Vallet Road, and 8,860 feet northwest of the northwesterly R.O.W. line of Zunker Road. (Shown hereon)
- X = 2,957,540.14
- Y = 13,744,245.42
- Elev. = 106.60' (NAVD88)
4. Elevations used for delineating contour lines are based upon NAVD--88.
5. This plat was prepared to meet City of Rosenberg and Fort Bend County requirements.
6. This plat was prepared from information furnished by Charter Title Company, G.F. No. CPL1076552100357/Detention Pond 4&5, effective date February 23, 2026. The surveyor has not abstracted the above property.
7. This plat lies wholly within Fort Bend County Municipal Utility District No. 253, Fort Bend Subsidence District, Fort Bend County Drainage District, Lamar Consolidated I.S.D., and the ETJ of the City of Rosenberg, Fort Bend County, Fort Bend ESD8, and West Fort Bend Management District.
8. "Brookewater Detention Pond No. Four and Five" lies within Unshaded Zone "X" as per Flood Insurance Rate Map, Map Number 4815700225L, dated 04/02/2014 and 4815700375M, dated 12/21/2017.
9. Approval of this plat will expire one year from City Council approval if not recorded in the Real Property Records of the County of Fort Bend.
10. The Fort Bend County Municipal Utility District No. 253 will have the maintenance responsibility for Reserve A.
11. According to the City Planning Letter dated February 23, 2026, issued by Charter Title Company there are no pipeline easements within the subdivision.
12. Five-eighths inch (5/8") iron rods three feet (3') in length shall be on all perimeter boundary corners, all angle points, all points of curvature and tangency, and all block corners, unless otherwise noted.
13. The drainage system for this subdivision shall be designed to meet the requirements of the Fort Bend County Drainage Criteria Manual which allows street ponding during intense rainfall events.
14. This plat lies within Fort Bend County Lighting Ordinance Zone No. L22.
15. The coordinates shown hereon are tied to the Texas Coordinate System, South Central Zone (Grid NAD 83) and may be brought to surface by applying the following combine scale factor of 1.000132990813
16. One-foot reserve dedicated to the public in fee as a buffer separation between the side and end of streets where such streets abut adjacent property. The condition of such dedication being that when the adjacent property is subdivided or re-subdivided in a recorded plat, the one-foot reserve shall thereupon become vested in the public for street right-of-way purposes and the fee title thereto shall revert to and rest in the dedicator, his heirs, assigns or successors.
17. Sidewalks shall be built or caused to be built through restrictive covenants within all road rights-of-way dedicated to the public.
18. This subdivision shall comply with City of Rosenberg Resolution No. R-3266, the Development Agreement approved on April 19, 2022. Furthermore, this subdivision substantially adheres to the Developers Park Plan as shown on Exhibit "F" of the Developer Agreement and therefore this subdivision complies with the park dedication requirements of the Developer Agreement.
19. The square footage totals as shown hereon are based on the mathematical closure of the courses and distances reflected on this plat. It does not include the tolerances that may be present due to the positional accuracy of the boundary monumentation.
20. No owner of the land subject to an easement may place, build or construct any permanent building, structure or obstruction of any kind over, under or upon the easement dedicated hereby, provided that such owner may cross and cover the easements adjacent to and adjoining the road, in a near perpendicular fashion, with a paved driveway not to exceed eighteen feet (18') in width, under the following conditions. The driveway shall be jointed at the boundary line of the easement to limit the amount of paving that must be removed to provide access, and there shall be no obligation of the city nor CenterPoint Energy to replace/repair any paving removed in the exercise of this easement.
21. All drainage easements shall be kept clear of fences, buildings, vegetation, and other obstructions for the purpose of operation and maintenance of the drainage facility by the appropriate entity.
22. All property to drain into drainage easement only through an approved drainage structure.
23. All lots shall have a minimum of five (5) foot side building line.
24. All easements are centered on lot lines unless otherwise indicated.
25. Site plans shall be submitted to Fort Bend County, and any other applicable jurisdiction for review and approval to obtain a Development Permit, Development Permits and all other applicable permits shall be obtained from Fort Bend County prior to beginning construction.
26. Sidewalks shall be built or caused to be built not less than 5 feet in width on both sides of all dedicated rights-of-way within said plat and on the contiguous right-of-way of all perimeter roads surrounding said plat, in accordance with A.D.A
27. Property is subject to Declaration of Covenants, Conditions, and Restrictions for Brookewater as recorded under County Clerk's File No. 2023099915 and as amended under County Clerk's File No. 2023104276 of the Official Public Records of Fort Bend County, Texas.
28. A minimum distance of 10 feet shall be maintained between residential dwellings.
29. F.B.C.C.F. NO. 2022107317 affects subject tract, however Drill Sites #1 and #2 shown in document do not lie within plot boundary.
30. Lot sizes shall comply with the City of Rosenberg Resolution No. R-3629, the Development Agreement, approved on March 19, 2024. Furthermore lot sizes shall adhere to the maximum required number of units provided in the Lot Size Data Table upon the submission of the final plat for the Brookewater project.
31. This plat is subject to a CenterPoint Energy Houston Electric Company, LLC, blanket easement recorded under F.B.C.C.F. No. 2023110129.
32. Subject to Water Facilities Easement Agreement, as recorded under F.B.C.C.F. No. 2023040122.

METES AND BOUNDS DESCRIPTION
BEING 19.97 ACRES
IN THE A. VALLET SURVEY, SECTION 6, ABSTRACT NO. 535
AND THE D. BRASWELL SURVEY, SECTION 6, ABSTRACT NO. 612,
FORT BEND COUNTY, TEXAS.


A 19.97 ACRE TRACT OF LAND IN THE A. VALLET SURVEY, SECTION 6, ABSTRACT NO. 535 AND THE D. BRASWELL SURVEY, SECTION 6, ABSTRACT NO. 612, FORT BEND COUNTY, TEXAS, BEING OUT OF AND A PART OF THAT CERTAIN TRACT OF LAND CONVEYED TO SPUR BROOKEWATER LAND, L.P. (SPUR BROOKEWATER TRACT) AS DESCRIBED BY DOCUMENT RECORDED UNDER FORT BEND COUNTY CLERK'S FILE NUMBER (F.B.C.C.F. NO.) 2025031437, THE SAID 19.97 ACRE TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS (WITH BEARINGS BASED ON TEXAS COORDINATE SYSTEM OF 1983, SOUTH CENTRAL ZONE, AS DETERMINED BY GPS MEASUREMENTS):

BEGINNING at a 5/8-inch capped iron rod stamped "E.H.R.A. 713-784-4500" found marking the south corner of Restricted Reserve "A", Block 1 of Brookewater Detention Pond No. Six, map or plat thereof recorded under file number 20230196 of the Fort Bend County Plat Records;

THENCE, North 42°06'34" East, along the southeast line of said Restricted Reserve "A" a distance of 300.00 feet to a 5/8-inch capped iron rod stamped "E.H.R.A. 713-784-4500" found marking the easterly most corner of said Restricted Reserve "A" and the north corner of the herein described tract;

THENCE over and across said Spur Brookewater Tract, the following forty-one (41) courses and distances:

- 1.South 47°53'26" East, a distance of 477.93 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
2.South 32°25'44" East, a distance of 61.74 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the beginning of a non-tangent curve to the left and the east corner of the herein described tract;
3.In a southwesterly direction, along said non-tangent curve to the left, having a radius of 345.00 feet, a central angle of 42°38'12" (chord bears South 38°27'22" West, 250.85 feet), and an arc distance of 256.73 feet, to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
4.South 69°04'02" West, a distance of 176.54 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an interior angle of the therein described tract;
5.South 42°02'53" West, a distance of 471.38 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
6.South 43°50'04" West, a distance of 64.16 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
7.South 42°02'53" West, a distance of 503.87 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
8.South 42°18'37" West, a distance of 51.38 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
9.South 46°05'05" West, a distance of 50.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
10.South 50°55'50" West, a distance of 50.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
11.South 55°46'36" West, a distance of 50.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
12.South 60°37'21" West, a distance of 50.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
13.South 65°28'07" West, a distance of 50.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
14.South 70°18'52" West, a distance of 50.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
15.South 74°54'50" West, a distance of 50.38 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
16.South 80°36'17" West, a distance of 47.99 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an interior angle of the herein described tract;
17.South 34°31'11" West, a distance of 19.78 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an interior angle of the herein described tract;
18.South 14°14'07" East, a distance of 118.14 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an exterior angle of the herein described tract;
19.South 83°16'30" West, a distance of 82.34 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the beginning of a tangent curve to the left;
20.In a southwesterly direction, along said tangent curve to the left, having a radius of 500.00 feet, a central angle of 07°31'11" South, 65.49 feet), and an arc distance of 65.54 feet, to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the point of tangency;
21.South 75°45'53" West, a distance of 197.66 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the beginning of a tangent curve to the right;
22.In a northwesterly direction, along said tangent curve to the right, having a radius of 30.00 feet, a central angle of 92°51'33" (chord bears North 57°48'21" West, 43.47 feet), and an arc distance of 48.62 feet, to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the point of compound curvature;
23.In a northwesterly direction, along said compound curve to the right, having a radius of 1,700.00 feet, a central angle of 13°10'06" (chord bears North 04°47'31" West, 389.85 feet), and an arc distance of 390.71 feet, to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the point of tangency;
24.North 01°47'32" East, a distance of 18.64 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the beginning of a tangent curve to the right;
25.In a northeasterly direction, along said tangent curve to the right, having a radius of 25.00 feet, a central angle of 53°38'16" (chord bears North 28°36'40" East, 22.56 feet), and an arc distance of 23.40 feet, to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for the point of reverse curvature;
26.In a northeasterly direction, along said reverse curve to the right, having a radius of 101.50 feet, a central angle of 18°12'43" (chord bears North 46°19'27" East, 32.13 feet), and an arc distance of 32.28 feet, to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an exterior angle of the herein described tract;
27.North 79°44'43" East, a distance of 241.56 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
28.North 67°35'16" East, a distance of 132.44 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
29.North 61°20'04" East, a distance of 114.66 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
30.North 56°01'18" East, a distance of 79.75 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
31.North 51°56'13" East, a distance of 79.72 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
32.North 47°33'40" East, a distance of 79.80 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
33.North 43°16'31" East, a distance of 79.97 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
34.North 38°58'39" East, a distance of 80.24 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
35.North 32°58'39" East, a distance of 79.93 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
36.North 28°01'55" East, a distance of 210.06 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
37.North 30°53'15" East, a distance of 138.22 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
38.North 36°52'23" East, a distance of 137.73 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
39.North 39°39'11" East, a distance of 144.57 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set for an angle of the herein described tract;
40.North 01°46'01" West, a distance of 142.92 feet to a capped 5/8-inch iron rod stamped "E.H.R.A. 713-784-4500" set on the southwesterly line of said Restricted Reserve "A".
41.South 47°53'26" East, along the southwesterly line common with a northeasterly line of the herein described tract, a distance of 41.06 feet to the POINT OF BEGINNING and containing 19.97 acres of land.



I, J. Stacy Slawinski, P.E., Fort Bend County Engineer, do hereby certify that this plat of this subdivision complies with all of the existing rules and regulations of the office as adopted by the Fort Bend County Commissioners' Court. However, no certification is hereby given as to the effect of drainage from this subdivision on the intercepting drainage artery or parent stream or on any other area or subdivision within the watershed.

J. Stacy Slawinski, P.E. Fort Bend County Engineer

Approved by the Commissioners' Court of Fort Bend County, Texas, this ___ day of _____, 20__.

Vincent M. Morales, Jr. Commissioner, Precinct 1; Grady Prestage Commissioner, Precinct 2

Daniel Wong County Judge

W.A. "Andy" Meyers Commissioner, Precinct 3; Dexter L. McCoy Commissioner, Precinct 4

I, Laura Richard, County Clerk in and for Fort Bend County, hereby certify that the foregoing instrument with its certificate of authentication was filed for recordation in my office on _____, 20__, at _____ o'clock M. Filed in plat number(s) _____ of the plat records of Fort Bend County, Texas.

Witness my hand and seal of office, at Richmond, Texas, the day and date last above written.

Laura Richard, County Clerk Fort Bend County, Texas

By: Deputy

BROOKEWATER DETENTION POND NO. FOUR AND FIVE

BEING A SUBDIVISION OF 19.97 ACRES OUT OF THE A. VALLET SURVEY, SEC 6, ABSTRACT NO. 535 & D. BRASWELL SURVEY, SEC 6, ABSTRACT NO. 612 IN FORT BEND COUNTY, TEXAS.

1 BLOCK 1 RESERVE

OWNER

SPUR BROOKEWATER DEVELOPMENT, L.P., A DELAWARE LIMITED PARTNERSHIP 2450 FONDREN ROAD, SUITE 210 HOUSTON, TX 77063 713-783-6702

FEBRUARY 17, 2026



10011 MEADOWGLEN LN HOUSTON, TEXAS 77042 713-784-4500 WWW.EHRA.TEAM TBPE No. F-726 TBPLS No. 10092300

