

**Fort Bend County Tabulation
Bid 10-058
Term Contract for Purchase and Hauling of Earthen Type Road Materials**

Term: April 1, 2010 through March 31, 2011

Recommendation: Award to all bidders meeting specifications

Asphalt Stabilized Base, THD #292, Black Base without RAP, Price Per Ton								
Lawson 6712-material Lawson 6713-laydown	American Materials	Century Asphalt	Cherry Crushed Concrete	Durwood Greene	Martin Marietta Materials	Silva	Tarmac Materials	Vulcan Materials
Plant	42.00	38.90					37.95	
Plant		38.90						
Plant		39.90						
Plant to Jobsite-1st mile	2.50	2.25					2.45	
Each add'l mile	0.15	0.14					0.15	
Laydown		No Bid		15.00		15.00		
Plant Location	Mo City	Katy, Rosenberg, Arcola					Rosenberg	
Minimum				500 tons		800 tons		

Asphalt Stabilized Base, THD #292, Black Base with RAP, Price Per Ton								
Lawson 6714-material Lawson 6715-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant	38.00	35.90					30.95	
Plant		35.90						
Plant		37.90						
Plant to Jobsite-1st mile	2.50	2.25					2.45	
Each add'l mile	0.15	0.14					0.15	
Laydown		No Bid		15.00		15.00		
Plant Location	Mo City	Katy, Rosenberg, Arcola					Rosenberg	
Minimum				500 tons		800 tons		

Cement Stabilized Sand, THD & PT #400.5 Portland Cement, Type I, 1-1/2 sack, Price Per Ton								
Lawson 6716-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown								
Plant Location								
Per 1/2 sack cement								

Cement Stabilized Sand, THD & PT #400.5 Portland Cement, Type I, 2 sack minimum, Price Per Ton								
Lawson 6717-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown								
Plant Location								
Per 1/2 sack cement								

Drystone Coverstone (lightweight), THD #303 - Grade 3 mod, Price Per Yard								
Lawson 6719-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown						25.00		
Plant Location								
Minimum						300 yards		

Drystone Coverstone (lightweight), THD #303 - Grade 4 & 5 mod, Price Per Yard								
Lawson 6721-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown						25.00		
Plant Location								
Minimum						300 yards		

Flexible Base, THD #247, Type A, Grade "2, Price Per Ton								
Lawson 6722-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant					16.25			16.19
Plant to Jobsite-1st mile					1.95			3.19
Each add'l mile					0.15			0.19
Laydown					No bid	40.00		No bid
Plant Location					Rosenberg			Rosenberg
Minimum						500 tons		

Flexible Base, THD #247, Type A, Grade "2" w/ 5% Cement, Pugmill Mixed, Price Per Ton								
Lawson 6724-material Lawson 6725-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								28.35
Plant to Jobsite-1st mile								3.19
Each add'l mile								0.19
Laydown						40.00		No bid
Plant Location								Houston
Minimum						500 tons		

Flexible Base, THD #247, Type B, Grade "2", Price Per Ton								
Lawson 6726-material Lawson 6727-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								16.19
Plant to Jobsite-1st mile								3.19
Each add'l mile								0.19
Laydown						40.00		No bid
Plant Location								Rosenberg
Minimum						500 tons		

Flexible Base, must be free of foreign materils (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete, Price Per Ton								
Lawson 6728-material Lawson 6729-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant	11.35		10.45					
Plant to Jobsite-1st mile	2.50		1.50					
Each add'l mile	0.15		0.19					
Laydown	No bid		No bid			40.00		
Plant Location	Mo City		Fresno					
Minimum						500 tons		

Flexible Base, must be free of foreign materials (asphalt, base, dirt, wire or any uncommon items), Type "A", Grade "1", Crushed Concrete with 3% cement added, Price Per Ton								
Lawson 6730-material Lawson 6731-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant			16.00					
Plant to Jobsite-1st mile			1.50					
Each add'l mile			0.10					
Laydown			No bid			40.00		
Plant Location			Fresno					
Minimum						500 tons		

Gravel, River Washed, 5/8" Diameter Maximum, Price Per Yard								
	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant					14.75			13.90
Plant to Jobsite-1st mile					1.95			3.19
Each add'l mile					0.15			0.19
Plant Location					Garwood			Wallis

Gravel, River Unwashed, 5/8" Diameter Maximum, Price Per Yard								
Lawson 6732-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant					14.75			11.10
Plant to Jobsite-1st mile					1.95			3.19
Each add'l mile					0.15			0.19
Plant Location					Garwood			Wallis

Hot Mix Asphaltic Concrete Pavement, THD #340, Type D without RAP, Price Per Ton								
Lawson 6733-material Lawson 6734-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant	46.00	42.90					38.95	
Plant		42.90						
Plant		43.90						
Plant to Jobsite-1st mile	2.50	2.25					2.45	
Each add'l mile	0.15	0.14					0.15	
Laydown	No bid	No bid		15.00		15.00		
Plant Location	Mo City	Katy, Rosenberg, Arcola					Rosenberg	
Minimum				500 tons		800 tons		

Hot Mix Asphaltic Concrete Pavement, THD #340, Type D with RAP, Price Per Ton								
Lawson 6735-material Lawson 6736-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant	41.00	39.90					35.95	
Plant		39.90						
Plant		40.90						
Plant to Jobsite-1st mile	2.50	2.25					2.45	
Each add'l mile	0.15	0.14					0.15	
Laydown	No bid	No bid		15.00		15.00		
Plant Location	Mo City	Katy, Rosenberg, Arcola					Rosenberg	
Minimum				500 tons		800 tons		

Hot Mix-Cold Laid, Asphaltic Concrete Pavement, Type D, THD #350, Price Per Ton								
Lawson 6737-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant							62.00	
Plant to Jobsite-1st mile							2.45	
Each add'l mile							0.15	
Laydown								
Plant Location							Rosenberg	
Minimum								

Limestone Base Material "Georgetown Variety", Price Per Ton								
Lawson 6739-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								16.19
Plant to Jobsite-1st mile								3.19
Each add'l mile								0.19
Laydown						40.00		No bid
Plant Location								Rosenberg
Minimum						500 tons		

Precoated Coverstone, PB-3, Price Per Ton								
Lawson 6741-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant		34.90					31.25	
Plant		36.90						
Plant		35.75						
Plant to Jobsite-1st mile		2.00					2.45	
Each add'l mile		0.10					0.15	
Laydown		No bid				25.00		
Plant Location		Katy, Rosenberg, Arcola					Rosenberg	
Minimum						500 tons		

Precoated Coverstone, PB-4 & PB-5, Price Per Ton								
Lawson 6743-material Lawson 6744-laydown	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant		34.90					31.25	
Plant		36.90						
Plant		35.75						
Plant to Jobsite-1st mile		2.00					2.45	
Each add'l mile		0.10					0.15	
Laydown		No bid				25.00		
Plant Location		Katy, Rosenberg, Arcola					Rosenberg	
Minimum						500 tons		

Recycled Asphalt, Screened, 3" Diameter Maximum, Price Per Ton								
	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown								
Plant Location								
Minimum								

Type A Hydrated Lime, THD #264, 90.0% Ca(OH) 2 Min., Delivered in Closed Tankers, Price Per Ton								
	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Delivered and applied								

Pulverizing Existing Asphalt and/or Base Road , Price Per Foot								
Lawson number beside each item	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Up to 2" Depth 6745				1.50		1.25		
Up to 4" Depth 6746				2.50		2.25		
Up to 6" Depth 6747				3.50		3.25		
Up to 8" Depth 6748				4.50		4.25		
Up to 10" Depth 6749				5.50		5.25		
Up to 12" Depth 6750				6.50		6.25		
Up to 14" Depth 6751				7.50		7.25		
Pulverizing existing 6752				4.00		3.75		
Transported by FBC 6753				100.00				
Transported by Contractors vehicles 6754				50.00				

Field Sand, Price Per Ton								
Lawson 6755-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								3.50
Plant to Jobsite-1st mile								3.19
Each add'l mile								0.19
Plant Location								Wallis

Fly Ash, Price Per Ton								
Lawson 6756-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Plant Location								
Installation								
Minimum								

Asphaltic Surface Treatment Aggregate-Expanded Clay:Size 3, Price Per Yard								
	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown								
Plant Location								
Per 1/2 sack cement								

Texas QPR 2000 Cold Mix, Price Per Ton								
Lawson 6757-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant		83.40						
Delivered to jobsite								
Plant to Jobsite-1st mile		2.00						
Each add'l mile		0.10						
Laydown		No bid						
Plant Location		Houston						
Brand		UPM						

Lime and Lime Slurry - #264, Price Per Ton								
	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Laydown								
Plant Location								
% dry solid								

Fly Ash Stabilized Road Mix 50/50, Price Per Ton								
Lawson 6758-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								
Plant to Jobsite-1st mile								
Each add'l mile								
Plant Location								
Installation								
Minimum								

Asphalt Aggregate, limestone Type D, 7/16" by #4 Graduation, Price Per Ton								
Lawson 6759-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant					25.00			21.50
Plant to Jobsite-1st mile					1.95			3.19
Each add'l mile					0.15			0.19
Plant Location					Rosenberg			Rosenberg
Installation					No bid			

Type C, Hot Mix Asphaltic Concrete Pavement: THD #341, Class A Aggregates with PG7622 Oil, Price Per Ton								
Lawson 6760-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Lawson 6761-laydown								
Plant	57.00	57.00					55.00	
Plant		57.00						
Plant to Jobsite-1st mile	2.50	2.25					2.45	
Each add'l mile	0.15	0.14					0.15	
Laydown	No bid	No bid		15.00		15.00	Rosenberg	
Plant Location	Mo City	Rosenberg Arcola						
Minimum				500 tons		800 tons		

623 Traprock, Grade 3, THD #302, Price Per Ton								
Lawson 6762-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								46.50
Plant to Jobsite-1st mile								3.19
Each add'l mile								0.19
Laydown								Rosenberg
Plant Location								
Minimum								

623 Traprock, Grade 5, THD #302, Price Per Ton								
Lawson 6763-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant								46.50
Plant to Jobsite-1st mile								3.19
Each add'l mile								0.19
Laydown								Rosenberg
Plant Location								
Minimum								

Bullrock, 3" x 5", Price Per Ton								
Lawson 6764-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant	16.00		15.00		25.00			27.00
Plant to Jobsite-1st mile	2.50		1.50		1.95			3.19
Each add'l mile	0.20		0.19		0.15			0.19
Laydown	No bid		No bid		No bid			No bid
Plant Location	Mo City		Fresno		Rosenberg			Rosenberg
Minimum								

Rip Rap, Grade 1, 12" to 18", Price Per Ton								
Lawson 6765-material	American Materials	Century Asphalt	Cherry Crushed	Durwood Greene	Martin Marietta	Silva	Tarmac Materials	Vulcan Materials
Plant			21.00		45.00			39.50
Plant to Jobsite-1st mile			1.50		1.95			3.19
Each add'l mile			0.29		0.15			0.19
Laydown			No bid		No bid			No bid
Plant Location			Fresno		Rosenberg			Rosenberg
Minimum								