REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

<u>TIO</u> N
•
S,
and
oners
1
ounty,
rnon's
nded
nat said
b site
as not
ıs not
as not ourt
ourt
ourt
ourt
, cr

PERFORMANCE BOND COVERING ALL CABLE, CONDUIT AND/OR POLE LINE ACTIVITY IN, UNDER, ACROSS OR ALONG FORT BEND COUNTY ROADS

AUTHORIZED

BOND I	NO 83B108024
THE STATE OF TEXAS	§ KNOW ALL MEN BY THESE PRESENTS:
COUNTY OF FORT BEND	§
and Liberty Mutual Insurance Compathe laws of the State of Massachusett Texas, and whose principal office officer residing in the State of Texwithin said State is CSC and whereinafter called the Surety, and of Fort Bend County, Texas, or hi Dollars (\$5.000.00) current, la Robert E. Hebert, County Judge of Payment well and truly to be made	Mose on, TX. 77073 , Texas, hereinafter called the Principal, ny , a Corporation existing under and by virtue of and authorized to do an indemnifying business in the State of is located at175 Berkeley St. Boston. MA. 02116, whose as, authorized to accept service in all suits and actions brought hose address is211 East 7th Street, Suite 620, Austin, TX. 78701, held and firmly bound unto, Robert E. Hebert, County Judges successors in office, in the full sum of Five Thousand wful money of the United States of America, to be paid to said of Fort Bend County, Texas, or his successors in office, to which e and done, we, the undersigned, bind ourselves and each of us, ors, successors, assigns, and legal representatives, jointly and
THE CONDITION OF The principal contemplates laying, conduits, and/or pole lines in, uncounty of Fort Bend, and the Star of Fort Bend County, Texas, pursof December, A.D. 1980, recorde Bend County, Texas, regulating sand made a part hereof for all pure	HIS BOND IS SUCH THAT, WHEREAS, the above boundern structing, maintaining and/or repairing one or more cables, ader, across and/or along roads, streets and highways in the te of Texas, under the jurisdiction of the Commissioners' Court uant to the Commissioners' Court order adopted on the 1st day din Volume 13, of the Commissioners' Court Minutes of Fortame, which Commissioners' Court order is hereby referred to the court of the court fully set out herein;
AND WHEREAS, the print bond covering all such cable, cond	cipal desires to provide Fort Bend County with a performance luit and/or pole line activity;
conduit and/or pole line activi maintenance and/or repair of cal roads, streets and highways in jurisdiction of the Commissione accordance with minimum requir Court order set forth and specifie in the manner therein specified,	te above bounden principal shall faithfully perform all its cable, ty (including, but not limited to the laying, construction, ty (including, but not limited to the laying, construction, the County and/or pole lines) in, under, across and/or along the County of Fort Bend and State of Texas, under the research conditions of the above mentioned Commissioners and conditions of the above mentioned Commissioners and to be by said principal done and performed, at the time and and shall pay over and make good and reimburse Fort Bend ich Fort Bend County may sustain by reason of any failure or cipal, then this obligation shall be null and void, otherwise to
This bond is payable at the Texas.	County Courthouse in the County of Fort Bend and State of
It is understood that at any it may require further and/or add	time Fort Bend County deems itself insecure under this bond, itional bonds of the principal.
EXECUTED this 7th	_ day of November, 2012
	TAS Commercial Concrete Construction, LLC. PRINCIPAL BY
C:\Documents and Settings\harneshe\Local Settin	Liberty Mutual Insurance Company SURETY BY Elikabeth Browning, Attorney-in-Fact

-- vauget May

THIC POWER OF ATTORNEY IS NOT VALID UNLESS IT IS PRINTED ON RED BACKGROUND.

5055738

This Power of Attorney limits the acts of those named herein, and they have no authority to bind the Company except in the manner and to the extent herein stated.

LIBERTY MUTUAL INSURANCE COMPANY BOSTON, MASSACHUSETTS POWER OF ATTORNEY

	ursuant to and by authority of the By-law and Authorization hereinafter set forth, does hereby name, constitute and appoint WILLIAM G. COBB, JR., IILL BUSSEY, STEPHANIE JONES, DENISE THOMPSON, JAN WEIDEMAN, ELIZABETH BROWNING, ALL OF THE CITY OF LITTLE ROCK, STATE OF ARKANSAS	
b F	each individually if there be more than one named, its true and lawful attorney-in-fact to make, execute, seal, acknowledge and deliver, for and on its ehalf as surety and as its act and deed, any and all undertakings, bonds, recognizances and other surety obligations in the penal sum not exceeding IFTY MILLION AND 00/100**** DOLLARS (\$ 50,000,000.00*******) each, and the execution of such undertakings, bonds, recognizances and other surety obligations, in pursuance of these presents, shall be as binding upon the Company is if they had been duly signed by the president and attested by the secretary of the Company in their own proper persons.	
7	hat this power is made and executed pursuant to and by authority of the following By-law and Authorization:	
	ARTICLE XIII - Execution of Contracts: Section 5. Surety Bonds and Undertakings. Any officer of the Company authorized for that purpose in writing by the chairman or the president, and subject to such limitations as the chairman or the president may prescribe, shall appoint such attorneys-in-fact, as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations. Such attorneys-in-fact, subject to the limitations set forth in their respective powers of attorney, shall have full power to bind the Company by their signature and execution of any such instruments and to attach thereto the seal of the Company. When so executed such instruments shall be as binding as if signed by the president and attested by the secretary.	veh segnetaria
1	By the following instrument the chairman or the president has authorized the officer or other official named therein to appoint attorneys-in-fact:	2
)	Pursuant to Article XIII, Section 5 of the By-Laws, David M. Carey, Assistant Secretary of Liberty Mutual Insurance Company, is hereby authorized to appoint such attorneys-in-fact as may be necessary to act in behalf of the Company to make, execute, seal, acknowledge and deliver as surety any and all undertakings, bonds, recognizances and other surety obligations.	ney call
ŀ	That the By-law and the Authorization set forth above are true copies thereof and are now in full force and effect.	tori
	IN WITNESS WHEREOF, this Power of Attorney has been subscribed by an authorized officer or official of the Company and the corporate seal of Liberty Mutual Insurance Company has been affixed thereto in Plymouth Meeting, Pennsylvania this day of day of	r of Attorney
ŀ	LIBERTY MUTUAL INSURANCE COMPANY	Power
	By drain for lang	is P
	David M. Carey, Assistant Secretary	# 3
	COMMONWEALTH OF PENNSYLVANIA ss COUNTY OF MONTGOMERY	dity
1	On this 15th day of December, 2011, before me, a Notary Public, personally came David M. Carey, to me known, and acknowledged that he is an Assistant Secretary of Liberty Mutual Insurance Company; that he knows the seal of said corporation; and that he executed the above Power of Attorney and affixed the corporate seal of Liberty Mutual Insurance Company thereto with the authority and at the direction of said corporation.	firm the validity of this
	IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed my notarial seal at Plymouth Meeting, Pennsylvania, on the day and year first above written.	E
	By liresa tastella	To con
1	By Leresa Pastella Teresa Pastella, Notary Public	
	By Louis Institute Teresa Pastella, Notary Public CERTIFICATE I, the undersigned, Assistant Secretary of Liberty Mutual Insurance Company, do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the officer or official who executed the said power of attorney is an Assistant Secretary specially authorized by the chairman or the president to appoint attorneys-in-fact as provided in Article XIII, Section 5 of the By-laws of Liberty Mutual Insurance Company.	To cor
	I, the undersigned, Assistant Secretary of Liberty Mutual Insurance Company, do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the officer or official who executed the said power of attorney is an Assistant Secretary specially authorized by the chairman or the president to appoint attorneys-in-fact as provided in Article XIII,	To cor
	I, the undersigned, Assistant Secretary of Liberty Mutual Insurance Company, do hereby certify that the original power of attorney of which the foregoing is a full, true and correct copy, is in full force and effect on the date of this certificate; and I do further certify that the officer or official who executed the said power of attorney is an Assistant Secretary specially authorized by the chairman or the president to appoint attorneys-in-fact as provided in Article XIII, Section 5 of the By-laws of Liberty Mutual Insurance Company. This certificate and the above power of attorney may be signed by facsimile or mechanically reproduced signatures under and by authority of the following	To cor

Gregory W. Davenport, Assistant Secretary

COUNTY OF FORT BEND

Engineering Department

P.O. BOX 1449

Rosenberg, Texas 77471-1449

Johnny Ortega Permit Administrator 1124 Blume Road

Phone: (281) 341-7500

Date

PERMIT APPLICATION REVIEW FORM FOR CABLE, CONDUIT, AND POLE LINE ACTIVITY IN FORT BEND COUNTY

X	_ (1) Comple	ete Application Form.	
	X	$_$ a. Name of road, street, and/or draina	ige ditch affected.
	X	_ b. Vicinity map showing course of dire	ection.
	X	_ c. Plans and specifications.	
X	(2) Bond:		
		District Attorney, approval when app	licable.
		Perpetual bond currently posted.	
		No	_
		Amount	_
	X	Performance bond submitted.	
		No. <u>83B108024</u>	_
		Amount \$5,000.00	-
		Cashier's Check.	
		No	_
		Amount	-
	(2) Varhal n	permission given for emergencies, to star	rt construction
	• • •	pproved in Commissioner's Court.	t constitution
	Precinct	Engineer Acknowledgment	Date
	Precinct	Commissioner Acknowledgment	Date
	(4)		
	Draina	ge District Approval when applicable	

Permit Administrator

FORT BEND COUNTY ENGINEERING PERMIT DEPARTMENT

CONSTRUCTION OF DRIVEWAYS AND CULVERTS ON COUNTY EASEMENTS AND RIGHT OF WAYS COMMERCIAL PIPE PERMIT APPLICATION

P.O. BOX 1449 • 1124 BLUME ROAD ROSENBERG, TX 77471

(Phone) 281-633-7502 or 7503 * (Fax) 281-342-7366

APPLICANT INFORMATION	Application No. (County Use Only)
Applicant Name Hawkins Construction	
Applicant Mailing Address 3116 Kellway Dr. Sui	ite 116
City Addison State TX	Zip75006
Work Phone 214-530-0295 Daytime Pho	ne <u>214-425-9302</u>
Property Owner's Name Katy Market Place	Phone 480-429-7600
Property Owner's Mailing Address 7316 East 6th Avenu	ne
City Scottsdale State AZ	Zip 85251
LOCATION OF PROPERTY	
Subdivision Cinco Ranch Sec	c Lot Blk
Physical Address 23105 Cinco Ranch Blvd. K	aty, TX 77494
(ATTACH A SITE MAP)	
SITE USE	
v	eway - Open Ditch Section
Culvert Only	
DRIVEWAY REQUIREMENTS	
Length 20' minimum and 40' maximum N (See - Fort Bend County Procedures to be followed for Commercial Driv Available on website www.co-fort-bend.tx.us Does project comply with Fort Bend County Lighting R (See- Fort Bend County Outdoor Lighting Regulation on website www.a	Regulation Yes (X) No()
By signing and submitting this permit application. I am stating that I am the the Fort Bend County Regulations of Subdivisions and I am aware of Driveways & Culverts on County Easements and Right of Ways in required permits associated with the above mentioned property. Drive to the permit will be commenced within six months and be completed within for said permits shall not be refundable or transferable. I further understate or COMPANY CHECK or a CASIMERS CHECK or MONEY ORDER payare	of Section 2, Item F in the Permits for the Construction of Fort Bend County, and am responsible to obtain all other wway and Pipe Permits shall provide that construction pursuant in nine months from the date of the permit and that fees collected and the permit fee, in the form of CASH or PERSONAL CHECK
 The undersigned applicant, agent or attorney hereby vertifies to Commiss construct the driveway and or culvert in strict conformity with the plans, sq any other written material incorporated by reference in this application. 	
Other permits may be required for development. Please contact the Foor the Fort Bend County Health Department for information on On-Sit	ort Bend County Road & Bridge Department for pipe sizing te Sewage Facility permits prior to planning construction.
• Failure to possess or obtain required permits will result in legal action	against the property owner as allowed by law.
// hallow X	17/12/1>
Signature of Applicant, Agent or Attorney Printed Name	Date /

SWG CINCO RANCH BLVD. 23105 CINCO RANCH BOULEVARD KATY, TEXAS

4. ALL PLANS MUST BE SUBMITTED FOR REVIEW TO THE FORT BEIND COUNTY FIRE MUSSIALL'S OFFICE AT 118 LESION DRIVE. RICHYOND, TEXAS (PHONE, 291-299-1900). I, GC, SHALL DESIGN AND NETALL A FILLY FANCTIONING FIRE SPRINKLER SYSTEM AS RECURRED BY BUILDING CODES, LOCAL CODES AND THE AUTHORITY HAVING LIKESPICTION. FIRE ALARM AND FIRE SPRINKLER DESIGNS AND INSTALLATIONS SHALL WIFLY TO NEPA STANDARDS. ire sprincier fire alarm and hood suppression dramings are a erred submittal by the seneral contractor.

FARMERS MARKET DEVELOPER:

KATY MARKETTLACE LLC 1316 EAST 6TH AVENUE SCOTTSOALE, AZ 85251 PHONE: (429) 71600 FAX: (480) 429-761 ATTN: TOM ALFORD PMAIL: talfordeavetoxider.ac OMNER:

17811 N. TATUM BLVD., SUITE 2400

PHOENIX, AZ 85028

ATTN: STEVE JONES

VICINITY MAP

A (SHT) 2 DIRECTION OF WALLS
WALL NAMES

2 KEYNOTE REFERENCE

> -(b)

COLOR REFERENCE

PESIGN CORES

DESIGN CORES

BUILDING

PLASSING

OCCUPANCY GROUP: TYPE OF CONSTRUCTION:

ALL WORK, MATERIALS, METHODS, ETC., SHALL CONFORM TO ALL GOVERNING BUILDING CODES, ORDINANCES, REGULATIONS AND AGENCIES.

GENERAL NOTES

SUMMARY

BUILDING QUALIFICATION

ALLOWABLE BUILDING FLOOR AREA
(X.5) FOR FALLY SPRINKLENED BUILDING.
TOTAL ALLOWABLE BUILDING FLOOR AREA
FER 2005 IBC SEC. 506.5

ALL PENETRATIONS AT FIRE RESISTIVE CONSTRUCTION SHALL BE PROTECTED WITH APPROVED FIRE ASSENBLIES.

20 ALL ROOF WORK FERENSHIOMS TO BE COORDINATED MITH OR COMPLIED BY OWNERS ROOFING CONTRACTOR TO AVOID VOIDING ROOF WARRANT.

1221

TOILET ROOMS SHALL BE VENTILATED WITH 5 AIR CHANGES TOILET ROOMS SHALL BE VENTILATED WITH 5 AIR CHANGES MINGS

ALL MOOD SINDS ARE 2 × 4 AT 16* 0.0. EXCEPT SINDS EXCERDING 14-0* HIGH, WHICH ARE TO BE 2 × 6 OR UNLESS EXCEPTING 14-0* HIGH, WICH ARE TO BE 2 × 6 OR UNLESS SHALL BE 2 × 6 AT 16* 0.0. XIT 51646, WERE NOTED OR REQUIRED SHALL BE MORDED SUT IN LETTERS HAVING THE PRINCIPAL STROXE OF NOT LESS HAVE AND AT LEAST 6" HIGH AND SHALL COMPORT TO ODES AND I OR APPLICABLE RESULTIONS.

HEALTH DEPARTMENT
FOR BAP COMIT BANGARETA, LEATH
430 READING ROAD, SHE A
ROSENERS, IX 1471
FAME. (201) 942-1444
AX (201) 942-1457
AX (201) 442-1457
AX (201) 442-1457

16082680868

ELECTRIC COMPANY

EXTERIOR MATERIAL COLOR REFERENCE

(480) 814-8016, FAX: (480) 38**5-235**4

SPROUTS

FARMERS

TENANT:

NADEL STUDIO ONE INC.
3333 E. CAPELBACK ROAD, S
940618 FANCE, (602) 956-4900
FAX. (602) 956-4901
ATTN. FRANCIS KYEK
EMAIL: Prekienoseicr.com ARCHITECT:

OF ORCUP STRUCTURAL ENGINEERS
690 E PROVING BC, SUITE 224
SCOTTSOALE, AZ 62291
PROVE. (480) 441-2361
PAX. (480) 441-2646
ATHL DEVON PRASTRIVAL
ENGINEERSTRIVAL CONSULTANTS: STRUCTURAL ENGINEER:

HENDERSON BASINEERS, INC. 1990 N. 16th 51, SUITE AIO PHORNIX, AZ 25020 PHORE. (602) 396-5201 FAX. (602) 396-5201 ATTN: KELLY HTDE EMAIL: Kellyhydeehei-engkom ELECT. / MECH. ENGINEER:

REFRIGERATION

HILL PHOENIX
221 5. BERRY STREET
BREA. CA. 42521
PHORE. (714) 255-111
FAX. (714) 844-4410
ATTN: THOMAS NUFARLANE
EMAIL: thomas nutarioneehilip ENDERSON ENSINEERS, INC.
1330 N 16th 51, SUITE AIIO
PHOREI, AZ 25020
PHORE: (602) 396-5231
FAX. (602) 396-5201
ATTH: KELLY HYDE
EMAIL: Kellylyddenel-eng.com PLUMBING ENGINEER:

BUILDING DEPARTMENT
FORT BEND COUNTY
124 BLIVE ROAD
ROSEBERS, TX 1141
PHORE (20) 693-750
FAX: (20) 693-750
FAX: (20) 693-750
FAX: (20) 693-750
FAX: (20) 693-750 FIRE DEPARTMENT
FORT BRUD COMITY FIRE WARSHALL
IID LESION DRIVE
RICHOUD, IX TILAD
FROM: (20) 239-15-20-15
COMITACT: FIRE WARSHALL
COMITACT: FIRE WARSHALL THE CINCO ASSOCIATION
3022 MINDMERE PARL LANE
KAT, TX TIAL
HOWE: (26) 947-2690
FAX: (26) 947-2690
FAX: (26) 947-2690 PROJECT VROTOBRIC CO SCIENCE DE CALLO DE COMBINA DE CALLO DE COMBINA DE CALLO DE COMBINA DE CALLO DE COMBINA DE CALLO DE NUEX 353235 įį P. MBING:

THEMS PAIR AND THE AND SPINOUS

THEMS PAIR AND AND THE TOOK THAT

THEMS PAIR AND AND THE TOOK THAT

THEMS POIR TO AND THE TOOK THAT

THE TOOK THAT THE TOOK THAT

THE TOOK THAT THE TOOK THAT

THE TOOK THAT THAT THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE TOOK THAT

THE T

ABBREVIATIONS

N.I.G. NOT IN CONTRACT

CENTER
POSITE

LEGAL DESCRIPTION

CINCO RANGE VISITORS CENTER
REPLAY AND EXTENSION
SLIPE NO, 1235A
2550 ACRES (10220 S.O. FT)
1. SEMER CO. SERVE Y. 1256
FORT BERD COMMY, TEXAS

EXIT MIDTH CALCULATIONS:

(MER 2005 IBC TABLE (005.1)

REGUIRED:

PROJECT DESCRIPTION

PROJECT ADDRESS

TOTAL NUMBER OF EXITS REQUIRED.

ALL EXPOSED ELECTRICAL EQUIPMENT, CONDUITS PLUMBING LINES, ETC.. SHALL BE PAINTED WITH MIN(2) COATS OF PAINT TO MATCH THE ADJACENT SURFACES.

25 THE SEMERAL CONTRACTOR SHALL CONTACT SABY ATTAL WITH CENTERPOINT SAS RESARDING SAS CONNECTIONS.

TELEPHONE COMPANY
CONSULTATION ON THE PROPERTY (NO THANK)
FAX: (20) 949-4522
FAX: (20) 949-4522
FAX: (20) 949-4522

GAS COMPANY
CANTERPOINT EMERSY, INC.
IIII LOUISIANA STREET
HOUSTON, TX TICO2
PHONE: (28) 561-6016
FAX:

ONTACT - GABY ATTAL

"THE SPLECK, CONTRACTOR SHALL YERRY WITH THE FIRE DEPARTMENT THE LOCATION OF ALL KNOX BOXES AND TO PROVIDE THE EXACT KNOX BOX AS SPECIFIED BY THE FIRE DEPARTMENT.

THE SPEERAL CONTRACTOR SHALL VERIEV WITH THE FIRE DEPARTMENT IF CLASS IN OR TO FIRE ALARM SYSTEM IS REQUIRED AND TO DESIGN SYSTEM BASED ON THAT INFORMATION.

1910'S CINCO RANCH BOULEVARD KATY, TEXAS

MANHOLE
MASONRY OPENING
METER

Miscous Miscou


TITLE SHEET SPROUT'S FARMERS MARKET


CINCO RANCH **NEW CONSTRUCTION** KATY, TEXAS


FARMERS MARKET SWC CINCO RANCH & PEEK ROAD KATY, TEXAS











CIVIL PLANS

SPROUTS IN CINCO RANCH LOCATED IN CITY OF HOUSTON ETJ, FORT BEND COUNTY, TEXAS

90% SUBMITTAL TO CLIENT -NOT FOR CONSTRUCTION

SUBMITTAL TO W.F.D.D.
NOT FOR CONSTRUCTION

5/1/2012

4/17/2012

SUBMITTAL TO CINCO MUD 12, FORT BEND COUNTY ENGINEERING, AND FORT BEND COUNTY DRAINAGE DISTRICT
-NOT FOR CONSTRUCTION


PROJECT TEAM:

PLANS SUBMITTAL/REVIEW LOG 75% SUBMITTAL TO CLIENT NOT FOR CONSTRUCTION

SUBMITTAL TO FORT BEND COUNTY, FORT BEND COUNTY ENGINEERING, AND FORT BEND COUNTY ORAINAGE DISTRICT
-NOT FOR CONSTRUCTION

4/10/2012

3/30/2012





FORT BEND COUNTY ENGINEERING SIGNATURE VALID FOR ONE YEAR ONLY

SPROUTS IN CINCO RANCH Katy, Texas

C0.0

COVER SHEET



ΑL	Lindsey
Civil Engineers	
0111 FM 1960	
Houston, TX 77 281.301 5945	7069
FRN F-11526	

COUNTY/CINCO COMMENTS

25) EMIRY "OZKIT FROM THE PROPERTY SHALL BE WA EMSING EMBRYSOMES ON AL EMPLYENT DOMES OF ADLACEST PROPERTIES. COORDINATE WITH ADJACENT PROPERTIES. DASSOLUTELY NO TRAFFIC OR PARKING IN/ON THE GRAY-SHADED AREA "LLUSTRAFED ON CYO."	_	AND ADA REQUIREMENTS 22) ALL MITERIAL AND CONSTRUCTION SHALL CONFORM TO APPLICABLE OIT/COUNTY RULES AND REGULATIONS, CONSTRUCTION SPECIFICATIONS AND CONSTRUCTION OFLIAIS. 23) ALL SPOIL MATERIAL GENERATED FROM CONSTRUCTION ACTIVITY TO BE HAMLED.	ATOMS FROM CHICAMA, PLANS TO THE CHARGE AND THE CHARGE RETURNS OF A TOMBOR AND THE CHARGE RETURNS OF A TOMBOR AND THE CHARGE RETURNS OF A TOMBOR AND THE CHARGE WITH TEXAS AND THATFOR CONTROL, DEVICES. ALL SOPHWARMS, RAMES, AND HANDRAIS TO JEFF DE PYCES DITY/COUNTY TAS		AGENCIES 7) CONTRACTOR SHALL MAINTAIN A WORKSTE FREE OF TRASH AND DEBMS. 18) CONTRACTOR IS RESPONSIBLE FOR THE PROTECTION OF ALL EMSTING TREES, NO TREE	15) CONTRACTOR S. RESPONSIBLE FOR COMPLYING WITH ALL STATE AND LOCAL REQUALITIES RELATED O STORM WATER POLLIDDON AND OUTLITTE REFER TO EROSON COMPOLLEY. AND COMPOLLEY. AND STRUCTURES DEFINED DEFINED DEFINED OF COMPOLLEY. AND COMPOLLEY AND STRUCTURES DEFINED DEFI	N _O	13) CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING POSITIVE DRAINAGE AT ALL TAKES DURING CONSTRUCTION	12) PRIGHT TO THE START OF CONSTRUCTION, OWNER AND CONTRACTOR ARE RESPONSIBLE FOR SUBMITHING THE "NOTICE OF INTENT (N.O.), AND ANY ADDITIONAL INFORMATION HECUMENTED BY THE TEXAS COMMISSION ON ENRIPOMENTAL QUALITY (TOCO). LIPON COMPILED OF THE PROJECT, OWNER AND CONTRACTOR ARE RESPONSIBLE FOR SUBMITHING THE TOOLOGY OF TREATMENT OF "(N. O.).	11) CONTACTOR SHALL COMEN' WITH ALL FEDERAL, STATE, AND LOCAL LAWS AND ALL FEDERAL STATE, AND LOCAL LAWS AND ALL CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING SITE TREACH SAFETY REQUIREMENTS IN ACCORDANCE WITH CHYPCOUNTY STANDARDS, IEDAS STATE LAW, AND O SHA, A STANDARDS FOR ALL EXCLANTION.	F06905 ALL ACTIVITES IN WHICH PERSON OR EQUIPMENT MAY COME MITHIN 6 FEET OF SEE CONTRACTIONS ARE LEGALY, RESPONSIBLE FOR SEE THE COMENDATIONS ARE LEGALY, RESPONSIBLE FOR AND COMENDATIONS MODERS ON THE THIS LAW CARRES BOTH DOLL AND COMENDATIONS OF THE PROPERTY OF THE PRO	COMPRMED IN WRITING PRIOR TO COMMENCEMENT OF WORK 10) OMFREAD, WHES EXIST ON THE PROPERTY. HE HAVE NOT ATTEMPTED TO MARK THUSE LINES SWICE THEY ARE CLEARLY WISBEL, BUT YOU SHOULD LOCATE THEM PRIOR TO BECHNING CONSTRUCTION LEXAS LAW, SECTION 752, HEALTH AND SAFETY CODE.	TO PROPER LINE AND GRADE BY THE CONTRACTOR PROPE TO AND ATTER THE PLADING OF PERMANENT PARMAC LITHLINES MUST BE MANTHMED TO PROPER LINE AND GRADE DURANG CONSTRUCTION OF THE PANNOG FOR THIS DEVELOPMENT. 3) ALL APPURTENANCES WILL BE ASSUMED TO BE IN GOOD CONDITION UNLESS OTHERWISE.	7) HORZOWAL AND VERTICAL INFORMATION RECARDING UTILITY CONNECTIONS TO PROPOSED BILLIONES ON THIS SET OF PLANS TERMINATE AT FIVE (S) FEET FROM THE NEAREST BUILDING MAL. B) ALL MANHOLES, GLEAN-OUTS, VALVE BOXES, FRE HYDRAMTS, ETC MUST BE ADJUSTED	6) NO CONNECTIONS SHALL BE MADE TO ENSTING PUBLIC WATER LINES OR PUBLIC SAMILARY SERVES UNTIL ALL PROPOSED WATER OR SEWER LINES HAVE BEEN THOPOLOGICLY CLEANED. TESTED (AS REQUIRED) AND APPROVED BY THE APPROPRIATE AUTHORITIES.	5) THE EMOMETR AND THE CHYCANNET OR MADE SHALL BE NOTIFED AT LEAST 48 HOURS PRIOR TO THE CONTRACTOR CONNECTING TO ANY EXISTING UTUTY UNES.	4) PRIOR TO ANY CONSTRUCTON ACTIMITY, CONTRACTOR IS TO ACQUIRE ALL REQUIRED CONSTRUCTION PRIOR IS FROM APPOPRIATE AUTHORIES CONTRACTOR SHALL OR AT CORSTRUCTION PRIOR IS FROM APPOPRIATE MAY DEPERTATIONS. SHALL OR AT PRIOR TO ALL AUTHORIZED MSPECTRAS, SUPERIATIONS CONSTRUCTION OF AMERICANN APPORT OUT OUTP UNITS. MSPECTRO BY HIS PRESSURE SPORKS OF AMERICANN APPORT OUTP UNITS. MSPECTRO BY HIS PRESSURE SPORKS OF AMERICANN APPORT OUTP UNITS. MSPECTRO BY HIS PRESSURE SPORKS OF AMERICAN APPORT OUTP APPORT OF AMERICAN APPORT OUTP UNITS. MSPECTRO BY HIS PROPERTY OF AMERICAN APPORT OF AMERICAN APPORT OUTP UNITS. MSPECTRO BY HIS PROPERTY OUTP APPORT OUTP APP	EXSING FACIFIES. 1) TEAS ONE CALL SYSTEM AT 1-800-245-4545. 2) LONE STAR NOTFICATION CENTER AT 1-800-544-8377. 3) TEAS ENCAVATION SAFETY SYSTEM AT 1-800-344-8377.	FULES AND REGULATIONS OF THE OWNIGN/OPERATING AUTHORITY, WITH NO COST TO THE OTTY, COUNTY, PRIVATE UTILITY OWNERS, ENGINEER, OR THE OWNER. 3) CONTRACTOR SHALL VERFY LOCATION OF UNDERGOUND UTILITY LINES AND SHALL NOTITY THE FULLOWING AREACES 72 HOURS PROOF TO EXCAVATING OR AUGERNIC MEAR	2) CONTRACTOR SALL BE RESPONSIBLE FOR PROTECTING ALL PUBLIC UTAINES. PAVEMENT: TO REMAIN, CURBS, SIDEWALES, SIGNS, TREES, ETC., IN THE CONSTRUCTION OF FAVEMENT FOR BAY AND ALL DAMAGES, DURING CONSTRUCTION ALL DAMAGES SHALL BE FULLY RESPONSIBLE FOR MAY AND ALL DAMAGES, DURING CONSTRUCTION ALL DAMAGES, SHALL BE REPARED IN RECORDANCE WITH THE DURING CONSTRUCTION ALL DAMAGES, SHALL BE REPARED IN RECORDANCE WITH THE	TO EXERTIO CHARILLES PRINCE THE WITHER WATCH E. CONTRACTOR IT EXERTING THE WATCH AND THE WATCH E. HE OFFI WATCH CONTRACTOR THE WATCH AND THE PRINCE MINISTRY P. HE STREAM WAS ADDITIONAL FAULTIES OFFICE MINISTRY P. HE DESCRIMATED WHICHER THE PRINCE SHOWN ON THE PLANS WATE PRESENT. CONTRACTOR THE PLANS WATCH PRESENT TO THE PLANS WATCH PROPERTY AND THE PLANS WATCH PROPERTY AND THE PLANS WATCH PROPERTY OF THE PLANS WATCH PR	SENERAL NOTES. 1) THE LOCATION OF ALL UTILITIES SHOWN ON THESE PLANS WAS TAKEN FROM AVAILABLE SURFET INFORMATION AND/OR EXISTING PUBLIC RECORDS. THE EXACT LOCATION AND
MANHOLE.	PROMER THE ENGMERA AND MUD DESTROY SHALL BE NOTHED AT LEAST 48 HOURS PROR TO THE CONTRACTOR SHALL NOTIFY THE ENGMERA AND THE CONTRACTOR SHALL NOTIFY THE ENGMERA AND THE OTYCONTRACTOR SHALL NOTIFY THE OTHER SHALL NOTIFY TH	7. INFILITATION, CARLITRATION OR LOW-PRESSURE AR TEST. ETHER OF THE FOLLOWING TESTS SHALL BE PERFORMED AS PER TAC, ITTLE 30 277.2 WHAN THE SPECIFIC TOLERANCES ON ALL GAMPY SCHOOL. 8. NO. CONNECTIONS SHALL BE MADE TO THE ENSING SANITARY SCHOOL HIS JUSTIAL PROPOSED SEWER LINES HAVE BEEN THOROGOMY CLEAVED, ITSLED AND APPROVED BY THE	ALLONGO. SECTION TEST, OFFICETON TEST, SEAL BE PERFORMED ON ALL FLEXIBLE AND SEAL-BIOD COMMUNICATION OF SEAL BEST SEAL ELONG THE SEAL BIOLOGY OF SEAL BEST OFFICERS AND ADDRESSES AND A	4 SANTARY SEMP MANDLE BAS OLISER OF PROPOSED PANNO MIL BE SET 5" 6" ABOVE THE SEPROMODING LERU, RINSHED GRADE AFER PANNO AND CRADING OPERATIONS. 5. SER 28 P.V.C. PIPE USES THAT BOOLED "SER 26 P.V.C. FITHOSS OR D.: P. FITHOSS MITH PAROPRAIT ADAPTERS. AWAYA C-900 DR-18 P.V.C. PIPE USES FITHER AWAYA C-900 DR-18 P.V.C. PIPE U	2. SANTARY STARR PER TO BE SSR 26 PVC, PIPE MEETING ASTM SPECIFICATION 2034 MITH RUBBER GASKET JOINTS, UNLESS OTHERWISE NOTED 3. ALL SANTARY SERVEYS AND MATER LINES CHOSSINGS SHALL BE CONSTRUCTED IN ACCORDANCE WITH CITY OF HOUSTON AND TOED REQUILITIONS.	. ALL SEMES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE LATEST FOR TEND COLMY, MUD DISTRICT AND TICE OFFITIAN AND BE SUBJECT TO A REQUIRED FILED TESTING 2515 ARE TO BE PERFORMED ON THE TOTAL FOOTAGE OF SEMES LINE MICLIOED IN THE PROJECT REQUIREMENTS OF TENAS ADMINISTRATE COLD. THE AD CHAPTED 777, DISSIAN CRITICAN FOR SEMESAGE SYSTEMS STANDARDS.	SANITARY SEWERS	THE ABOVE LIMITS. B REINFORMS BAR SPLICES SHALL BE STAGGERED WITH NO MORE THAN 2 SPLICES ADJACENT TO SAM OTHER.	** OBLIGHT PLANDS PANDENT, CONTRACTOR SPAIL VERBY THAT SUFFIGE AND CAPED ROTTS. (PER ADA & K.A.) EXIST OF AND TROM EVERPY POOR, IN A GLAST SHALL B SOEWALK CROSS SUPERS EXCEED 5: VERTICAL TO 12 HORIZONTAL B SOEWALK CROSS SUPERS EXCEED 5: OFFICENT CONTRACTOR SHALL CONTRACT ENGLER PRICE OF PAREMENT ON SUPERIOR SHALL CONTRACTOR	THE ALL (AMERICAN CONCERT NISHOUT) MANUAL OF CONCRETE PRACTICE AS WELL AS CHY/COUNTY STANDARDS. 6. ANY DAMAGED PAGMENT, CURB AND/OR SDEWALK WILL BE REPARED BY THE CONTRACTOR AT HIS EXPENSE TO THE SATISFACTION OF THE ENGINEER AND OWNER.	4. ALL JOINTS SHALL BE SEALED PER CITY/COUNTY SPECIFICATIONS, ALL JOINTS SHALL EXTEND THROUGH THE CUBE PROPERTIES OF CONCRETE SHALL MEET THE APPLICABLE REQUIREMENTS IN	CONTROL DEVICE (M.C.). AND CITY/COUNTY STANDARDS. CONTROL DEVICE (M.C.). AND CITY/COUNTY STANDARDS. CONTROLTOR AND LETTER AT THE PAYENGE STANDARD STANDARD STANDARDS. AND STANDARDS. AND STANDARDS. AND STANDARDS. AND STANDARDS. AND STANDARDS. STANDARDS MITTHEN PARKING LOT AS SHOWN ON THE PLANS.	THE PROPERTY DESIGN AND SULF PREPARATION RECOGNIZATIONS GRAN IN THE GOVERNMENT REPORT ON THE REACH CONSULTANCE, INC., DATED SYZZZZOGZ (PROBLECT NUMBER 82723582) SHALL BE ADHERED TO FOR BOTH WATERIALS AND PRACTICE OF INSTALLATION. 2. ALL TRAFFIC CONTROL DEWEES SHALL CONFORM TO THE TEXAS MANUAL ON JREFORM TRAFFIC CONTROL DEWEES SHALL CONFORM TO THE TEXAS MANUAL ON JREFORM TRAFFIC CONTROL PROBLEMS.	NOTED PAVING AND STRIPING NOTES	DENSITY OF NOT LISS THAN 35% OF OF THE MANUAL BEY DESTANDANT OF THE DENSITY OF THE DESTANDAND BY THE DENSITY AS DETERMINED BY THE DENSITY AS DETERMINED BY THE DESTANDAND PROCEDS COMPACTION TEST (ASTA DESCANDAND) A - 589, AASHO (39), MANUTURE CONTENT OF \$40, AMERICA SHALL SHALL BE WITHEN DESTANDAND A - 589, AASHO (39), MANUTURE CONTENT OF THE SHALL SHAL	SAND TO MYTHN ONE () FOOT OF SUBSPACE, CREAT STABLIZED SAND TO BE IN ACCORDANCE WITH THE REQUEREENTS OF ASKIN CLS. (ALTEST COTTON)) TREFOR BACKEL SHALL BE SUFFABLE FARTH MATERIAL PLACED IN 8 MICH LIFTS, WITH TESTS THE ALT DE POOR TO SUBSPACE STATEMENT OF THE PLACED IN 8 MICH LIFTS.	THE PROPOSED OR TUTTLEES RECORDS SHALL BE ADMINED AND A POINT OF ALL PROPOSED OR TUTTLEES RECORD SHALL BE ADMINED AND A POINT OF ALL PROPOSED OR TUTTLE CARREST AND TO A POINT OF ALL PROPOSED OR TUTTLE CARREST AND TO A POINT OF ALL PROPOSED OR TUTTLE CARREST SHALL BE ADMINISTRATION OF A POINT OF ALL PROPOSED OR TUTTLE CARREST SHALL BE ADMINISTRATION OF A POINT OF ALL PROPOSED OR TUTTLE CARREST SHALL BE ADMINISTRATION OF A POINT OF ALL PROPOSED OR TUTTLE CARREST SHALL BE ADMINISTRATION OF A POINT OF A P	ASTM C-443 ASTM C	C) STEEL REQUEDEED HIGH-DENSITY POLYTHYLENE (HDPE) (24 INCHES TO 49 INCHES IN DIAMETER). AASHO M 294, HIGH FERORMANCE JONIS (ASTA C.3212). TRADE NAME, DUROMAXX OR EQUAL D) REINFORCED COMCRETE PIPE (RCP). ASTM C76, CLASS III WITH RUBBER CASKET JOINTS PER	B) POLYMYL CHORDE (PVC) CORRUGATED PIPE WITH SMOOTH INTERIOR PER ASTM F 949 (4 INCHES TO 36-INCHES (TO2-MM TO 914-MM)) WITH SLASTOMETRIC CASKET JOINTS, TRADE NAME A-2000 BY CONTECH OR EQUAL.	BE ENEMOSCED CONCRETE PIRE ASIM C-78, CLASS II, WITH BUBBER CASKET PER ASIM C-44, AND SHALL EXTEND TO TRAST, INVEST OR MAN-FOLE. ALL D'ITEM PRIVATE STORM SEMER MAY BE SELECTED PER THE FOLLOWING CONTENANT POLICEMING (HOPS) (4 INCHES TO 48 INCHES IN DIAMETER) AASHTO M 294, DUAL MALL MITH MATER TIGHT (ASIM D 23/2) BELL—TO-BELL COURSES.	TITMS ARM - HO-LINDIN DABBA NI REMISS NEWDIS DI NON-CEMNOO BUSI DESMISSIMES MADIS (.
	FIGURE WELLS, MAY MERS, AND TELEPHONE BOXES HAT ARE TO A CHARACTER DAWNS CONTROL TO A CONTROL TO		EZENTION AND PROPOSED SITE CONVITIONS INCLUDING GRADES AND OMESSIONS EXPORT START OF CONSTRUCTION. HE KINDINETS DALL BE NOTHED WANDDAKEN AND START OF CONSTRUCTION CONTRACTOR SHALL YERFY BENCHMARK EZENTION AND NOTHY ENGREPHOLIS.			Ü	4) ALL LANDSCLAPING RESTORATION INCLUDING TURE REPAIR OR ESTABLISHMENT WHITE PEQUE GOOD PROHIS-OR-MAY WAST BE COORDINATED WITH THE JEFF THES AT TRI-GREEN LANDSCLAPING (281987-767-768). 5) TAPS TO MATER AND SEMES FACILITIES MUST BE MADE BY SEVERAL TRENT	3) CHAMPONS HORD-LAWN MUST BE NOTHEID IN WHITING AT LEAST Z WORKING DAYS IN ADVANCE OF ANY TURE ESTABLISHMENT IN ANY CINCO SOUTHWEST MUD NO. 1 DRAININGE RIGHT-OF-WAY.	HAVE BEEN MADE, ANY INAUTHORIZED COMECTIONS MAY BE SUBJECT TO UNCOCREMIC, REMOVAL, AND RETURNS ALLATION AND OR PENALTIES. 2) SEVERN TRENT SERVICES (28168-62339) AND ACCOM (713,287,2729) MUST BE NOTHING AT LEAST 48 HOURS IN ADVANCE OF ANY CONSTRUCTION.	JILITES, SHOWN OF NOT SHOWN, AND FOR ANY DAMAGE TO THESE FACILITIES. MULD DISTRICT, NOTES. 1) NO CONNECTIONS SHALL BE ANDE TO ANY FACILITIES FOR WATER, SEWER, OR PRIMADE UNIT, ALL TEES FOR BOTH TAPS AND RESERVATIONS OF CAPACITY.		12) CONTRACTOR SHALL KEEP WATER PIPE CLEAN AND CAP (OR OTHERWSE EFFECTIVELY CONER) OPEN PIPE KINS 10 FOCUDE INSECTS, ANIMAS OR OTHER SOMECES OF CONMAINATION FROM UNFINISHED PIPE LINES AT TIMES WHEN CONSTRUCTION IS NOT A PROCRESS.		10) HYDROSTATIC TESTING: ALL WATER OPE SHALL BE TESTED FOR LEWAGE IN ACCORPANCE WITH THE LATEST FORT BENO COUNTY, MUD DISTRICT AND TICEO REQUIREMENTS. TESTS ARE TO BE FERTHERED ON THE TOTAL FOOTAGE OF WATER FRE LINE INCLUDED IN THE PROJECTION.) ALL DECEM WANTE WANTED SPACE DE CHANGES ARE CALLED OUT ON THE PLANS. A CAST ROM BOT, CACETY MERGE FLANGES ARE CALLED OUT ON THE PLANS. 9) AT THEU 12" FITTINGS SHALL BE CEMENT MORTAR UNED COMPACT DUCTLE RIGN PRESSURE FITTINGS SPACE ANSI AZIJAS, OR PUSH ON HITTINGS PER ANSI AZIJAS PERGAMBANTED AT ZSO POGL. AZIJAS PERGAMBANTED AT ZSO POGL.	O THE TEXAS STATE DEPARTMENT OF HEALTH AT LEAST ONE OFFICE OF COTERNOLOGICAL SLAWLE SHALL BE COLLECTED FOR EACH 1,000 LINEAR FEET OF CHIEF LINE AND SHALL BE REFERRED IF CONTINUAL TOP PERSONS.	Ē		П	B-ML POCETIE ARMY CLOT (WAS ACTO) FOUN COURSE MEASURED IN B-ML POCETIE PER SHALL BE JUED IN ACCORDANCE MET ARMA CLO (ANSI ACTO). J. CONCERT. HANGES BOOKS SHALL BE PROVIDED AS MECESSARY TO PREVENT PPE MONARCY, MYRES PREVENTING MONARCY, MYRES PREVENTING NO FET STORE OF A GREATER PIET IS	EARL COMMIT, MOD DISTRICT AND TICEO REGULATIONS, STANDARD SPECIFICATIONS, AND CONSTRUCTION DETAILS. 2) 4" HERU "2" MATER LINES SHALL BE PIVIC CLASS 150, DR. 18, AWAY, C. 900 AND 1" HERU 3" MATER LINES SHALL BE PIVIC SCHÜDLIE 40, 4" HERU 54" D.LP. MITTEL DIRECT STANDARD SPALL BE PIVIC SCHÜDLIE 40, 4" HERU 54" D.LP.	WATER LINES I) WATER LINES SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE LATEST FORT
) JAMEDIE PRACTICAL, LARE REL EE LAREN IL PROECO MAIJMAU VEGELATION THA DUED NOT NEED TO BE REMOVED FOR CONSTRUCTION PURPOSES	JACENT TO EXISTING DITCHES, BAYOUS, STREAMS, TORM SEMER SYSTEM WILL BE REMOVED AVAIDAD TO ACRES, SEDMENT BASINS ARE NAMED TO BOTTOT NATIONAL SECTIONS THAT TO	SHE'S THE PROBLET ON THE FABRO FRACE OR SHALLD AT THE LOCATION WHERE CONSTRUCTION THAT IS NOT THE HOLD THAT OF THE PROBLET SHE BE INSTALLED AT THE LOCATION WHERE CONSTRUCTION THAT IS NOT THE PROBLET SHE BE INSTALLED AT ALL INCESS IMMEDIATELY ATTER CONSTRUCTION THAT IS NOT THE PROBLET SHE BE INSTALLED AT THE LOCATION WHERE CONSTRUCTION THAT IS NOT THE PROBLET SHE FOR THE PROBLET SHE PROBL	THAT PRINTON OF THE STEE. STABILIZATION PROCEDURES SUCH AS TURF ESTABLISHMENT AND INSTALLATION OF PLANT MATRIAL SPOULD BE COMMENCED AS SOON AS PRACTICABLE AFTER STE GRADING IS COMPLETE AND THAT PROJECT BY THE PROJECT ON THE PROJECT BY THE PROJECT ON THE PROJEC	EXPOSED TO THE ELEMENTS. THIS PRACTICE MILL REDUCE THE PRECUENCY THAT MAINTENANCE IS REQUIRED ON THE STRUCTURAL PARM. OTHER CRIERAL PERMIT REQUIRES HAT EROSON AND STABLEATION ACTIVATES MUST BE MAINTEN WITH A LAYS IN PORTIONS OF THE STEE WHERE CONSTRUCTION ACTIVATY AS COLORED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY AS COLORED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATY IS SCHEDULED TO RESULE WHILL 21 DAYS FROM THE CONSTRUCTION ACTIVATION ACTIVATY OF THE CONSTRUCTION ACTIVATION ACTIVA	AND STATE OF THE DESCRIPTION OF THE PROPERTY AND STATES	DOES NOT OWN THE OFFSITE CONSTANCE. THEN THE FEMILIEE MUST WITH THE OWNER OR OFFRATING OF THE PROPERTY TO REVOKE THE SEDWENT. 6) EROSION AND SEDWENT CONTROLS: A) THE FOLLOWING NON-STRUCTURAL EROSION AND SEDWENT CONTROLS WILL SE UTILIZED ON THE	ID BEFORE IT REACHES AT A FREQUENCY THA IF FEASIBLE. IF THE F	OR MODERY THE CONTROL AS SOON AS PRACTICABLE AFTER MAKING THE DESCRIPTOR OR THE THAN C) SEDIMENT MUST BE REMOVED FROM SEDIMENT HAS EAST SEDIMENT FROM SEDIMENT MUST BE REMOVED FROM SEDIMENT AND SEDIMENT FROM SEDIM	THAT HAVE BEEN NIERTROMALLY DEMBLID, RINH-OFER, RENANDE, OR OTHERWES RENDERED NIERECTURE MUST BE REPLACED OR CORRECTED IMMEDIANTLY UPON DISCOURTED. B) IF PERIODIC INSPECTIONS OR OTHER INFORMATION INDICATES A CONTROL HAS BEEN USED INCORRECTLY, IS SERVICIAMNO INJUDICATES, A CONTROL HAS BEEN USED INCORRECTLY, IS SERVICIAMNO INJUDICALES, OR IS DAMAGED, THEN THE OPERATOR MUST REPLACE	COMDITION IF THROUGH HUSPECTON OR CITIES WEAKS, THE FRANCE DETERMINES THAT BUPFS ARE NOT OPERATION OF EFFECTIVE THAT THE THE THE FRANCE AND THE THROUGH HUSPECTON OR CITIES THAT BEFORE THAT THE THE FRANCE AND THE THROUGH HUSPECT OF STORM WHITE COMPINION OF EFFICIENCY. HEY THE PROOF TO HE LEST RAN LEVEL IF EXAMINED TO THE LEST RAN LEVEL IF EXAMINED THE THROUGH HUSPECT AND THROUGH H	AN RELUKATIONS. 5) ORDERFAL PERMIT MANITEMANCE REQUIREMENTS (FROM GENERAL PERMIT): A) ALL PROTECTIVE MEASURES ORNIFFEE IN THIS SWAPP MUST BE MANITANED IN EFFECTIVE OPERATING.	ANDIQUE OF EACH WAS A THE MICHIDE CONSTRUCTION OF EARTH DIKES AROUND THE SPIL. AREA, DEPLOYMENT OF ABSORBENT MATERIALS, OR USE OF COMPROLATE ANALAGE. AND PROPERTY LABELED ONLEAN EARLED MATERIAL WILL BE STROPED W APPROPRIET AND PROPERTY AND	b)SOL AND SPILLED MATERIALS WILL BE COLLECTED LATIL NO VISIBLE EMBENCE OF SPILLED MATERIAL REMANS AND HERMON MATERIAL AND QUANTITY OF RELEASE SHALL BE IDENTIFIED, AND APPROPRIATE PRESONAL PROTECTIVE EXAMPLENT (PRE) SHALL BE MORN AS RECOMMENDED BY THE PRODUCT-CORPICION MOYS CAMPONED (1945).	B) THE FOLLOWING PROCEDURES WILL BE FOLLOWED FOR CONTINUENT LONG UP AND CLEAR-UP OF SPILES. B) THE FOLLOWING PROCEDURES WILL BE FOLLOWED FOR CONTINUENT KING LIFE. SHIP STATE B) THE FOLLOWING PROCEDURES WILL BE FOLLOWED.	A) MATERIAL HANDLING AND SPILL PREVENTION PLAN A) HAZAROOUS MATERIALS WILL BE STORED AND USED IN CONFORMANCE WITH MANUFACTURER'S RECOMMENDATIONS. DISPOSAL WILL BE PERFORMED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS. DISPOSAL WILL BE PERFORMED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS. DISPOSAL WILL BE PERFORMED IN ACCORDANCE WITH MANUFACTURER'S) PERMANENT SIDMAY MATER CONTROLS, AFTER CONSTRUCTION ACTIVITY SCONNELLET. AREAS NOT CONNECTED AND CONDECTE PAMENTATION OR MY STRUCTURES MALE BE LANGSCAPED, AND REGISTRO, OMEC STABLEND, THIS REGISTATION WILL HALL PREVENT SEDMENT RANDON AND REGISTRO, OMEC STABLEND, REMAY GRANDED MARCA WILL BE TEXTURED TO REDUCE THOW MALCONY.	O AFTER CONSTRUCTION, AFTER CONSTRUCTION ACTION TO SHE SHABILIZATION PROCEDURES ARE COMPLETE, STRUCTURAL EROSION AND SEMENTED ON MOLS WILL BE REMOVAL OF CONTROLS WILL BE STABILIZED	VONTOLES, IT MILL BE REPUBLIED AS SOME AS PROSIDED AS EX PORTION ON IN THE VOUNTY OF THE REMOVED FERKE IS COMPLETE. C)AS SOON AS FRACTICABLE AFTER SITE CRADING IS COMPLETE, FINAL STABLIZATION PROCEDURES SUCH AS TUPE ESTABLISHMENT AND INSTALLATION OF PLANT MATERIAL MILL BE COMMENCED.	B) JOHNA CAPS ROLLIAN: a) MANERA ELLY AFTER PANNA CONSTRUCTED METS b) MANERA ELS MATTER PANNA CONSTRUCTED METS b) MAT ELSTING BUT FENONG NEEDS TO BE REMONED FOR CONSTRUCTION OF ACCESS BLOOKET BUT CONTROLLED TO BE REMONED FOR CONSTRUCTION OF ACCESS BLOOKET BUT CONTROLLED TO BE REMONED FOR CONSTRUCTION OF ACCESS	A) PRIOR TO CONSTRUCTION: SILT FEXCING SHALL BE INSTALLED IN ALL LOCATIONS SHOWN ON SITE MAP THAT WILL NOT BE DISTURBED DURING THE INTIAL GRADING PROCESS. THE STABLED CONSTRUCTION EXIT SHALL BE INSTALLED IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS. B) NERWY CONFERENCES.	-ADHESWES, PESTICIDES, DITERBONTS, PAINTS, FUELS, SOLVENTS, SEALANTS, FERTUZERS, OILS, HERBIODES, CLEANING SOLUTIONS, CONCRETE/CEMENT/PLASTER 2) STORM WATER QUALITY MEASURE IMPLEMENTATION RELATING TO LAND DISTURBING ACTIVITIES.	SWPPP NOTES 1) POTENTAL FOLLUTANT SOURCES ASSOCIATED WITH CONSTRUCTION SITE.
^{SHEET} C0.1	SPI		IN CIN NCH Texas	1CO		GEN.	ERAL	NO	TES	21 JUNE 2012	1022-9	30-e6-n 3 +u334	760	CMI Engineers 9111 FM 1960 Houston, TX 77 281.301.5955 FRN F-11526	Lind	lsey	<u> </u>	Cou	NTY/CINCO	COMMENTS	6.2	11.2012

APPROVAL IS MAPLED FOR MAPROVEMENTS WITHIN FORT BEND COUNT INGERTS OF MAY DIVERT WAND FOR THAN ADDRESS OF MAY WITHIN MAD FOR THAN APPROVED WATER MAY APPROVED WATER TO MAKE THE CONTINUENCE.

