

REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

12 N

On this 07 day of MAY, 2013, Commissioners Court
came on to be heard and reviewed the accompanying notice
of PASKEY INCORPORATED

Job Location GRAND PARKWAY [STATE HIGHWAY 99]

Dated 04/17/13 Bond No. 0174579, Permit No. 84343
to make use of certain Fort Bend County property subject to, "A Revised Order
Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables,
Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and
Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the
Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners
Court of Fort Bend County, Texas, date the 3rd day of August, 1987, recorded in
Volume _____ of the Minutes of the Commissioners Court of Fort Bend County,
Texas, to the extent that such order is not inconsistent with Article 1436a, Vernon's
Texas Civil Statutes. Upon Motion of Commissioner Meyers, seconded
by Commissioner Patterson, duly put and carried, it is ORDERED,
ADJUGED AND DECREED that said notice of said above purpose is hereby
acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said
notice be placed on record according to the regulation order thereof.

Notes:

1. Evidence of review by the Commissioners Court must be kept on the job site
and failure to do so constitutes grounds for job shutdown.
2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. When construction is completed and ready for final inspection

Mail notices to: Permit Administrator
Fort Bend County Engineering
P.O. Box 1449
Rosenberg, Texas 77471
281-633-7500

3. This permit expires one (1) year from date of permit if construction has not
commenced.

By

[Signature]
County Engineer

By

Drainage District Engineer/Manager

Presented to Commissioners Court
and approved.

Recorded in Volume 5-2-13
Minutes of Commissioners Court.

Clerk of Commissioners Court

By [Signature]
Deputy

**PERFORMANCE BOND COVERING ALL CABLE, CONDUIT AND/OR POLE LINE
ACTIVITY IN, UNDER, ACROSS OR ALONG FORT BEND COUNTY ROADS**

AUTHORIZED

BOND NO 0174579

THE STATE OF TEXAS §

KNOW ALL MEN BY THESE PRESENTS:

COUNTY OF FORT BEND §

THAT WE, Paskey Incorporated whose
address is 128 S. 8th Street, La Porte, Texas 77571, Texas, hereinafter called the Principal,
and Berkley Regional Insurance Company, a Corporation existing under and by virtue of
the laws of the State of Delaware and authorized to do an indemnifying business in the State of
Texas, and whose principal office is located at Urbandale, Iowa, whose
officer residing in the State of Texas, authorized to accept service in all suits and actions brought
within said State is Tim Champagne and whose address is 12400 Coit Rd., Suite 625, Dallas, Texas 75251,
hereinafter called the Surety, and held and firmly bound unto, Robert E. Hebert, County Judge
of Fort Bend County, Texas, or his successors in office, in the full sum of Sixty Seven Thousand Six Hundred Thirty Five
and 53/100
Dollars (\$ 67,635.53) current, lawful money of the United States of America, to be paid to said
Robert E. Hebert, County Judge of Fort Bend County, Texas, or his successors in office, to which
payment well and truly to be made and done, we, the undersigned, bind ourselves and each of us,
our heirs, executors, administrators, successors, assigns, and legal representatives, jointly and
severally, by these presents.

THE CONDITION OF THIS BOND IS SUCH THAT, WHEREAS, the above bounden
principal contemplates laying, constructing, maintaining and/or repairing one or more cables,
conduits, and/or pole lines in, under, across and/or along roads, streets and highways in the
County of Fort Bend, and the State of Texas, under the jurisdiction of the Commissioners' Court
of Fort Bend County, Texas, pursuant to the Commissioners' Court order adopted on the 1st day
of December, A.D. 1980, recorded in Volume 13, of the Commissioners' Court Minutes of Fort
Bend County, Texas, regulating same, which Commissioners' Court order is hereby referred to
and made a part hereof for all purposes as though fully set out herein;

AND WHEREAS, the principal desires to provide Fort Bend County with a performance
bond covering all such cable, conduit and/or pole line activity;

NOW, THEREFORE, if the above bounden principal shall faithfully perform all its cable,
conduit and/or pole line activity (including, but not limited to the laying, construction,
maintenance and/or repair of cables, conduits and/or pole lines) in, under, across and/or along
roads, streets and highways in the County of Fort Bend and State of Texas, under the
jurisdiction of the Commissioners Court of Fort Bend County, Texas, pursuant to and in
accordance with minimum requirements and conditions of the above mentioned Commissioners'
Court order set forth and specified to be by said principal done and performed, at the time and
in the manner therein specified, and shall pay over and make good and reimburse Fort Bend
County, all loss and damages which Fort Bend County may sustain by reason of any failure or
default on the part of said principal, then this obligation shall be null and void, otherwise to
remain in full force and effect.

This bond is payable at the County Courthouse in the County of Fort Bend and State of
Texas.

It is understood that at any time Fort Bend County deems itself insecure under this bond,
it may require further and/or additional bonds of the principal.

EXECUTED this 21st day of March, 20 13.

Paskey Incorporated
PRINCIPAL

BY

Berkley Regional Insurance Company
SURETY

BY Lori Ellis, Attorney-in-Fact

POWER OF ATTORNEY
BERKLEY REGIONAL INSURANCE COMPANY
WILMINGTON, DELAWARE

NOTICE: The warning found elsewhere in this Power of Attorney affects the validity thereof. Please review carefully.

KNOW ALL MEN BY THESE PRESENTS, that BERKLEY REGIONAL INSURANCE COMPANY (the "Company"), a corporation duly organized and existing under the laws of the State of Delaware, having its principal office in Urbandale, Iowa, has made, constituted and appointed, and does by these presents make, constitute and appoint: *Lori Ellis, Edward L. Moore, Roxanne G. Hebert, Bruce C. DeHart, David R. Groppell, Beverly A. Ireland, Mary M. Rifaat or Sharen R. Groppell of Elsey and Associates Surety/Insurance Agency, Inc. of Spring, TX* its true and lawful Attorney-in-Fact, to sign its name as surety only as delineated below and to execute, seal, acknowledge and deliver any and all bonds and undertakings, with the exception of Financial Guaranty Insurance, providing that no single obligation shall exceed **Twenty Five Million and 00/100 U.S. Dollars (U.S.\$25,000,000.00)**, to the same extent as if such bonds had been duly executed and acknowledged by the regularly elected officers of the Company at its principal office in their own proper persons.

This Power of Attorney shall be construed and enforced in accordance with, and governed by, the laws of the State of Delaware, without giving effect to the principles of conflicts of laws thereof. This Power of Attorney is granted pursuant to the following resolutions which were duly and validly adopted at a meeting of the Board of Directors of the Company held on August 21, 2000:

"RESOLVED, that the proper officers of the Company are hereby authorized to execute powers of attorney authorizing and qualifying the attorney-in-fact named therein to execute bonds, undertakings, recognizances, or other suretyship obligations on behalf of the Company, and to affix the corporate seal of the Company to powers of attorney executed pursuant hereto; and further

RESOLVED, that such power of attorney limits the acts of those named therein to the bonds, undertakings, recognizances, or other suretyship obligations specifically named therein, and they have no authority to bind the Company except in the manner and to the extent therein stated; and further

RESOLVED, that such power of attorney revokes all previous powers issued on behalf of the attorney-in-fact named; and further

RESOLVED, that the signature of any authorized officer and the seal of the Company may be affixed by facsimile to any power of attorney or certification thereof authorizing the execution and delivery of any bond, undertaking, recognizance, or other suretyship obligation of the Company; and such signature and seal when so used shall have the same force and effect as though manually affixed. The Company may continue to use for the purposes herein stated the facsimile signature of any person or persons who shall have been such officer or officers of the Company, notwithstanding the fact that they may have ceased to be such at the time when such instruments shall be issued."

IN WITNESS WHEREOF, the Company has caused these presents to be signed and attested by its appropriate officers and its corporate seal hereunto affixed this 23 day of January, 2013.

Attest:

Berkley Regional Insurance Company

(Seal)

By

Ira S. Lederman
Senior Vice President & Secretary

By

Jeffrey M. Hafter
Senior Vice President

WARNING: THIS POWER INVALID IF NOT PRINTED ON BLUE "BERKLEY" SECURITY PAPER.

STATE OF CONNECTICUT)

) ss:

COUNTY OF FAIRFIELD)

Sworn to before me, a Notary Public in the State of Connecticut, this 23 day of January, 2013, by Jeffrey M. Hafter and Ira S. Lederman who are sworn to me to be the Senior Vice President, and the Senior Vice President and Secretary, respectively, of Berkley Regional Insurance Company.

Eileen Killeen

NOTARY PUBLIC, STATE OF CONNECTICUT
MY COMMISSION EXPIRES JUNE 30, 2017

Eileen Killeen
Notary Public, State of Connecticut

CERTIFICATE

I, the undersigned, Assistant Secretary of BERKLEY REGIONAL INSURANCE COMPANY, DO HEREBY CERTIFY that the foregoing is a true, correct and complete copy of the original Power of Attorney; that said Power of Attorney has not been revoked or rescinded and that the authority of the Attorney-in-Fact set forth therein, who executed the bond or undertaking to which this Power of Attorney is attached, is in full force and effect as of this date.

Given under my hand and seal of the Company, this 21st day of March, 2013.

(Seal)

Andrew M. Tuma

WARNING - Any unauthorized reproduction or alteration of this document is prohibited. This power of attorney is void unless seals are readable and the certification seal at the bottom is embossed. The background imprint, warning and confirmation (on reverse) must be in blue ink.

Instructions for Inquiries and Notices Under the Bond Attached to This Power

Berkley Surety Group, LLC is the affiliated underwriting manager for the surety business of: Acadia Insurance Company, Berkley Insurance Company, Berkley Regional Insurance Company, Carolina Casualty Insurance Company, Union Standard Insurance Company, Continental Western Insurance Company, and Union Insurance Company.

To verify the authenticity of the bond, please call (866) 768-3534 or email BSGInquiry@berkleysurety.com

Any written notices, inquiries, claims or demands to the surety on the bond to which this Rider is attached should be directed to:

**Berkley Surety Group, LLC
412 Mount Kemble Avenue
Suite 310N
Morristown, NJ 07960
Attention: Surety Claims Department**

Or

email BSGClaim@berkleysurety.com

Please include with all notices the bond number and the name of the principal on the bond. Where a claim is being asserted, please set forth generally the basis of the claim. In the case of a payment or performance bond, please identify the project to which the bond pertains.

IMPORTANT NOTICE

To obtain information or make a complaint:

You may call Berkley Surety Group's toll-free telephone number for information or to make a complaint at:

1-866-245-1973

You may also write to Berkley Surety Group at:

Berkley Surety Group, Inc.
412 Mt. Kemble Avenue
Suite 310N
Morristown, NJ 07960
Attention: Surety Claims Department

OR

E-mail: BSGClaim@wrbcSurety.com

You may contact the Texas Department of Insurance to obtain information on companies, coverages, rights or complaints at:

1-800-252-3439

You may write the Texas Department of Insurance:

P.O. Box 149104
Austin, TX 78714-9104
Fax: (512) 475-1771
Web: <http://www.tdi.state.tx.us>
E-mail: ConsumerProtection@tdi.state.tx.us

PREMIUM OR CLAIM DISPUTES:

Should you have a dispute concerning your premium or about a claim you should contact the company. If the dispute is not resolved, you may contact the Texas Department of Insurance.

ATTACH THIS NOTICE TO YOUR POLICY:

This notice is for information only and does not become a part or condition of the attached document.

AVISO IMPORTANTE

Para obtener informacion o para someter una queja:

Usted puede llamar al numero de telefono gratis de Berkley Surety Group's para informacion o para someter una queja al:

1-866-245-1973

Usted tambien puede escribir a Berkley Surety Group:

Berkley Surety Group, Inc.
412 Mt. Kemble Avenue
Suite 310N
Morristown, NJ 07960
Attention: Surety Claims Department

OR

E-mail: BSGClaim@wrbcSurety.com

Puede comunicarse con el Departamento de Seguros de Texas para obtener informacion acerca de companias, coberturas, derechos o quejas al:

1-800-252-3439

Puede escribir al Departamento de Seguros de Texas:

P.O. Box 149104
Austin, TX 78714-9104
Fax: (512) 475-1771
Web: <http://www.tdi.state.tx.us>
E-mail: ConsumerProtection@tdi.state.tx.us

DISPUTAS SOBRE PRIMAS O RECLAMOS:

Si tiene una disputa concerniente a su prima o a un reclamo, debe comunicarse con el la compania primero. Si no se resuelve la disputa, puede entonces comunicarse con el departamento (TDI).

UNA ESTE AVISO A SU POLIZA: Este aviso es solo para proposito de informacion y no se convierte en parte o condicion del documento adjunto.

COUNTY OF FORT BEND

Engineering Department

P.O. BOX 1449
Rosenberg, Texas 77471-1449

Johnny Ortega
Permit Administrator

1124 Blume Road
Phone: (281) 341-7500

PERMIT APPLICATION REVIEW FORM FOR CABLE, CONDUIT, AND POLE LINE ACTIVITY IN FORT BEND COUNTY

PERMIT NO. 084243

The following "Notice of Proposed Cable, Conduit, and/or Pole Line activity in Fort Bend County" and accompanying attachments have been reviewed and the notice conforms to appropriate regulations set by Commissioner's Court of Fort Bend County, Texas.

X (1) Complete Application Form.

- X a. Name of road, street, and/or drainage ditch affected.
X b. Vicinity map showing course of direction.
X c. Plans and specifications.

X (2) Bond:

_____ District Attorney, approval when applicable.
_____ Perpetual bond currently posted.
No. _____
Amount _____
X Performance bond submitted.
No. 0174579
Amount \$67,635.53
_____ Cashier's Check.
No. _____
Amount _____

_____ (3) Verbal permission given for emergencies, to start construction before approved in Commissioner's Court.

_____ Precinct Engineer Acknowledgment

_____ Date

_____ Precinct Commissioner Acknowledgment

_____ Date

_____ (4) _____
Drainage District Approval when applicable

We have reviewed this project and agree it meets minimum requirements.


Johnny Ortega CFM/ Permit Administrator
(REVISED 5/30/08)

04/17/2013
Date

**NOTICE OF PROPOSED CABLE, CONDUIT AND/OR POLE LINE ACTIVITY
IN, UNDER, ACROSS OR ALONG ROADS, STREETS, HIGHWAYS AND DRAINAGE DITCHES
IN FORT BEND COUNTY**

APPLICANT'S JOB NO. 05534-007-00

PERMIT No. 04343 PCT. No. 4

BOND No. 0174579

Formal notice is hereby given that Paskey, Inc.
proposes to lay, construct, maintain and/or repair cable, conduit and/or pole line, in, under,
across, or along roads, streets, highways and drainage ditches in Fort Bend County, as follows:

In, Under, or Across Roads and/or Drainage Ditches

Road or Ditch Name	Distance & Direction From Nearest Intersection	Length of Crossing	Type of Construction Bored: Jacked: Driven: Cased
SH 99	21200 feet north of SH 99 and FM 1967	297 ft	: X : :

Along Roads and/or Drainage Ditches

Road or Ditch Name	Distance & Direction From Nearest Intersection	To	Distance

General Description

Open cut and Tunnel 6'x3' Box Culvert under SH 99

The Location and description of the proposed installation and appurtenances is more fully shown on the attached detail drawings. The laying, construction, maintenance and/or repair of the proposed installation shall be subject to "A Revised Order Regulating the Laying, Construction, Maintenance and/or Repair of Cables, Conduits, and/or Pole Lines, In, Under, Across, or Along Roads, Streets, Highways and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by Commissioners Court of Fort Bend County, Texas, dated the 3rd. day of August, 1987, recorded in Volume 639 of the Minutes of the Commissioners Court of Fort Bend County, Texas.

Written notices are required: 1) 48 hours in advance of start of construction and
2) when construction is complete and ready for final inspection.

Mail to: Permit Administrator/Fort Bend County Engineering
P.O. Box 1449, Rosenberg, TX 77471.

Violation of requirements shall constitute grounds for job shut down.

Does project comply with Fort Bend County Outdoor Lighting Ordinance?
Yes ()
No ()

COMPANY NAME: Paskey Incorporated

(AGENT and/or OWNER)

(Signature)

NAME & TITLE

Curtis W. Paskey President

(Please Print)

DATE

3/22/13

ADDRESS

128 South 8th Street

(Street/P.O. Box)

LaPorte, TX

77571

City

State

Zip

TELEPHONE NO:

281.941.9321

(accessible 24 hrs/day, 7 days/week)

DETENTION FACILITIES
TO SERVE
WINDSOR ESTATES ^A

INDEX OF DRAWINGS

TITLE


PLAN & PROFILE

1. COVER SHEET & INDEX
2. OVERALL CONSTRUCTION NOTES &
STORM WATER POLLUTION PREVENTION PLAN

3. BASELINE A - OUTFALL A
LAME A OUTFALL
4. BASELINE B - LAME E OUTFALL
BASELINE C - LAME G OUTFALL
5. BASELINE D - LAME G OUTFALL
LAME D OUTFALL
6. BASELINE E - CHANNEL IMPROVEMENTS STA 0+00 TO 12+00
CHANNEL IMPROVEMENTS STA 12+00 TO 21+00
7. BASELINE F - OUTFALL B
8.

DETAILS

9. CROSS SECTION SHEET 1 OF 2
10. CROSS SECTION SHEET 2 OF 2
11. GRADING PLAN
12. MISCELLANEOUS DETAIL SHEET 1 OF 2
13. MISCELLANEOUS DETAIL SHEET 2 OF 2
14. TADOT CONCRETE MINORWALL DETAIL
15. STORM WATER POLLUTION PREVENTION PLAN DETAILS



"Prior to the construction of these facilities within or by the District, the District or its Engineer will give written notice by Registered or Certified Mail to the Director of Public Works and Engineering, City of Houston, stating the date such construction will be commenced."

RICHARD W. STOLLER, P.E.
Fort Bend County Engineer

D. JESSE HECHEMER, P.E.
Fort Bend County Engineer

DATE _____

DATE 8/4/09

JUNE 2009
JC JOB No. 5049-074

JC JONES & CARTER, INC.
ENGINEERS • PLANNERS • SURVEYORS
Texas Board of Professional Engineers Registration No. F-439
6335 Gullhorn Dr., Suite 100 Houston, Texas 77061 (713) 777-5337

1 7/12 DEVELOPMENT NAME CHANGED
FROM THE CLOISTERS TO WINNOK ESTATES
2 1/13 ADD SIGNATURE LINE

ILIAS No. 09013442
C.O.H. LOG No. 09-0110
CPC 101 REF. No. 2008-0764

NOTES:

These plans were prepared to meet or exceed the specifications and requirements of the City of Houston, Texas and Fort Bend County, Texas as currently amended, whichever is more stringent.

Approval by Fort Bend County will be deemed void if construction has not begun within one year of approval date.

Lots A, B, C, and D will be platted with Section 1. Lots E will be platted with Future Section 2.


Construction will be monitored by a registered professional engineer of JONES & CARTER, INC.




Contractor shall notify the Fort Bend County Engineering Department at least 48 hours prior to commencement at (281) 633-7500.

Scott C. Saenger, P.E.

Date _____

	ISSUED BY: WITH CITY BOARDING VALUE FOR THE YEAR ONLY 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420
--	--





NOTE:

1. Lake E proposed modified C-2 inlet opening is 100' (10) ft wide.

2. Lake E proposed modified C-2 inlet opening is 100' (10) ft wide.

100-YEAR FLOOD PLAIN

1. The 100-year flood plain is shown on the plan view of the lake system.

2. The 100-year flood plain is shown on the plan view of the lake system.

FOR INFORMATION ONLY

1. The 100-year flood plain is shown on the plan view of the lake system.

2. The 100-year flood plain is shown on the plan view of the lake system.

FOR INFORMATION ONLY

1. The 100-year flood plain is shown on the plan view of the lake system.

2. The 100-year flood plain is shown on the plan view of the lake system.

FOR INFORMATION ONLY





1. The 100-year flood plain is shown on the plan view of the lake system.

2. The 100-year flood plain is shown on the plan view of the lake system.

FOR INFORMATION ONLY

1. The 100-year flood plain is shown on the plan view of the lake system.

2. The 100-year flood plain is shown on the plan view of the lake system.




For Reference Only
Not in COH ETS


WINDSOR FALLS ☒
 BASELINE C -
 LAKE B OUTFALL

J.C. JONES & CARTE R.E.
ENGINEERS - PLANNERS - SURVEYORS
208 E. Lexington Avenue, Room No. 407
New York 17, New York Tel. MU 6-7733
Cable Address: "JONES" New York 17

5
91 10



BASELINE E



See 7/16/69

For Reference Only
Not in COH ETS

THE DISTRICT ENGINEER, CHIEF OF THE DISTRICT OF COLUMBIA

FORT BRIGGS COUNTY ROAD NO. 25
FORT BRIGGS COUNTY, TEXAS

WINDOR ESTATES

BASELINE E
CHANNEL IMPROVEMENTS
STA 12+00 TO 21+00

J.C. JONES & COMPANY
1500 14th Street, N.W.
Washington, D.C. 20005

DATE: JAN 20, 1969
DRAWN BY: J.C. JONES
CHECKED BY: J.C. JONES
SCALE: AS SHOWN

46081

GENERAL NOTES

1. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.

2. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.

3. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.

4. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.

5. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.


6. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.

7. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.


8. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.

9. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.


10. THE DISTRICT ENGINEER HAS REVIEWED THE PLANS AND SPECIFICATIONS FOR THE PROPOSED CHANNEL IMPROVEMENTS AND HAS FOUND THEM TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE DISTRICT OF COLUMBIA.




CROSS SECTION "B-B"
PROP LANE 8



CROSS SECTION "A-A"
PROP CHANNEL IMPROVEMENTS



CROSS SECTION "B-B"
PROP LANE 8



CROSS SECTION "A-A"
DEVELOPMENT OUTFALL INTO TROUT CHANNEL

NOTE:
Contractor shall over excavate points
marked to reveal true soil profile
and shall submit to the Engineer
a cross-section of the excavation
for his approval.

For Reference Only
Not in COH E.T.S.

80 70449







J.C. JONES & ASSOCIATES, INC. 10000 N. Loop West, Suite 1000 Houston, Texas 77067-1400 Tel: (713) 861-1100 Fax: (713) 861-1101	
Scale: 1" = 10' H. 1/2" V. Date: 10/20/87 Drawn by: JCB Checked by: JCB State No.: Title No.:	Sheet No. 11 of 12

CROSS SECTION
SHEET 2 OF 2

WINDSON ESTATES

FORT BEND COUNTY MUD. NO. 25
FORT BEND COUNTY, TEXAS




LOT GRADING NOTES:

(1973 ADJUSTMENT)

10


11-12	BLANKET ESTATE	SALE
13-14	BLANKET ESTATE	SALE
15-16	BLANKET ESTATE	SALE
17-18	BLANKET ESTATE	SALE
19-20	BLANKET ESTATE	SALE
21-22	BLANKET ESTATE	SALE
23-24	BLANKET ESTATE	SALE
25-26	BLANKET ESTATE	SALE
27-28	BLANKET ESTATE	SALE
29-30	BLANKET ESTATE	SALE
31-32	BLANKET ESTATE	SALE
33-34	BLANKET ESTATE	SALE
35-36	BLANKET ESTATE	SALE
37-38	BLANKET ESTATE	SALE
39-40	BLANKET ESTATE	SALE
41-42	BLANKET ESTATE	SALE
43-44	BLANKET ESTATE	SALE
45-46	BLANKET ESTATE	SALE
47-48	BLANKET ESTATE	SALE
49-50	BLANKET ESTATE	SALE
51-52	BLANKET ESTATE	SALE
53-54	BLANKET ESTATE	SALE
55-56	BLANKET ESTATE	SALE
57-58	BLANKET ESTATE	SALE
59-60	BLANKET ESTATE	SALE
61-62	BLANKET ESTATE	SALE
63-64	BLANKET ESTATE	SALE
65-66	BLANKET ESTATE	SALE
67-68	BLANKET ESTATE	SALE
69-70	BLANKET ESTATE	SALE
71-72	BLANKET ESTATE	SALE
73-74	BLANKET ESTATE	SALE
75-76	BLANKET ESTATE	SALE
77-78	BLANKET ESTATE	SALE
79-80	BLANKET ESTATE	SALE
81-82	BLANKET ESTATE	SALE
83-84	BLANKET ESTATE	SALE
85-86	BLANKET ESTATE	SALE
87-88	BLANKET ESTATE	SALE
89-90	BLANKET ESTATE	SALE
91-92	BLANKET ESTATE	SALE
93-94	BLANKET ESTATE	SALE
95-96	BLANKET ESTATE	SALE
97-98	BLANKET ESTATE	SALE
99-100	BLANKET ESTATE	SALE







GENERAL NOTES

1. INITIAL DITCHES 48 INCHES OR GREATER DIAMETER AND TREATMENT PLANT DITCHES OF ANY DIAMETER WITH RIBBED PROTECTION, DIMENSIONED AS SHOWN IN TYPICAL TYPICAL SEWER OUTFALL STRUCTURE LAYOUT.
2. STORM SEWERS AND INTERFERENCE OUTFALL PIPES WITH THE PROPOSED CHANNEL SHALL BE CONSIDERED METAL PIPE UNLESS OTHERWISE SPECIFIED.
3. INTERFERENCE OUTFALL PIPES SHALL BE CONSIDERED METAL PIPE UNLESS OTHERWISE SPECIFIED.
4. PROTECT AND PLACE CEMENT STABILIZED SAND IN ACCORDANCE WITH SPECIFICATION SECTION NO. 02221-1 ELEMENT STABILIZED SAND.
5. ALL SHALL BE IN ACCORDANCE WITH SPECIFICATION SECTION NO. 02044-1 DRAINAGE DITCHES.
6. EXCAVATION, FILL, AND BACKFILL FOR INTERFERENCE STRUCTURES SHALL BE IN ACCORDANCE WITH SPECIFICATION SECTION 02101-1 STRUCTURAL REPAIRING AND BACKFILLING.
7. ALL SHALL BE IN ACCORDANCE WITH SPECIFICATION SECTION NO. 02101-1 CONCRETE.
8. INTERFERENCE STRUCTURES:
9. a. ACQUIRE EARTH AND METALS IN FIELD AS NECESSARY.
10. b. EXCAVATION SHALL BE IN ACCORDANCE WITH SPECIFICATION SECTION NO. 02101-1 CONCRETE.
11. c. STEEL REINFORCED-4" BARS (GRADE 60) AT 12 INCHES ON.
12. d. ALL INTERFERENCE OUTFALL PIPE UNDER 18" MAXIMUM SIZE.
13. e. REINFORCED CONCRETE A 3" SQUARE STEEL.
14. f. EXIST CHANNEL OF 18" OR GREATER CHANNEL FLOWLINE ON 1' FOOT ABOVE NORMAL WATER SURFACE.
15. g. SET CHANNEL OF 18" OR GREATER CHANNEL FLOWLINE ON 1' FOOT ABOVE NORMAL WATER SURFACE.
16. h. SET CONCRETE CHANNEL 1/4" OVER DITCH SHEET FOR DAP OUTFALL DETAILS INTERFERENCE CHANNEL, LANE.
17. i. CONCRETE PIPE AROUND 18" TO 48" PIPE FOR CONCRETE INTERFERENCE STRUCTURE PIPE DAP SHEET STRUCTURE.





GENERAL NOTES



LAKE A MODIFIED TYPE "C-2" INLET

SIZE 2 7/8" x 1 7/8"	PRF GAUGE	BAWD CONTRACTOR GAUGE	SIZE & EXT. GAUGE	PRF GAUGE	BAWD CONTRACTOR GAUGE
2 1/2"	16	16			
3 1/2"	16	16			
4 1/2"	16	16			
5 1/2"	16	16			
6 1/2"	16	16			
7 1/2"	16	16			
8 1/2"	16	16			
9 1/2"	16	16			
10 1/2"	16	16			
11 1/2"	16	16			
12 1/2"	16	16			
13 1/2"	16	16			
14 1/2"	16	16			
15 1/2"	16	16			
16 1/2"	16	16			
17 1/2"	16	16			
18 1/2"	16	16			
19 1/2"	16	16			
20 1/2"	16	16			
21 1/2"	16	16			
22 1/2"	16	16			
23 1/2"	16	16			
24 1/2"	16	16			
25 1/2"	16	16			
26 1/2"	16	16			
27 1/2"	16	16			
28 1/2"	16	16			
29 1/2"	16	16			
30 1/2"	16	16			
31 1/2"	16	16			
32 1/2"	16	16			
33 1/2"	16	16			
34 1/2"	16	16			
35 1/2"	16	16			
36 1/2"	16	16			
37 1/2"	16	16			
38 1/2"	16	16			
39 1/2"	16	16			
40 1/2"	16	16			
41 1/2"	16	16			
42 1/2"	16	16			
43 1/2"	16	16			
44 1/2"	16	16			
45 1/2"	16	16			
46 1/2"	16	16			
47 1/2"	16	16			
48 1/2"	16	16			
49 1/2"	16	16			
50 1/2"	16	16			
51 1/2"	16	16			
52 1/2"	16	16			
53 1/2"	16	16			
54 1/2"	16	16			
55 1/2"	16	16			
56 1/2"	16	16			
57 1/2"	16	16			
58 1/2"	16	16			
59 1/2"	16	16			
60 1/2"	16	16			
61 1/2"	16	16			
62 1/2"	16	16			
63 1/2"	16	16			
64 1/2"	16	16			
65 1/2"	16	16			
66 1/2"	16	16			
67 1/2"	16	16			
68 1/2"	16	16			
69 1/2"	16	16			
70 1/2"	16	16			
71 1/2"	16	16			
72 1/2"	16	16			
73 1/2"	16	16			
74 1/2"	16	16			
75 1/2"	16	16			
76 1/2"	16	16			
77 1/2"	16	16			
78 1/2"	16	16			
79 1/2"	16	16			
80 1/2"	16	16			
81 1/2"	16	16			
82 1/2"	16	16			
83 1/2"	16	16			
84 1/2"	16	16			
85 1/2"	16	16			
86 1/2"	16	16			
87 1/2"	16	16			
88 1/2"	16	16			
89 1/2"	16	16			
90 1/2"	16	16			
91 1/2"	16	16			
92 1/2"	16	16			
93 1/2"	16	16			
94 1/2"	16	16			
95 1/2"	16	16			
96 1/2"	16	16			
97 1/2"	16	16			
98 1/2"	16	16			
99 1/2"	16	16			
100 1/2"	16	16			

66	10	12	66	16	16
77	10	12	77	16	16
78	10	12	78	16	16
84	9	12	84	14	16



1. ANY DETECTED MORE THAN 3% SHALL BE
NOTED AND RECORDED BY THE CONTRACTOR
AT HIS EXPENSE AND EXTRA PAY.

2. INSTALLATION SHALL BE AS PER MANUFACTURER'S
SPECIFICATIONS AND RECOMMENDATIONS INCLUDING
ITEMS AS DETAIL IN INSTALLATION MANUAL FOR
COMPOUNDED STEEL DOORWAY STRUCTURES.

7-21-19
7-22-19
7-23-19

STORM SEWER JOINT WRAP DETAIL


NOT TO SCALE

MISCELLANEOUS DETAIL
SHEET 1 OF 2


CITY OF HOUSTON
DEPARTMENT OF PUBLIC WORKS AND ENGINEERING
DATE: 8/26/2014

C.O.H. LOG No. 09-0110

CD-6112X JAN 20



SECTION "A-A"



HARDWARE CLOTH	
MAX WIDTH OF MESH OPENING	1/4"
MIN WIDTH OF MESH OPENING	1/8"

FILTER FABRIC: NON-WOVEN GEOTEXTILE	
MAX EQUIVALENT OPENING SIEVE	NO. 50
MIN EQUIVALENT OPENING SIEVE	NO. 120
MIN WEIGHT (OZ/SY)	6



TYPICAL WEEP HOLE DETAIL
NOT TO SCALE



PIPE OUTFALL DETAIL
NOT TO SCALE
(FOR OUTFALLS 24"-42" NOM DIA.)



LEGEND:	
C3	PAYMENT EXPANSION JOINT (SEE DETAIL THIS SHEET)
N2	NETED CONSTRUCTION JOINT (SEE DETAIL THIS SHEET)
	24\" RRP RAP
	CONCRETE SLOPE PAVING
O	WEEP HOLE (SEE DETAIL THIS SHEET)

TXDOT CHANNEL CONCRETE SLOPE PAVING DETAIL
SCALE: 1"=30'



TYPICAL CONCRETE REVETMENT DETAIL
NOT TO SCALE

UP-STREAM & DOWN-STREAM TIE-IN



6-11-09

6-11-09

C.O.H. LOG No. 09-0110

902 OF 1278 (C)

611-09

Sheet No. 14 of 6

C.O.H. LOG No. 09-0110

©-R-107-206

TABLE OF DIMENSIONS & REINFORCING STEEL
(Wings for One Structure End)

Vernacular Height	Dimensions				Variable Kerfing		Scientific Height (m)	Scientific Weight (kg)
	W	X	Y	Z	Box 1	Box 2		
2-5	1-0	9"	7"	#4	1-0	33.73	0.246	1.04
3-6	1-0	8"	7"	#4	1-0	31.74	0.223	1.04
4-7	1-0	8"	7"	#4	1-0	33.74	0.223	1.04
4-8	1-0	9"	7"	#4	1-0	34.41	0.285	1.04
4-9	1-0	9"	7"	#4	1-0	41.75	0.343	1.04
5-0	1-0	1-0	7"	#4	1-0	43.09	0.353	1.04
5-1	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
5-2	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
6-0	1-0	1-0	7"	#4	1-0	46.42	0.367	1.04
7-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
8-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
9-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
10-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
11-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
12-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
13-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
14-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
15-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
16-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
17-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
18-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
19-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
20-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
21-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
22-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
23-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
24-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
25-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
26-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
27-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
28-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
29-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
30-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
31-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
32-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
33-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
34-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
35-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
36-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
37-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
38-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
39-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
40-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
41-0	1-0	1-0	7"	#4	1-0	44.14	0.345	1.04
42								








TABLE OF WINDOW WALL
REINFORCING
(2-W ggs)

Box	Size	No.	Spd.
J	#2	~	1-0"
E	#4	~	1-0"
F	#4	~	1-0"
G	#5	4	~
M	#4	4	~
P	#5	~	1-0"
R	#5	6	~
V	#4	~	1-0"

Box	Size	No.	Ssd
L	#4	~	1-6
Q	(16/ft)	1	~
Root (16/ft)		2.45	
Core (CY/ft)		0.03	

WAG DIMENSION CALCULATIONS

$H_m = H + \tau + C - D/250$
 Hermands (lat values are in feet)
 $A = (4w - 0.333) (SL)$
 $D = (a) \text{ Tangent } (30^\circ)$
 $L_m = (A) + \text{Cosine } (30^\circ)$
 for Coat-of-armor ciphers:
 $L_m = (N) (S) + (N + 1) (U)$
 for Precast ciphers:
 $L_m = (N) (7H + S) + (N - 1) (3.5007)$
 Total Wingspan Area (two wings $\sim S/F = (H_m + 0.333) (L_m)$



Designated according to current ASTM D Standard

Interpret Specifications

All concrete shall be Class C and all air shall have a minimum compressive strength of 3500 psi.

All reinforcing bars shall be deformed to provide a minimum of 60% bond.

Reinforcing bars shall be furnished in the form of a continuous rod, with lap splices, or welded lap splices, or eliminated as directed by the Engineer.

The U.S. steel for additional dimensions and

The quantities for concrete and reinforcing steel resulting from the formulas given on this sheet are for Contractor's information only.

- ① Exposed Bars P 3.3- " minimum, not within 50 ft of Bar Current." as necessary, to provide clear cover and minimum between 20 ft.
- ② Quantities shown are based on cut or average soil height for two adjacent structural units, and determine total length of the two wings and/or the totalized cut by the Levee
- ③ Recommended values of Slope are: 2:1, 3:1, 4:1 & 6:1 when slope, measured on the piers, a 3° down concrete slope, is to be constructed. The 3° down concrete slope must be constant. If the 3° down concrete slope is to be constant, the 3° down concrete slope shall have a 6' wide by 1.66' deep reinforced concrete toe. The 3° down concrete slope shall be constructed by extending typical forms reinforcing into the trench, construction of the trench shall be completed by the end of the flow, spill extend across the full distance of the trench at intervals of approximately 20'. When such sections are to be constructed, the 3° down concrete section shall not be required. A 3° down concrete section shall be required by item 12. Retainp
- ④ A. Contention Station. Chainage (local) may be entered from this station as necessary.
- ⑤ ⑦ "min to 3'-0" max. If by GC, R.O. see 1A-GM
- ⑥ "maximum depth to the 1A-GM standard for cuts standard and greater than 1'-0" High. See 1A-GM. The 1A-GM standard for cuts standard and greater than 1'-0" High. See 1A-GM. The 1A-GM standard for cuts standard and greater than 1'-0" High. See 1A-GM. The 1A-GM standard for cuts standard and greater than 1'-0" High. See 1A-GM.
- ⑧ For fence safety, curb heights and end heights shall be adjusted, if necessary, to provide a maximum height of 4'-0" and a minimum height of 3'-0". The fence shall be made of reinforced and no cast-in-place compensation will be allowed for TP 3' width.



Texas Department of Transportation
Bridge Division

CONCRETE WINGWALLS

WITH FLARED WINGS FOR

0° SKEW BOX CULVERTS

FW-O




STATE OF TEXAS
KUTV & SUNDAY
NEWS
7:00 PM




TEXAS
DEPARTMENT OF
TRANSPORTATION
1968

FILE NO. FW-0187-00		DATE 12/1/71		BY DA	
PROJECT KUTV Hwy 225		SHEET 1		TOTAL SHEETS 1	
DIVISION BRIDGES		DESIGNER FW-O		CHECKER FW-O	
DRAWN FW-O		IN CHARGE FW-O		APPROVED FW-O	
DATE 12/1/71		BY FW-O		DATE 12/1/71	

For Reference Only
Not in COH ETS



SECTION B-B



For Reference
May 10 2011

SCOTT C. SWEENEY

REGISTERED MAIL ENGINE

CONSTRUCTION HANDBOOK •
STORY AND MANAGEMENT PLAN
FOR CONSTRUCTION SCHEDULES

6-11-09

RECEIVED

2001 EDITION

Address for MHT	UNIT ADDRESS	400
STORM WATER POLLUTION		

DATE	PREVENTION PLAN DETAILS	BY
------	-------------------------	----

DATE	PROJECT BY	BY
JUNE 2009		

	DATE	DESCRIPTION OF WORK	COST ESTIMATE (\$)
JUNE 2009	MAY 1	STORM WATER POLLUTION PREVENTION PLAN DETAILS	\$75
N.T.S.			\$0
TOTAL			\$75

WINDSOR ESTAIRES DETENTION FACILITIES		
DATE	NO. OF RECORDS	NO.
STORM WATER POLLUTION		21
PREVENTION PLAN DETAILS		22
N.T.S.		
APPROVED BY		23
2009		