## 129

## REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

On thi	s 23	day of	SEPTEMBER	<u>2014</u>	,Commissioners Court
came	on to be hea	rd and re	viewed the accor	npanying noti	ce
			IRISTINA LILES		
Job Lo	cation CINC	O ROSE DR	IVE		
Dated	09/03/14	BOND NO	D. LPM09096588	, Per	mit No. 84678
to ma	ke use of cer	rtain Fort	Bend County pro	perty subject	to, "A Revised Order
Regul	ating the La	ying, Con	struction, Mainte	nance, and Re	pair of Buried Cables,
Cond	uits, and Pol	e Lines, Iı	ı, Under, Across o	or Along Road	s, Streets, Highways, and
					urisdiction of the
Comn	nissioners Co	ourt of Fo	rt Bend County, 1	rexas," as pas	sed by the Commissioners
Court	of Fort Ben	d County,	Texas, date the 3	ay of Augu	ist, 1987, recorded in
Volun 	ne	_ of the r	Alnutes of the Co	mmissioners (	Court of Fort Bend County, th Article 1436a, Vernon's
Texas	s, to the exte	nt that su	Ich oruer is not in Motion of Commis	reioner 10.0	wens , seconded
hy Co	mmiccionar	PA HOW	totton or commis	v nut and car	ried, it is ORDERED,
			nat said notice of		
ackno	owledged by	the Com	missioners Court	of Fort Bend	County, Texas, and that sai
notic	e be placed o	on record	according to the	regulation or	der thereof.
	•		_		
Notes					
1.					ust be kept on the job site
			constitutes groui	nds for job sh	utdown.
2.	Written no				•
			dvance of constru		
					for final inspection
	Mail notice	-	Permit Administ		
			Fort Bend County 301 JACKSON STREE	<del>-</del>	
			RICHMOND, Texas		
			281-633-7500		
3.	This perm	it expires	one (1) year fro	m date of peri	nit if construction has not
	commence	ed.			
	11-0	CAN	)		
By	1 may	2 dan			to Commissioners Court
	County Engi	neer		and appro	ved.
_	1	** / *			in Volume <u>9-23-14</u>
Ву		N/A	-i/7/	winutes of	f Commissioners Court.
	Drainage Di	strict Eng	gineer/Manager	Clark of Co	ommissioners Court
				By She	1
(Druss	CED 40 /4 C /4 9	n		Deput	···
INKVI	ISED 10/16/13	1		νcρα	Ŀ.y

## PERFORMANCE BOND COVERING ALL CABLE, CONDUIT AND/OR POLE LINE ACTIVITY IN, UNDER, ACROSS OR ALONG FORT BEND COUNTY ROAD, COMMERCIAL DRIVEWAY AND MEDIAN OPENINGS OR MODIFICATIONS

AITHORIZED

		AUTHORIZE	D		
BOND N	OI	PM09096588	<del></del>		
THE STATE OF TEXAS	§				
		KNOW ALL	MEN BY THE	SE PRESENTS:	
COUNTY OF FORT BEND	§				
THAT WE, Linbeck Gro	oup, LLC				whose
address is 3900 Essex Lane. Suite 120		on, TX 77057		Texas, hereinafter c	
And Zurich American Insurance Comp	any			poration existing und	
				usiness in the state of	
principal office is located at <u>1400 Americal</u> in the State of Texas, authorized to accep	can Land	1. lower 1. 181	n Floor, Schaumi	DUIG, IL 60 196	Texas and
Whose address is 2000 W. Sam Houston F	Darkway (	M All Buille and	ton TX 77042. he	reinafter called the S	urety, and held and
firmly bound unto, Robert e. Hebert, Co	ounty Jo	ige of Fort Ben	County, Texas.	or his successors in of	fice, in the full sum
of Five Thousand Dollars and 00/100	Dol	lars (\$5.000.00	) current	t, lawful money of th	e United Stated of
America, to be paid to said Robert E. I	Hebert, C	County Judge of	Fort Bend Cour	nty, Texas, or his suc	cessors in office, to
which payment well and truly to be <b>u</b>	nade and	done, we, the	undersigned, bir	nd ourselves and eac	h of us, our heirs,
executors, administrators, successors, ass	signs, and	l legal represen	tatives, jointly and	d severally, by these p	resents.
THE CONDITION OF THIS I	BOND IS	SUCH THAT,	WHEREAS, the	e above bounden prii	cipal contemplates
aying, constructing, maintaining and/or	repairin	g one or more	ables, conduits, a	and/or pole lines in, u	nder, across and/or
along roads, streets and highways, com	imercial	driveway and	nedian openings	or modifications in	Tores pursuent to
Bend, and the State of Texas, under the the Commissioners' Court order adop	jurisaicu ted on t	on of the Comp	December A.D.	1980 recorded in	Volume 13 of the
Commissioners' Court Minutes of Fort B	Send Con	ntv. Texas, reco	lafing same, which	ch Commissioners' Co	ourt order is hereby
referred to and made a part hereof for a	Il purpos	es as though ful	v set out herein:		,,
_					
AND WHEREAS, the principal	desires to	provide Fort I	end County with	a performance bond	covering all such
cable, conduit and/or pole line activity, c					
NOW, THEREFORE, if the abo	ve bound	len principal sh	all faithfully perfo	orm all its cable, cond	uit and/or pole line
activity (including, but not limited to the	laying, c	onstruction, ma	intenance and/or	repair of cables, cond	iuits and/or pole
lines) in, under, across and/or along road	is, streets	and highways,	commercial drive	eway and median opei	nings or
modifications in the County of Fort Bend Bend County, Texas, pursuant to and in	ano Sta	te of Texas, und	er the jurisuiction	n of the Commissione and conditions of the	rs Court of Fort
Bend County, 1 exas, pursuant to and in Commissioners' Court order set forth an	accoruai A coecifi	ice with intilities of to be by said	nrincipal done an	and conditions of the t	ime and in the
manner therein specified, and shall pay o	over and	make ond and	reimburse Fort B	Rend County, all loss a	nd damages which
Fort Bend County may sustain by reason	of any f	ailure or defaul	on the part of sa	id principal, then this	obligation shall be
aull and void, otherwise to remain in full			•		8
					•
This bond is payable at the Cour	nty Cour	thouse in the Co	unty of Fort Ben	d and State of Texas.	
To the Newson of Albert at a compatible	77 A 70	. 3 Carreto da am		undan 4hia band i4 ma	
It is understood that at any time and/or additional bonds of the principal.		ia County deen	is fiseli insecure u	inuer inis bonu, ii ma	y require further
and/of additional bonds of the principal.	•				
EXECUTED this 28th	day of	August	, 20 14	•	
				Group, LLC	
			PRINCIPAL	11.0	
		**** # &	2/1//	a //// /.	
	od.	2.46	DV	any ouper	
	r.	"一个"。	<b>BY</b> William	9	Treasurer
	÷.*		>2 <u>_</u>		
	ia, c		SURETY	can Insurance Comp	any
				//	_

BY Cynthia A. Peters, Attorney In Fact

## ZURICH AMERICAN INSURANCE COMPANY COLONIAL AMERICAN CASUALTY AND SURETY COMPANY FIDELITY AND DEPOSIT COMPANY OF MARYLAND POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS: That the ZURICH AMERICAN INSURANCE COMPANY, a corporation of the State of New York, the COLONIAL AMERICAN CASUALTY AND SURETY COMPANY, a corporation of the State of Maryland, and the FIDELITY AND DEPOSIT COMPANY OF MARYLAND a corporation of the State of Maryland (herein collectively called the "Companies"), by GEOFFREY DELISIO, Vice President, in pursuance of authority granted by Article V, Section 8, of the By-Laws of said Companies, which are set forth on the reverse side hereof and are hereby certified to be in full force and effect on the date hereof, do hereby nominate, constitute, and appoint Larry H. SENKEL, Mark H. HILLIARD, David Alan CASTILLO, Jo Ann PARKER, Mary Ann GARCIA, Judy M. DOLD and Cynthia A. PETERS, all of Houston, Texas, EACH its true and lawful agent and Attorney-in-Fact, to make, execute, seal and deliver, for, and on its behalf as surety, and as its act and deed: any and all bonds and undertakings, EXCEPT bonds on behalf of Independent Executors, Community Survivors and Community Guardians. and the execution of such bonds or undertakings in pursuance of these presents, shall be as binding upon said Companies, as fully and amply, to all intents and purposes, as if they had been duly executed and acknowledged by the regularly elected officers of the ZURICH AMERICAN INSURANCE COMPANY at its office in New York, New York., the regularly elected officers of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND at its office in Owings Mills, Maryland., and the regularly elected officers of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND at its office in Owings Mills, Maryland., in their own proper persons.

The said Vice President does hereby certify that the extract set forth on the reverse side hereof is a true copy of Article V, Section 8, of the By-Laws of said Companies, and is now in force.

IN WITNESS WHEREOF, the said Vice-President has hereunto subscribed his/her names and affixed the Corporate Seals of the said ZURICH AMERICAN INSURANCE COMPANY, COLONIAL AMERICAN CASUALTY AND SURETY COMPANY, and FIDELITY AND DEPOSIT COMPANY OF MARYLAND, this 7th day of April, A.D. 2014.

ATTEST:

ZURICH AMERICAN INSURANCE COMPANY COLONIAL AMERICAN CASUALTY AND SURETY COMPANY FIDELITY AND DEPOSIT COMPANY OF MARYLAND







P\c

Assistant Secretary Gregory E. Murray Vice President Geoffrey Delisio

State of Maryland

City of Baltimore

On this 7th day of April, A.D. 2014, before the subscriber, a Notary Public of the State of Maryland, duly commissioned and qualified, GEOFFREY DELISIO, Vice President, and GREGORY E. MURRAY, Assistant Secretary, of the Companies, to me personally known to be the individuals and officers described in and who executed the preceding instrument, and acknowledged the execution of same, and being by me duly sworn, deposeth and saith, that he/she is the said officer of the Company aforesaid, and that the seals affixed to the preceding instrument are the Corporate Seals of said Companies, and that the said Corporate Seals and the signature as such officer were duly affixed and subscribed to the said instrument by the authority and direction of the said Corporations.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed my Official Seal the day and year first above written.

Constance a. Dunn

Constance A. Dunn, Notary Public My Commission Expires: July 14, 2015

## **EXTRACT FROM BY-LAWS OF THE COMPANIES**

"Article V, Section 8, <u>Attorneys-in-Fact</u>. The Chief Executive Officer, the President, or any Executive Vice President or Vice President may, by written instrument under the attested corporate seal, appoint attorneys-in-fact with authority to execute bonds, policies, recognizances, stipulations, undertakings, or other like instruments on behalf of the Company, and may authorize any officer or any such attorney-in-fact to affix the corporate seal thereto; and may with or without cause modify of revoke any such appointment or authority at any time."

## **CERTIFICATE**

I, the undersigned, Vice President of the ZURICH AMERICAN INSURANCE COMPANY, the COLONIAL AMERICAN CASUALTY AND SURETY COMPANY, and the FIDELITY AND DEPOSIT COMPANY OF MARYLAND, do hereby certify that the foregoing Power of Attorney is still in full force and effect on the date of this certificate; and I do further certify that Article V, Section 8, of the By-Laws of the Companies is still in force.

This Power of Attorney and Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of the ZURICH AMERICAN INSURANCE COMPANY at a meeting duly called and held on the 15th day of December 1998.

RESOLVED: "That the signature of the President or a Vice President and the attesting signature of a Secretary or an Assistant Secretary and the Seal of the Company may be affixed by facsimile on any Power of Attorney...Any such Power or any certificate thereof bearing such facsimile signature and seal shall be valid and binding on the Company."

This Power of Attorney and Certificate may be signed by facsimile under and by authority of the following resolution of the Board of Directors of the COLONIAL AMERICAN CASUALTY AND SURETY COMPANY at a meeting duly called and held on the 5th day of May, 1994, and the following resolution of the Board of Directors of the FIDELITY AND DEPOSIT COMPANY OF MARYLAND at a meeting duly called and held on the 10th day of May, 1990.

RESOLVED: "That the facsimile or mechanically reproduced seal of the company and facsimile or mechanically reproduced signature of any Vice-President, Secretary, or Assistant Secretary of the Company, whether made heretofore or hereafter, wherever appearing upon a certified copy of any power of attorney issued by the Company, shall be valid and binding upon the Company with the same force and effect as though manually affixed.

IN TESTIMONY WHEREOF, I have hereunto subscribed my name and affixed the corporate seals of the said Companies, this 28 day of August , 20 14.







Thomas O. McClellan, Vice President

The o. michell

## IMPORTANT NOTICE

TO OBTAIN INFORMATION OR MAKE A COMPLAINT: YOU MAY CONTACT THE TEXAS DEPARTMENT OF INSURANCE TO OBTAIN INFORMATION ON COMPANIES, COVERAGES, RIGHTS OR COMPLAINTS AT:

1-800-252-3439

YOU MAY WRITE THE TEXAS DEPARTMENT OF INSURANCE:

P. O. BOX 149104 AUSTIN, TEXAS 78714-9104 FAX #(512) 475-1771

## PREMIUM OR CLAIM DISPUTES:

SHOULD YOU HAVE A DISPUTE CONCERNING YOUR PREMIUM OR ABOUT A CLAIM, YOU SHOULD CONTACT THE AGENT OR COMPANY FIRST. IF THE DISPUTE IS NOT RESOLVED, YOU MAY CONTACT THE TEXAS DEPARTMENT OF INSURANCE.

## ATTACH THIS NOTICE TO YOUR POLICY

THIS NOTICE IS FOR INFORMATION ONLY AND DOES NOT BECOME A PART OR CONDITION OF THE ATTACHED DOCUMENT.

## **COUNTY OF FORT BEND**

## **Engineering Department**

301 JACKSON STREET RICHMOND, Texas 77469

(REVISED 5/30/08)

Johnny Ortega Permit Administrator 1124 Blume Road

Phone: (281) 633-7500

## PERMIT APPLICATION REVIEW FORM FOR CABLE, CONDUIT, AND POLE LINE ACTIVITY IN FORT BEND COUNTY

		PERMIT NO.	084678	
County" an	d accompanyir	ng attachments h		Line activity in Fort Bend and the notice conforms to d County, Texas.
X	(1) Comple	te Application Fo	rm.	
	X	_ a. Name of road	l, street, and/or drain	age ditch affected.
	X	_ b. Vicinity map	showing course of di	rection.
	X	_ c. Plans and spe	ecifications.	
X	(2) Bond:			
			ey, approval when ap	plicable.
			l currently posted.	
		No		_ <del>_</del>
		· · · · · · · · · · · · · · · · · · ·		<u> </u>
	X	Performance	bond submitted.	
		No. <u>LPM0909</u>	96588	<del></del>
		•	00.00	<del></del>
		Cashier's Chec	ck.	
		No		_
		Amount		_
	` '	ermission given f pproved in Comm	or emergencies, to sta issioner's Court.	art construction
	Precinct	Engineer Acknow	/ledgment	Date
	Precinct	Commissioner Ac	cknowledgment	Date
	. (4)			
	Drainag	ge District Approv	al when applicable	
We l	have reviewed	this project and a	gree it meets minimu	m requirements.
	Ostera			09/03/2014
Johnny Ort	ega CFM/ Perm	it Administrator		Date

## FORT BEND COUNTY ENGINEERING PERMIT DEPARTMENT

## CONSTRUCTION OF DRIVEWAYS AND CULVERTS ON COUNTY EASEMENTS AND RIGHT OF WAYS

## **COMMERCIAL PIPE PERMIT APPLICATION**

1124 BLUME ROAD ROSENBERG, TX 77471

Mailing Address: 301 Jackson Richmond, Texas 77469

(Phone) 281-633-7502 or 7503 • (Fax) 281-633-7545

Windian No 44614

APPLICANT INFORMATION	(County Use Only)
Applicant Name CHEISTINA ULES	
Applicant Mailing Address 3900 ESSEX LANE SUME 13	200
	ate <u>†X</u> Zip <u>77027</u>
Work Phone 713 579 9283 Daytime	Phone 7276432120
Property Owner's Name Howston METHODIST - KEN CAWS	SON Phone
Property Owner's Mailing Address 6565 FANNIN ST MALL	800x MGJ 8-008
City Houston Sta	ate <u>TX</u> Zip <u>77030</u>
LOCATION OF PROPERTY	
Subdivision (144BROORS + BURLESON Se	c Lot Blk 1
Physical Address 26000 FM 1093 KATY TX	77494
(PLEASE ATTACH SITE MAP)	As of 9/1/2014, we will no longer mail out
	permits. Instead, we will email them.
SITE USE	Please complete:
Driveway Curb & Gutter Section	Name:
Culvert Only	CHRISTINA LIVES
Driveway - Open Ditch Section	Email address:
Other	<u>cliles@linbeck.com</u>
DRIVEWAY REQUIREMENTS	
Length Number of drives (See - Fort Bend County Procedures to be followed for Commercial Drivewa Available on website www.co-fort-bend.tx.us  Does project comply with Fort Bend County Lighting Regulation Yes (See- Fort Bend County Outdoor Lighting Regulation on website www.co.for	√) No()
By signing and submitting this permit application, I am stating that I am the owner of this County Regulations of Subdivisions and I am aware of Section 2, Item F in the Pern Easements and Right of Ways in Fort Bend County, and am responsible to obtain a property. Driveway and Pipe Permits shall provide that construction pursuant to the per nine months from the date of the permit and that fees collected for said permits shall not be the form of CASH or PERSONAL CHECK or COMPANY CHECK or a CASHIERS CHECK or a contract of the state of the said permits and the said permits and the said permits shall not be the form of CASH or PERSONAL CHECK or COMPANY CHECK or a CASHIERS CHECK or a contract of the said permits and the said permits are said permits and the said permits and the said permits are said permits and the said permits and the said permits are said perm	nits for the Construction of Driveways & Culverts on County ill other required permits associated with the above mentioned rmit will be commenced within six months and be completed within the refundable or transferable. I further understand the permit fee, in

- The undersigned applicant, agent or attorney hereby certifies to Commissioners' Court to be strictly bound to Commissioners' Court to construct the driveway and/or culvert in strict conformity with the plans, specifications, terms, provisions and conditions of the permit and any other written material incorporated by reference in this application.
- Other permits may be required for development. Please contact the Fort Bend County Road & Bridge Department for pipe sizing or the Fort Bend County Health Department for information on On-Site Sewage Facility permits prior to planning construction.

Failure to possess or obtain required permits will result in legal action against the property owner as allowed by law.

8-26-14 Date hristina Liles

Signature of Applicant, Agent or Attorney

## PLANS FOR CONSTRUCTION OF

## 2" WATER LINE CONNECTION, 6" UNMETERED FIRE LINE CONNECTION AND 6" SANITARY SEWER CROSSING NN METHODIST EMERGENCY AT CINCO RANCH

**CINCO SOUTHWEST MUD 2** 


**CINCO ROSE DRIVE AND F.M. 1093** 

KATY, TEXAS 77494



HOUSTON METHODIST HOSPITAL 8565 FAMMIN, SM 221 HOUSTON, TEXAS 77030 PHONE NO (713) 441–6434

URVEYOR:



CONTRACTOR SHALL NOTE! THE CITY OF HOUSTON, DEPARTMENT, OF PUBLIC WHITE AND DEPARTMENT, OF PINCE OF THE CITY DEPARTMENT, AS HALLOS BEFORE SHAFTING WORK ON THIS PROJECT, TELEPHORE NO. (823—364—4008)



CALL BEFORE YOU DIG
TEXAS ONE CALL SYSTEM
1000-246-458
(8 least 72 hours prior to digging)

Kimley»Horn

PHILDHILKE PARTNERSHIP 11275 S SAM HOUSTON PKWY W. STE 200 HOUSTON, TEXAS 770.31 PHONE NO (83.2) 554—1130



COH LOG NO. 14-0964 / ILMS NO. 14069941

CITY ENGNEER  CITY ENGNEER  ORECTION OF INSECTIONS  WORKS AND EMONEERING	WATER TAIN STORM WATER	SUMMERED BY: TERRA SUMERING CO., MC PR NO.  CITY OF HO	Kimley»Horn
	TOTH WATER CAULTY TRAFFIC AND TRANSPOSTATION FACULTIES	INCTING CO. MC	in i

HOUSTON METHODIST EMERGENCY CENTER AT CINCO RANCH

NOTE TO REPLANTED, DEBETES, AND CHITHACTES!

AND PARAMETERS ARROWS AND CHITHACTES TO PARAMETERS AND THAT AND THE PARAMETERS ARROWS AND THAT AND THA

LUMBOLIS ARE DIR CONTRICTO (DE A MIRAME DE 1700) NOTICA OLISIADO.

SERVIR DE COLLICION STORM, MINIS LORS, EDIRE CRANCE ARE STRET FANOR. ARE

GIO IL ACCORDICATION NO ESTORMO SANO ESTORMO DE ACTUAL DE ACTUAL

O COMPACTOR SHALL TAKE MECESSARY MECHATICANS TO PROTECT ACCOUNTS OF SHEARS, CHAIRS AND REES ALONG AND AGAICENT TO THE AREA OF CONSTRUCTION. S THE CONSTRUCTION DOES NOT BEEN WITHIN A YEAR AFTER THE PLANS HAVE BEEN SOMED SCHAFFER HUST DE OBTAINED AND LETTERS OF AVAILABILITY HUST DE LIFEATED. The first party of the first par

and alan Protection. We discuss the source of the source o

CONSTRUCT MATERIAL DISCUSSION STOTAM MANUFACTANT TO MANUFACTANT AND CONSTRUCTION OF THE PROPERTY OF THE PROPER EMENAT MOTES (MISHOS CITY LIMITS).

THE GOTTOMERS HE STALTON ICH THE MELICIT WAS CHEMICITE HE ACCOMMEND WITH WHITE IT OF HE LITTE INTO HE THE PREVIOUS MELICITES FOR LIMITAL MEISHED BY THE CITY OF HOUSTON, OUTWINDING OF MELICITES AND CHEMICITHES. PRESENTED ON THESE CHARMOS AND SHOPM BASED ON THE BEST AVAILABLE (COMPRISED SHAPE SHOPM TO AND TO COMPRISED SHAPE SHAPE

S. COMPRACTOR SHALL COMPLY WITH LATEST EDITION OF COMA REGULATIONS AND THE STATE OF TEXAS LAWS CONCERNING EXCAVATION 7. CONTRACTOR SHALL TAKE RECESSARY PRECAUTIONS TO PROTECT ROOT SYSTEMS OF SHRIPES, RANGE AND THESS ALONG THE AREA OF EXCLANATION. r acculat dramace shal et martando at all treo debag contractor and alt Thamace deby de structure despuedo gabag constructor shal et restordo to despue Constructor de etters. CONTRACTOR SHALL BE EXPONENT OF TAXABLE STATES SHALL BEFORE STATES AND ANY CONTRACTOR SHALL BE STATED ANY CONTRACTOR SHALL BE STA Heachter Saal, Martina A 181 of 1822am (Dannisch Rochens Ga-beilt Constituct 2 Canstructure: Mass Mozae Martins de Dannisch 181, 181 Saberton to 196 Disch 18 Taat 1960 tell, Aust 196 Canadis sich im Compaul Traubock, Labitar Gad 1961 in ET 43 196 CORD DRAWNEST, And Pettermin Saab to The Ott Dischellin. RACTOR SHALL HOTEY THE OPPICE OF THE CITY ENGINEER, DEPARTMENT OF PUBLIC WORST RECEIVED AT 7/3—843—1450 FOR MESECTION AT LEAST 48 HOURS PRICE TO COMMISSIONS ACTION

ALL CITY OF HOLETICH JUDICES SMALL OF HOTHERS BY FOLLOW-UP (ETITE AND COMES SONT TO HOLETICH AND ASSOCIATE, MC. contractor shall hoter the following at LEAST 48 hours prior to exchange exactor: 

ANT DAMAGE TO JAPP OF THE ENTHIE PAREDOT MADONE VIRTUES HAST BE REPAIRED. HEDRARY, HE COMPACTION ARE MADELY THE AMPROPRIATE VIRLITS CHARGE, WICH MALL HAVE THE REMAIN AT THE COMPACTIONS (EMPORE). URDINES SET FORTH HE TREAKS "SMALLIE, ON UNITIONAL TRAFFIC CONTROL DEVOCES", AS SWILLY AMBRICA, SMALL RE ORIGINALS, THE CONTROLITION SMALL RE, RESPONSIBLE FOR PROPRIENT SMITE, PLANDINE, STOPPIG, STRIPMO AND INVENSED DEVOCES, ETC., DURING CONSTRUCTION — BOTH AND HEAVET. AC COMPRISTOR, ON RECAULT OF THE COMER, IS TO DETAIN ALL PICTURES REQUIRED BY THE CIT DOUSTON, THICK TO STAFFARE COMMINICATION OF UTILLIES AND/ON DILATERS ATTHIN CITY OF TON HOLD RECATS—OF—MAY. RETHIC UTILLTY RECOGNANCE SOURCE WIT COLUMNATION TO BE ACCURATE AND ALL RECURRENCESTION QUALITY COLUMNOS ARE APPROMANTE AND SHOULD BY AND SHOULD CONTINUE ON ANY OF CONTINUE OF ANY OFFICE OF DESCRIPTION OF CONTINUE OF A TENTION.

OFFI TO THE CHARGEST'S ATTENTION.

We considered that we represent for the stocket of impose, and considered in  $\lambda$ . We have the substitution of the stocket in the constitution of the stocket in the constitution of the stocket in the constitution of the stocket in THE WORL MEA SHALL BE EMPECADED AND ELLMENTED TURNED DIMPORTS AND PETICOS OF ACTION TV. WHICH HE AREA OF ORECT PUBLIC ACCESS. TRACTOR SHALL BE RESPONDED FOR THE PROPERTY OF CONTRACTOR OF CONTRACTOR

, all that and reducement suml be repair free of drift and other debres. Any damage to be compare of the manage matches bust be repaired. CONTRACTOR SHALL BE RECORDED FROM TO REPLACED OF CROCKING AND CONTRACTOR OF THE CONT

SAWAZ RESTRANDE AT HE DIG OF ALL COMPACTION PROJECTS, THE CONTRACTOR SHALL TROME HE DESTINE FACITIES, LE. HE PROPERT, LEAN, TO OR BETTER HAND ESTING STE METER HAND TO COMPACHICAL. MALES ORGENER HOTEN, PLACESOF OF UTWINGS IN LAGRACITY SHALL RE COMMEND OF THE COMES OF AND IN LAGRACITY, AND ADDRESS OF RESIDENCY COMMENTS COMMITTE, FOR THE STON METROPOLITING HACK, AS CARROTTLY AND OUR OF REVIEWS.

na, acceptance of the utrities hal hof be origin to the combactor until utrities respected and approved by the city of housely and jub the tidals compassion on deadnia, quality.

If the model of a probably the good present, it is only our exclusions and no notest.

If couldn't be regarded in a set to do an our summer from our summer from the set to do an our summer from the

ALL SHATHAPY STEED LIME PIPE PROPRIEDS (COLATO HEREZ OF A CAD-THEY MART PROCESSES THAN A COLOT TOP CONDINATE HAS ANADESTEED TO TOP OF CANDIN AND LIMES NO. 19 WHICH STEED THAN A COLOT OF COLOT PROCESSES THAN DATE HAS NOT THE PROJECT HAS ONLY AND COLOT AND AND AT THE PROJECT HAS ONLY AND CONST. AND CONST. AND AT THE PROJECT HAS ONLY AND CONST. AND TO ME USED MAL HAVE BOTH EXTENSION TO PRE ATT HAVE NOTICED TO TO TO METERMALS WITH ADDRESS OF PARED TO PRE ATT HAVE WITH METERMALS WITH ADDRESS OF PARED TO PRE ATT HAVE NETRINGS WITH ADDRESS OF PARED TO PRE ATT HAVE NETRINGS WITH TOWNDED STEEL MANDS (F MACHOD). A PARTHAL SEE THE COTTRE LOS FINANCES DATE OF CONTRESS DA

3. ALCONARIA STADE LORE DORE DORE STATEMA SHALL BE NACOMENSACE HIN "SLANDAND CHESTRATION PRODUKATIONS TOR MASTERNATE CULTETION STATEMS, MATE HERES, STORM DOMANIAL AND STRET PARMET, JANUARY 2011 VOZBON, (JATEST BEVEDON) AND ICCO ROLES AND RECLANDONS RETERME MARKE (199 ELECTRE, 1995 STEER PRET TO ME IN ACCORDANCE WITH PRET PACHERITY WICHDEALDRANGER AND CONFERENCE TO HE MELEGRECHET OF DETERMENT OF THE DIRECT WITH STEEL THE MEMBER LINNER PRODUCES TO ME AT ME STEEL THE STEEL THE ME MECOMMENDED BY THE MARKETHEMEN HIS CREAT MOTIVAL LINNER OF BY MEMOLS SHELL ME ALCOMED, ONLY TO METHYLLINE. REMEMTS AT MATERIUME-SANTARY SENSTI CHOSSING PER

MACE IN THE STATE OF THE STATE	PLUS 1 FOOT BE	MUCH ADJ. SUNDY WINE & CHOTTY TOWN SETT) THE	MALE SECUENCY ON SECUENCY ON SECUENCY ON SECUENCY ON SECUENCY	CANTENANCE OF THE STATE OF THE STATE OF SAME	AND A SET OF THE CONTROL OF THE CONT	WHEN 2 FEET		_	-		DESCRIPTION AND	
SECTION (MAN 18 FT) OF MATANY SENSO CONTENTO CHOOSING PROVING MITS ON SAMETARY SENSO, MITS ON SAMETARY MITS OF MATON LINE OR JOHN OF 150 PS	ITARY SENSY WITH CSS FOR LENGTH OF 1 PRE SEGMENT OF BEYONG THE JOHN'S ON	TOR SAME DIAMETRY WATER (S), PAC PASS OF DAY MINUM 24 WICKESTAMED AS SCLAS, AND USE RESTRANCE OTH DRY AND PAC PASS.	TOTAL PARTY	AVIEW THE SECOND OF THE PROPERTY OF THE PROPER	SECTION (MAN 18 FT) OF NEW LAC, SHOWE RESTRANCED AL SHOWE RESTRANCED AL SHOWER RESTRANCED SHAFFART SENDER	2 FEET WERTICAL CLEARANCE				******	PROPERTY ASSESSMENT OF LABOR.	777
	ŧ		ŧ.			4	N N	OVE	MONORED	000		
	4.			4	4	٠	N.S	"		ALCUMATION OF		
	4.		+		4		22	A SOUTH	MATER LINE	CHELDRICAL STREET	. 6	
4	1	4			4	-	ងខ្ញុំ	2	_	(S)	ŝ	í
	-	NOT AL	LOWE	)			- 3	90	ANYTHYS CEGODIA	CROSSMCS	MORE AND DESIREMENT OF PASSINGS AND	í
4	4	4			4	4	* 8		8	å	ā	į
	•					4	# S	- WOO	TARY S		í	ļ
	4			4	-	Ŀ	- 8		1000	]		

TOW SEAL MALINE CITY PROCESS—CONT. SEAL ASSESSMENT TO THE SEAL OF SEAL A. HOT REQUEED FOR AUGUSED SANTARY SENSE; COMPLETE, F FAL AUGUSED HOLE WITH BOYTON'TE, FOLAY MATTURE.  ${f z}$  . Required if existing smallmy result is distributed motion there is energy of semale. CHANGE ALT WICE HANDE AND AND THE MATER SHELL IS LABOURE OF TENEWE!

S. SEMBLE SERVICE LINE SERVICE R. AT ALL LOTS WEREN TOP OF PIPE TO DELIVED WITH 1-METER BLOCK TO SERVE AND THE METERS SHALL BE MADE AND THE METERS FLOC. LOCATION WITH THE AND SHALL S CONTRACTOR SHALL TEST ALL SAMFANT SEREN SISTINGS IN ACCORDANCE WITH OTH OF HONSTON SUMMAND STREETCHING HOLD CROSS—ACCORDANCE TESTING FOR SAMFANT SERENS. SCHOOLING SHALL AND TEST ALL GRANTY SAMFANT SEREN LINES FORCE MAIN LINES SHALL RE PROMODERNE TESTED AT 175 PS. 7. COMPRACTOR BALL, PROMEE ACCIONTE CONCRETE INSUST ILCOCKMO AT ALL FORCE MAIN ROOM. TO MENSTAND PRESSAND TEST.

THE CONTRACT OF THE CONTRACT O

. ALL GALMYT SAMFARY SEED PRY SHALL BE CONSTRUCTED OF SAM 74 PRY SHIM A MEMBER O PRY BLANC AND COMPONEME TO ASTA 87241 (OR APPROVED LEAK), MALES CINCEPHEE HOT PARE FAME.

WHACTOR TO BE REPORTING TO MARTINI EXSTRAC DITINES 400/FIRE CLARIES FOR MONTHLY THREE AND ALL BE REPLACED BY RECEIVED ON EXCHANCE ON MONTHLY THREE SECOND OF RECONDING OR SCIENCE, SLOYES 4-1 OF STEPRING THE REPLACED BY RECONDING THE SCIENCE SCIENCE OF STEPRING BY REPLACED BY RECONDING

B. SAMEARY SCHOOLS IS APPLICABLE TO BOTH CHANTY SAMEARY SCHOOLS AND FORCE WARS. A DOTH MATER LIMES AND INSTITUTATION HAVE OR LATERAL MOST PASS A PRESSURE AND LEGALACE TEST AS SPECIFIED IN ARMA CACO STANDARDS

4. PROD 10 MATE HAM ADADEDITE, THE CONTRACTOR SMAL CONTROL CAPITA, PROJECTS, PLAN REMAY MECTEM AT 75-432-7924 AND COMPLY THE MALE REQUESTED MECESSAIT FOR THE ESSUARCE OF A MODE DRODE FY THE MATER MAIN CONSTRUCTION COMPANIE DALL CAMPAT (TY DE MONTAS SMIT AND BOOK COMPINED ASSISTANT DE COMPANIE DALL CAMPAT RECORD COMMINDER MUTE MAN COMPINED DE STEP ORDE MAS MEDI REMAIS DE NAM REMAIR SETEM 4. PRODE TO BATTER HARM ADJUSTMENTS, THE RESTAULATIONS OF WATER METTES AND LEAST OF HARM THEOLOGY HARM THE CONTRACTION SHALL CONTACT WATER 1695 AND METTES AT 713-535-7875 FOR DETIMES OR PERMITS AND ROMOS. 2. COMPACTOR SALL PROVING AUGULATE CONCRETE PRINT BLOCKHE TO WINSTAMO KST PRESSANT AS SPICED IN OTH OF HOLISTIN, DEPARTMENT OF HOLIST WINSTAMO TO HOLIST SPICELARGE. ALL UTUTES PRESENTE ON THESE DIVERNESS AND SHOWN AT THE APPROXIMATE (COATINGS SANSE) ON HE BEST ANNUARE PRESENTION. HE CONTRACTOR SHALL THESE OFFICIARES AND ACCURATIONS ARROWS CONSTRUCTION HE SHALL HE STATUL HE SPROMESSEE (FOR HER LALL SHALLESS CAUSED BY HES FALLINET TO EXACTLY COUNTY AND HARMAN THESE INSTRUCTIONS OFFICIAL SHALLESS CAUSED BY HES FALLINET TO EXACTLY COUNTY AND HARMAN THESE INSTRUCTIONS.

C, Martin, Martin, P, Jastin, Charles And G XICLIDOCT HIS BLUCK COMMITTED BY A CO BAST À HO OF HOT HORIT OR ASP. LT PLANT IS SEPARATELY AUTHORISED TO DISCHARGE UNDER POTRET

. CELAMAGE OF THEIR SEAS AND EXHIBITIONS STANDARD CONTINUED WESTCHARDS AND STANDARD CONTINUED WESTCHARDS AND STANDARD CONTINUED WITH A WEST AND STANDARD CONTINUED WITH A WEST AND STANDARD CONTINUED WITH A WEST AND STANDARD STAND CHE WIG THE WAY SHALL BE SEEDED HON FEBRUARY BUILDING BY AND EVALUATION OF WHITE AND EXPENDED BY THE WAY SHALL AND EXPONENT CHART FROM TO HATCHLAND OF WHITE AND EXPONENT BY THE WAY SHALL LUTILITY COMPILATION SALL PROVINCE TEMPORARY SLT BARRIER FONCE ON ALL NON-CURB RALES. HACH WALL REMAIN IN PLACE AFTER UNDERCOCUMO COMPILATE IS COMPILETE. CONTRACTOR SHALL RECHEE SLI SAMRETE FINZ ON ALL STARE I CARR SALTS.
SERVICE ANALOSTS, CARRA, DEMONAS, AND SECRELLS DAMACE ON RECHEED CARRA.
SERVICES SHALL BE RETALICED TO DIT OF HOUSEON STANDARD, WITH LITES ADDROCKS AND
DOMENTS THERETO.

, compractor to take recessary precautors to protect root systems of shrubs, plants are saland areas of excavation. WYO] AS JOS ON HIM BY'S DRIEST ON IN BRINGS DAY OUR AS DECIDED ON THE PARTY. TO THE VIEW OF THE VIEW O ADTEANT DREAME SHALL AS MARTINED AT ALL THES SCHOOL CONSTRUCTION AND ANY REMAKED BITCH OF STRUCTURE DIRECTO DARKS CONSTRUCTION SHALL AS RESIDED TO A THE ACTION OF THE CHARGE AUTHORITY. COMMITTED OF THE ROLD AND/OR REQUISIONS UNITS UPON COMMITTED OF JOB, SHALL OF JS COOKS OR METERS VALUE HELDS TO STAFFING WERK.

IN THE CORRECTION SHALL BY FALL RESPONSES FIRE ANY DAMAGES TO DISTING BRITT, WASTERING, STORM SERVE AND THATMY SHALL CONCINT, ALL DAMAGES HALL BY THE PARTY OF ACCORDINATE HIS NAME OF THATMY OF THA II. BUTI CHAR RAMP SHALL RE METALID IN ACCIDENACE WIN OIT OF MOUTHNESS AT MUNICIPAL SHALLES AND ME CHENNES AND ME CHENNESS AND ME SHALLES AND ME CHENNES CHIR IN SECURIO SI CHARACTE CHIR. CHIENCIDE SULL CHERT WIN OBIA REALENDINS AND STATE OF TEXAS. LIM CONCERNAG AVAIDM, TREACHARD AND SHOWARD AS SPECIFED IN CITY OF HOUSTON DECREMANCE (RF)—1457. 

4-04 AM.

F MAYA SI DETAINED (GLIANG AND CHARRISE AND/AT EXCAVATION REPORTED)

F MAYA SI DETAINED (GLIANG AND CHARRISE AND/AT EXCAVATION FOR THE CHARRISE AND CHA Will best Comp Crown C. HOLLES

A 10 AMO - 50 AMES.

ONDATION SHALL CONTRICTION ACTIVITIES.
SHARE! A COMPRICTION SHE WORKE (536) TO SHE GIT! AND VEGO
POST A CONSTRUCTION SHE WORKE AND ARE ARE CONSTRUCTION SHE
REQUIRED TO DEVILOR A SHEW OR HOT
AND RECORDED TO SHEW HOW OR HOT
AND RECORDED TO SHEW TO AND LIFE AND SHEWARD, A LIFE
AND RECORDED TO SHEW TO AND LIFE AND SHEWARD, A LIFE
AND RECORDED TO SHEW TO AND LIFE AND SHEWARD, A LIFE
AND RECORDED TO SHEW TO SHEW TO SHEWARD, A LIFE
AND RECORDED TO SHEWARD TO SHEWARD, A LIFE
AND RECORDED TO SHEWARD TO SHEWARD TO SHEWARD, A LIFE
AND RECORDED TO SHEWARD TO SHEWARD TO SHEWARD, A LIFE
AND RECORDED TO SHEWARD TO SHEWARD TO SHEWARD, A LIFE
AND RECORDED TO SHEWARD TO

S, COMPRACTOR TO REPORT AND MARKAN THE AREAS LISTED BEGIN AT LEAST ONCE CREW YEARTEN (MA) CALLDONE DATS AND WEIGH 24 HOURS OF THE END OF A STONA EMERT OF G.S MORES OF DELATES. CONTRACTOR SHALL FOLLOW GOOD HOUSDIEDING PRACTICES DURING THE CONSTRUCTION OF THE WOOLEN, ALSN'NS CLEANING UP ONT AND LOOK HATCHAL AS CONSTRUCTION PROCESSES. COMPRACTOR SHALL CALAN OF THE EXTENCE STREET INTERSECTIONS AND DIRECTIONS DATE, AS RECEIVED AREA OF CHECKING SHE OF ROCK THACHED FROM THE CHICANNIED AREA. DESTINACIÓ AREAS OF THE CONSTRUCTION SET THAT HAVE HAS BEEN FRANCE STRUCTURA CONTRA MESANET.

LOCATIONS MESEN MODELS BATERO (LET THE SEE THE SECOND THE SECOND STATE OF THE PROJECT, CONTRACTOR SHALL SOCIETY (IN SECOND SHAPE SOCIETY OF THE SECOND SHAPE SOCIETY OF THE SECOND SHAPE SOCIETY OF THE SECOND SHAPE SHAP

SPECIAL TRENCH BACKWELL NOTE: s, combile bettermated belief have a where shall be such sidened of set of the dotted better of all the attended of the passes contractor andments located attended shall have a button paced on each street. HERON TO STREET CONSTRUCTION. THE CONTRACTION SHALL CONTACT THE SEPTIMENT OF PUBLIC SHES AND DEPOSITIONED AT 623—244—1256 ON BLUE 244—655 AND CONCEY THE ALL CONFESSIONS FOR THE RESULUCION OF MICCESSAN'S PERMITS/MOON CONCESS FOR STREET CONSTRUCTION

A MARTINIA M I, that product shall be built by aleast of orth out overpt as worth of the deathers, operacytes to detibused the locations of more pits in from subject to the one expected appropria.

A DO TRANS, CHAES SHALL BE CLOSED HE ALL RESERVAN, HEALS FROM THE THE TO THE ALL RESERVANCES FOR THE STATE ALL RESERVANCES FOR THE STATE ALL RESERVANCES FOR CHAINS AND THE STATE ALL RESERVANCES FOR THE STATE ALL RESE A NO TRAFFIC LANCE SMALL RECLORED DURNE THE HOURS OF 7:00AM TO 9:00AM AND 4:00PM TO 8:00 PM MORBAY THRU FREAK 2. HO TRAFFIC LARES SHALL BE GLOSED DURING THE HOLIPS OF 5-20AM TO 7-00PM WORDAY THRU FROAT H DOWNFORM/ANDTOWN AREA. TO CONTRACTOR SHALL PROMOSE AND HISTORY CONTROL STRACTS IN CONTROLLANCE WITH PARTY OF PER TELAS MARKINE, ON UNIFORM TRAPPS CONTROL CONTROL STRACTS (TELAS MATCH, MOST RECONT SOTION WITH RESPONSE) ELEMENT CONTROL CON 7. OFF-DUTY UNIFORMED POLICE OFFICER(S) / FU FINE COMPRACTOR CHOOSES TO USE A DIFFERENT METHOD OF "THAPPE COMPRIL PLANE" DATES OF HER CONTRICION HAVE WAIT IS OFFILED IN HER CONTRICION HAVE WAIT IS OFFILED TO HER CONTRICION HAVE WAIT IN CONTRICION HAVE WAIT IN THE CONTRICION HAVE BEEN APPOINT. TO PLANE" TO PLAN FINEN SECTION APPOINT. THE WINDOWS DAYS PRICE TO MENDIFICION. EN(S) IS/AND REGUMED TO DINCET TRAFFIC WHEN

), all steel mode extends on infinite families and to a four out (1) foot suck of all employing on infinite charge small be such such as  $1-(7) \sin (3) \sin (7)$ . Such countries is smallest small such as one (1) foot of sudded, the bilanear (DPN of "Boset small be such such as  $1-(7) \sin (3) \sin (3)$ ). A. ALL STORM STREET PRESS AND PACES TECHNICAND LANGUAGE BLOW CASHS BLOWN PROPERTY STATE CATES THOSE MANAGEST AND PACES AND THE RELOCKED WITH BY BRICK WALLS DACESS OF REPORT MOTES. C. L. MICHAEL MODILL SHALE ME AT JUTA, WHI MITH, MARK AT 100 MOT METHOD AT 100 MODIL OF MODIL ). AL 1799 SERT CONSUCTO A SERVIC CARBOTT SHALE 8 E.C. (C-76 CASS. 8) HO SHALE BE EXCUSE HA CONSUCCE SHIT HE COTT OF HOSTIN DANSHER HOS, COVIT-CQ, COVIT-CA, COVIT-CA, COVIT-CA, COVIT-CP (CCT, COVI) AS APPLICABLE 1. STORM STREETS, DALL HE REDWERFELD COMMENT, RIVE (C-7%, CLASS, HE), AND SHALL HE RESTALLED, RECHERO, AND DALCOTLECT HE ACCORDANCE WITH THE CITY OF HOUSEON DALAMES AND SCATH-FOX, COLYT-CAL, ROLFT-CAL, GOZIT-CAL, GOZIT-COT (CCT. 2000) AS APPLICABLE UNILESS OTHERWISE, SHOWN OF 12 ALL DEVENING WILL BE LOCATED TO AVOID EXISTING CLARG MLET STRUCTURES. ALTO, WE DELIVED THE RESPONDED TO ANGESTED WIT DELIVED WITH SHAPE AND SHAPES AND THE RESPONDED THE WESTERN THE RESPONDED TO ANGEST WHICH AND AND THE RESPONDED TO ANGEST WAS AND THE PROPRESION. to the completor small be responsible for protecting, markagere, and resistang any buck slove develope system destructed as a result of his work. ADJUST HAPPOLE CONDEX TO GRADE CONFORMED TO RECLIREDIDITS OF SECTION OZONE-ADJUSTING APPOLIX, HALL'S AND VALVE BOXES TO BRADE. COMPACTOR SHALL PROVIDE 12" IMPRIANI CLEARANCE AT THE STORM SCHOOL WATER UNE VOCUMES

CANTINECHI DENCY LINGUISCHUM

were compressed fractings are exposed sufficient support and se provides to received document stress on the provides to previous contents to previous stress on the provides  ${\bf x}_{\rm c}$ WENT COUNTING WITH DON'TH MORE (IT) OF THE MOCKITE LOADING OF CONTRIPONT FACILITY, ALL DELAYINGS WAST RE ACCUMENTABLE VANCE WORLD CHARTE EXCLANITION MASTER ACCUMENTABLE VANCE WORLD COUNTING TO CONTRIBUTE OF COUNTING TO COUNTING TO CONTRIBUTE OF COUNTING TO CONTRIBUTE OF COUNTING TO CONTRIBUTE OF COUNTING TO CONTRIBUTE OF COUNTING TO COUNTING TO CONTRIBUTE OF COUNTING TO COUNTIN WEN CHIEFONT DEROY PER LIKE WARRANS AND HOT WELL, CALL (713) 987-8037 (7:00wn to e.30 pm) FOR STATUS OF LINE LOCATION REGULEST RETURE. EXCAVATION REGILES. COUNTS OF CONTROL FROM THE METERS OF PARTIES CONTROL C

Control and an interior and reserved. At a local control interior control THE CONTRACTOR IS FULLY RESPONSIBLE FOR ANY DAMAGES CAUSED BY HIS FAILURE TO EXACTLY LOCATE. AND PRESERVE THESE LINCOTROUND FACILITIES. CTALLEGOV TREES CACHEVO

NOTE OF SHA NOTECHNE COSTS AS AGUS PROF TO SHAPE CONSTICION TO HAX CONSTICION TO HAX CONSTILION TO HAX

WERFICATION OF PRIVATE UTITY LINES TO ARRAMSE FOR LINES TO BE TANNED OFF OR MONEY CALL CENTERCONT AT 713-207-1222. 

Kimley»Horn WHILE IS STREET, WINDSOM CORP. TOTAL OF


HOUSTON METHODIST EMERGENCY CENTER AT CINCO RANCH 7/ 77


GENERAL NOTES


A LEPTRICE TOWN WITH OWN CITY OF HOUSTON HOTE: OTY SCHATURES WILD FOR ONE YEAR ONLY


3427 2 GF 7	HORZ:	Đ	DEMINIS SCALE
	52593	<u> </u>	


SURVEY BY MODEL & CHEEK, INC.






















TOTAL TOTAL ACTION AND ACTION AND ACTION AND ACTION AND ACTION ACTION AND ACTION AND ACTION A
--

HOUSTON METHODIST EMERGENCY CENTER AT CINCO RANCH	Kimley»Horn	CONTRACTOR	ATTACK THE CONTRACT PROPERTY CONTRACT THE TRACT CAN	The same of the sa	CLIDATEMENT (A A)-80-222.  PLANT OF PRIVATE UTLITY LINES  VERFICATION OF PRIVATE UTLITY LINES

DETAILS SHEET

PHILOMIKE PARTNERSHIP 11275 S SAM HOUSTON PKWY W, STE 200 HOUSTON, TEXAS 77031 PHONE NO (832) 554–1130

ARCHITECT:

NCKIM & CREED, INC. 9960 MEST SAM HOUSTON PARKWAY SOUTH, STE 200 10USTON, TEXAS 77099 9HONE NO (713) 659–0021

Kimley»Horn

PREPARED BY:

HOUSTON METHODIST HOSPITAL 6565 FANNIN, SM 221 HOUSTON, TEXAS 77030 PHONE NO (713) 441-6434

SURVEYOR:


# PLANS FOR CONSTRUCTION OF


# 2" WATER LINE CONNECTION, 6" UNMETERED CONNECTION AND 6" SANITARY SEWER CR HOUSTON METHODIST EMERGEN AT CINCO RANCH


**CINCO SOUTHWEST MUD 2** 

CINCO ROSE DRIVE AND F.M. 1093

KATY, TEXAS 77494







CALL BEFORE YOU DIG

TEXAS ONE CALL SYSTEM
1-800-245-4545
(@ least 72 hours prior to digging)

COH LOG NO. 14-0964 / ILMS NO.

14069941

Z CONTROL OF THE PARTY OF THE P

						_	
CITY ENGINEER	STREET & BRIDGE	WASTEWATER  WASTEWATER  A HALL T. SI, IN  STIDEN WATER	1.3/.14 WATER	CITY OF HOUSTON	SURVEYED BY: TERRA SURVEYING CO., INC. FB NO.	THE TAXABLE LAND AND REAL PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE PROPERTY AND ADDRESS OF THE PROPERTY ADDRESS OF THE	Kimlev»Horn
5 2 5 9 9 mm	FACILITIES	TRAFFIC AND TRANSPORTATION	STORM WATER QUALITY	IOUSTON	6	TO P (SE) BY COME	3

## , CONSTRUCT WASTEWITE COLLECTION STSTEMS, WATER LINES, STORM DRAINAGE AND STREET NAVIG IN ACCORDANCE WITH THE LATEST EDITION OF THE PUBLICATIONS STEM SALES AND STREET LATEST EDITION OF THE PUBLICATIONS STANDARD CONSTRUCTION STREET AND STREET, AND STREET STORM DEMONSTRANCE AND STREET, DAMES AND STREET STANDARD CONSTRUCTION STREET WAS STREET AND STREET STANDARD CONSTRUCTION OF THE CITY OF HOUSTON, DEPARTMENT OF PUBLICATIONS AND PUBLICATIONS OF THE CITY OF HOUSTON, DEPARTMENT OF PUBLICATIONS AND PUBLICATIONS OF THE CITY OF HOUSTON, DEPARTMENT OF PUBLICATIONS AND PUBLICATIONS OF THE CITY OF HOUSTON, DEPARTMENT OF OF THE CITY OF T , the groticheca, investigation for this project was composite in accordance with xapiter 11 of the Latest entang of the prejacation <u>classassimation (estably lawala.</u> Vibrushed by the City of houston, department of public works and dnoweething. ENERAL NOTES (INSIDE CITY LIMITS):

CONTRACTOR SHALL BE RESPONSEE FOR DAMACS TO DESTING WITH, WASTEWLES, STORM WORKER CONTRACTOR STORM OF CONTRACTOR OF CONTRACTOR STORM OF CONTRACTOR STORM OF CONTRACTOR STORM OF CONTRACTOR STORM OF CONTRACTOR OF CONTRACTOR STORM OF CONTRACTOR OF CONT TILITES PRESENTED ON THESE TRANSMICS ARE SHOWN BASED ON THE BEST AVAILABLE MANIFOLM, CONTRACTOR SHALL WESTEY THE EDUCT LOCATIONS IN THE FIELD PROMOTE OF MEMORY CONSTRUCTION. CONTRACTOR SHALL MOTE TUDOS ONE CLULL AT 713—223—4667 / ~244-465 AND LOKE STAR ONE CLUL AT 800—868—8544 AT LUSST 49 HOURS BEYONE CEEDING WITH ANY EXCHANGIBLE.

S, ALECUATE DRAINACE SHALL BE MANTANED AT ALL TIMES DURNIG CONSTRUCTION AND ANY SHAMAZE OTHER OR STRUCTUME DISTURBED DARMIC CONSTRUCTION SHALL BE RESTORED TO EXISTING CONSTRUCTION SHALL BE RESTORED TO EXISTING CONSTRUCTION SHALL BE RESTORED. NTRACTOR SHALL NOTIFY THE OFFICE OF THE CITY ENGINEER, DEPARTMENT OF PUBLIC WORKS SYCHEERING AT 713—863—1450 FOR INSPECTION AT LEAST 48 HOURS PROR TO COMMENCING TRUCTION.

7. COMPRACTOR SHALL TAKE NECESSARY PRECAUTIONS TO PROTECT ROOT SYSTEMS OF SHRUBS, PLANTS AND TREES ALONG THE AREA OF EXCAVATION.

9. CONTRACTOR SHALL COMPLY WITH LATEST EDITION OF OSHA RECULATIONS AND THE STATE OF TEXAS LAWS CONCERNING EXCAVATION. CONTRACTOR SHALL MANTAIN A SET OF REDUNE DRAWNOS RECORDING AS-BUILT CONDITIONS HANG CONSTRUCTION. THESE REDUNE MARKED UP DRAWNOS WILL BE SUBMITED TO THE DESIGN OWNLY THAN ALL HANGE THE CHANGES ON THE ORBINAL TRANSPACE, LIBELING EXCL SHEET IN HE SET AS "RECORD DRAWNOS", AND RETURNING SAME TO THE CITY BYONEER. ML CONSTRUCTION NOTES:

. THE CONTRACTOR SHALL NOTIFY THE FOLLOWING AT LEAST 48 HOURS PRIOR TO BEGINNING CONSTRUCTION:

all city of houston agences shall be notified by follow-up letter and copies sent to kmley-horn and associates, inc. ISTING UTILLTY MECHANITION SHOWN IS NOT CLARANTEED TO BE ACCURATE AND ALL INCLUSIVE. SYSTING UTILLTY LOCATIONS ME APPRODUALITE AND SHOULD BE NEFFED BY THE CONTRACTOR IN INC. OF CONSTRUCTION, ANY COMPLET OR DISCREPANCY DISCONERD MUST IMPEDIATELY BE SHT TO THE ENGINEER'S ATTENTION. POINT, SBC, COMCAST, ETC..

4. THE CONTROCTOR, ON BEHALF OF THE OWNER, IS TO DRIVAN ALL PERMITS REQUIRED BY THE CITY OF HOUSTON, PRIOR TO STAFFING CONSTRUCTION OF UTILITIES AND/OR CILIVERTS WITHIN CITY OF HOUSTON ROAD RIGHTS—OF—WAY. VE DAMAGE TO ANY OF THE EXISTING PARKEDIT AND/OR UTILITIES MUST BE REPARED DATELY. THE CONTRACTOR MUST NOTIFY THE APPROPRIATE UTILITY OWNER, WHO WILL MAKE THE UPS AT THE CONTRACTORS EXPENSE.

5, THE WORK AREA SHALL BE BARBICADED AND ILLUMINATED DURING DARRORESS AND PERIODS OF MACINITY, WHEN IN AN AREA OF DIRECT PUBLIC ACCESS. subelines set forth in the texas "Manual on Unifogn traffic control dences", as ben'ly audolo, syall be observed, the contractor shall be responsible for providing dure e Malbon, Storing, Stipping and Maninko Dences, etc., During Construction — Both and Mort.

THE COMPACTOR SHALL BE RESPONSIBLE FOR THE STORAGE OF MATERIA, AND EXHPLIENT IN A THE COMPACHMENT MANNER TO PREVENT INJURIES, DURING AND ATTER WORKING HOURS UNTI-IDJECT COMPLETION. 

IN COMPACTOR SHALL BE RESPONSIBLE FOR HANDAMEN ASCALATE AND POSTINE PRIMACE AT ALL THES DIRENG CONSTRUCTION OF REPOSED FOALITIES, MAITHAN GROUND CHARGATT TO UNLIT TRENCH EXCAVATION TO BE GRUBBED PRIOR TO REPLACEMENT OF EXCESS TRENCH MATERIAL. 9, ALL PIPE AND REINFORCEMENT SHALL BE KEPT FREE OF DIRT AND OTHER DEBRIS, ANY DAMAGE TO THE CANTING OF THE VARIOUS MATERIALS MUST BE REPAIRED.

12. Umless otherwase hoted, placalart of utilities in easeants stall be comerned by the Standard 10: And 14 easeants as adopted by the Utility Coronanting Committee for the Houston Metropoliam Area, as currenty amenadod or revised. 3, NO CONNECTIONS SHALL BE MADE TO EXISTING WATER LINES OR SANITARY SEWERS UNTIL ALL PROPOSED LINES HAVE BEEN THOROUGHLY CLEANED, TESTED AND APPROVED BY THE ENGINEER. ACCESS TO ALL EXISTING STREETS AND DRIVEWAYS SHALL BE MAINTAINED AT ALL TIMES.

al geoegnhol reports for this project are available for reference at the jeticitie engineer. ALL PAYING STATIONS ARE CENTERLINE OF STREET RIGHT-OF-WAY UNLESS OTHERWISE NOTED. SURFACE RESTORATION: AT THE END OF ALL CONSTRUCTION PROJECTS, THE CONTRACTOR SHALL TORE THE EMISTING FACULTES, I.E., THE PROPERTY, EQUAL TO OR BETTER THAN EXISTING STE DITION PROR TO CONSTRUCTION.

ALL MANHOLES ARE TO BE CONSTRUCTED FOR A MINIMUM OF 1 FOOT VERTICAL ADJUSTMENT. FINAL ACCEPTANCE OF THE UTILITIES WILL HOT BE CHEN TO THE CONTRACTOR WITL UTILITIES WELL HOT BE CHEN TO THE CONTRACTOR WITL UTILITIES WELL HOUSIGN AND/OR THE TEXAS COMMISSION ON RECHIEFLY DAYS.

9, WASTEWATER COLLECTION SYSTIAS, WATER LIKES, STORM DRAWAGE AND STREET PANHO ARE RESIDENT IN ACCORDANCE WITH THE COTTOBER 2002 EDITION (OR LITEST REAVBOW) OF THE TSTANDARD CONSTRUCTION SPECIAL PRINCES FOR WASTERNETH COLLECTION STREET, WATER LIKES, TOWN DRAWAGE, AND STREET PANHOF, "STANDARD CONSTRUCTION, AND THE LIKES, THAN ADDITIONAL STREET, WATER LIKES, STEAD BANAMAGE, AND STREET PANHOF AND THE ADDITIONAL STREET, WATER LIKES, STEAD BANAMAGE, AND STREET PANHOF AND THE ADDITIONAL STREET, WATER LIKES AND BANAMAGE, AND STREET PANHOF AND THE CITY OF HOUSING, DEPARTMENT OF PAGE WORKS AND THE CITY OF HOUSING, DEPARTMENT OF PAGE WORKS AND

IF THE CONSTRUCTION DOES NOT BEON WITHIN A YEAR AFTER THE PLANS HAVE BEEN SIGNED, I SIGNATURES MUST BE OBTAINED AND LETTERS OF AVAILABILITY MUST BE UPDATED. CONTRACTOR SHALL TAKE NECESSARY PRECAUTIONS TO PROTECT ROOT SYSTEMS OF SHRUBS, AND THEES ALONG AND ADJACENT TO THE AREA OF CONSTRUCTION.

REE MAD IL MAY PROTECTION.

CONTRACTOR IS TO PROTECTION AND TO PROTECT EXISTING TREES AND PLANTS FROM FOLLAGE, BRANCH CONTRACTOR IS TO PROTECT PAGE AND PLANTS FROM FOLLAGE. BRANCH CONTRACTOR STORE PAGE THE THE CONTRACTOR OF PROJECTION SEPECIFICATION SEPECIFICAT

THIS PROJECT INCLUDES THE CONSTRUCTION OF PUBLIC WHITE WANS. PRIOR TO THE MAN THE CONTROLLOR IS TO GRIM, THE PROPER THE CONTROLLOR IS TO GRIM, THE PROPER AND STRUCTURE THE PROPER DOCUMENTS SERVING BY THE PAUL REMEMBERS OF PROPER PROPER DOCUMENTS SERVING THE PAUL REMEMBERS OF PRIOR PROPER PROPER PROPER PROPER PRIOR PROPER OF THOSE PRIBATION OF THOSE PRIBATION OF THE WAITE HAMBERSHAME BRANCH. NOTE TO DEVELOPERS, ENGINEERS, AND CONTRACTORS

I, SANTARY SEARE MANAGES SHALL RE SYMANDED CHY OF HOUSTON PRECAST CONCRETE MANAGES 4- TOOI DAMATER, UMESS OPERWIS MOEDL CONSIDERIER MANAGES COMMON MIN CHY OF HOUSTON SYMANDARD CONSTRUCTION METALS - PRECAST CONCRETE MANAGES (CONTRACTOR SHALL CONCRETE CHANGE). AS APPLICABLE AND GROCK MATERIAL ALLOWED. CONTRACTOR SHALL UNILES CONCRETE RING COLLAR FOR MANHOLE ADJUSTMENT.

A WIEROR LINNO FOR DICTIE MON SENSE PIRS TO SE IN ACCEDIANCE WITH PREMANUFACTURETS RECOMMENDATIONS AND ONE OF MONEY TO THE REQUIREMENTS OF DITTER ASTALL DIESO.

ASTALL DIESO. ON ACTURE DE THE ANALYSTICKES. NO CEMENT MORNAY LINNS ON BITLIANDUS.

CHANGE RECOMMENDE DE THE MANUFACTURES. NO CEMENT MORNAY LINNS ON BITLIANDUS.

LINNS WILL SE ALCOMED, ONLY POLYETHYLEME.

	•								
PLACE 1 FULL SECTION (MIN 18 FT) OF WATER LINE CENTERED AT SANITARY SEMER CROSSING. PROVIDE RESTRAINED	MINIMUM 2 FEET VERTICAL CLEARANCE				WATER LINE (ML) - SANITARY SEMER (SS) CROSSINGS	¥	DESIGN MANUAL", VERSION JANUARY 2011	CITY OF HOUSTON DEPARTMENT OF PUBLIC WORKS AND ENGINEERING "INFRASTRUCTURE	REQUIREMENTS PER:
	4.	SS SS S	OVER	PROP	5 . 5	PROTECTION REQUIREMENTS AT		BLC NO	
	4.	SSQ		DSED	ANTAR	N REQUIRE		RXS >	
4	~		UNDER	MATER L	T SEE	UREMEN		NO ENG	
	4	SS	æ	ž	R (SS	3		NEERI	
		PNILSIX	OVER	PROPOS	CROSS			C N	
4.	4	₹Ŗ	20	ED SA	ŝ			ASTRU	
	4	NGPROP EXISTING PROP SS WL WL WL WL WL	UNDER	PROPOSED WATER LINE PROPOSED SANITARY SEWER				CTURE	
4	_	₹	128	E R					
				_		_		_	_

•						•			
PLACE I FULL SECION (MIN 18 FT) OF MIN 150 PS SANITARY SERVE CENTERED AT NATER LINE COROSSING PROMDE RESTRAINED JOHNS ON SANITARY SEWER, SPACED AT LEAST 9 FT HORIZONTALY FROM CENTERLINE OF WATER LINE OR ENCASED IN A JOINT OF 150 PS ENCASED IN A JOINT OF 150 PS	EMBED SANITARY SEMER WITH CSS FOR THE TOTAL LENGTH OF 1 PAPE SECRENT PLUS 1 FOOT BEYOND THE JOINTS ON EACH END.	PROVIDE DIP FOR SMALL DIAMETER WATER LINE (LESS HES), PVC PIPE IS ONLY ALLOWED IF ENTHAN 24 MICCASED AS PER TAC § 290.44, AND USE RESTRANED JOINTS FOR BOTH DIP AND PVC PIPE.	REPLACE 1 FULL SECTION OF EXISTING SANTARY SEWER WITH PRESSURE-RATED DIP OR PRESSURE-RATED PVC PIPE WITH ADAPTERS AND RESTRAINED JOINTS CENTERED AT WATER LINE CROSSING	PLACE I FULL SECTION (MM 18 FT) OF SAMITARY SEMER CENTERED AT WATER LINE CROSSING. PROVIDE RESTRAINED JOINTS ON SAMITARY SEMER, SPACED AT LEAST 9 FT HORIZON "ALLY FROM CENTERLINE OF WATER LINE	PLACE I FULL SECTION (JAM 18 FT) OF WATER LINE CONTERED AT SANITARY SENER CROSSING. PROVIDE RESTRAINED JOINTS ON WATER LINE, SPACED AT LEAST 9 FT HORIZONTALLY FROM CONTEGURE OF SANITARY SEMER	MINIMUM 2: FEET VERTICAL CLEARANCE			
	άņ		42			Ļ	EXISTING PROP EXISTING PROP	OVER	
	٧.			4	4	4	PROP SS	~	
	ψ		43		4	4.	SS	UNDER	
4	4.	٠.			۷.	٠.	န္တန္	~	
NOT ALLOWED									
	4	4			4	4	₹Ŗ	OVER	ı
	4					4.	EXISTING PROPEXISTING PROP	UNDER	
	4.			4	4	_	₹Ř	20	L

MINIMUM CLEARANCE IS 2 FEET FOR NON-PRESSURE RATED SANITARY SEWER AND 1 FOOT PRESSURE RATED SANITARY SEWER.

3. HOT REQUIRED FOR AUGERED WATER LINE UNLESS THERE IS EVIDENCE OF LEAKAGE, COMPLETELY FUL AUGERED HOLE WITH BENTONITE/CLAY MIXTURE. 2. REQUIRED IF EXISTING SANTARY SEMER IS DISTURBED AND/OR THERE IS EVIDENCE OF LEAKAGE.

NOTE.

NOTE WATER LINES AND WASTEWATER MAIN OR LATERAL MUST PASS A PRESSURE AND LEAKAGE TEST AS SPECIFIED IN AWWA COOD STANDARDS.

CONTRACTOR SHALL PROMDE ADEQUATE CONCRETE THRUST BLOCKING AT ALL FORCE MAIN BENDS I MITHSTAND PRESSURE TEST.

AT ALL LOTS WHERE TOP OF PIPE IS GREATER THAN 8-FEET BELOW FINISHED GRADE, PROVINCE A NEWS SANTARY SEWER STACK, LOCATION TO BE AT NEWEST PIPE, COMIT TO CENTER OF EXCH LOT, LESS OFIC-TWES SHALL BE LOCATED TO SERVE TWO (2) TS. STACKS SHALL BE LOCATED TO SERVE TWO (2) TS. STACKS SHALL BE LOCATED TO SERVE TWO (2) TS. STACKS SHALL BE MARKED FOR LOCATION WITH 4-MICH RESER

11. SANITARY SERVICE LEADS SHALL BE AT A MINIMUM SLOPE OF 0.70% 10. SANITARY SEWER MANHOLES WITH RIM BELOW THE 100—TR FLOOU PLAIN ELEVATION SHALL BE SEALED AND VENT D IN ACCORDANCE WITH CITY OF HOUSTON DRAWING NO. 02082-06.

12. SANITARY SENERS CONSTRUCTION WHERE UNSATISFACTORY SOIL CONDITIONS EXIST SHALL HAVE BEDOING IN ACCORDANCE WITH CITY OF HOUSTON DRAWNG NO. 02317-72. IN ALL SAUF-BROUNDERFORMS SHEET WALL BE EXISTED FOR DETACTION. ISSUED SHEET, BRY BROWN IN THE PERFORMED TO THE REPORT OF SHEET AND ROOM TO OTHER TESTING OF SCHOOL PROCESSOR STEILS. INSITE FOR DESECTION BY PAULING A HAND LIKE WITH AN ATTACHED MANDREL FOR SHEET AND ROOM TO OTHER EXAMENDED THE FOR THE FORMER OF PAPE BENG TESTED MANDREL TO SHEET AND ADDITION TO BE RECENTED FOR THE FORMER OF PAPE BENG TESTED MANDREL TO BE ALL LICENT TO BE REAL TO THE AND ADMITTED THE SHEET S

IN THIS PROBLECT IS AVENUED TO BE COME PRIMARY BY OPEN CUT INSTALLATION
OF STANDARD SMIRITY SINCE PRE. HOWERS, SHOULD ANY BRAVE TUNNELLA, AND/OR JACONG
BE REQUEDD OR PRETERED IT MILL BE COME BY USING SMIRITY (THICK-MILL) PRESSURE PRET.
ALSO, ALL BORNG, TUNNELLAR AND/OR JACONG BY USING SMIRITY SHIPCH TO JACK A
STANDARD 22-22 LONG (OR AS LONG AS POSSBEE OR RELDED) MAGE-LAF JANNELLAR CONSOLITATION
OF PRET. METHER COND/ORD (OR H) OR PAUL THICKE ELONGSOD DH (TIME AL CO-SHIPL). AS
OF PRET. METHER COND/ORD (OR H) OR PAUL THICKE CHANGED DH (TIME AL CO-SHIPL). AS
RECIDED OR STRULLED DESEMBLE ON PLANS. ANY USE OF HOPE PRET. SOR-17 (OR 19) MAY
RECURSE WHITELD CHANGED AND USE.

15. D.I.P. TO BE USED WILL HAVE BOTH EXTERNAL AND INTERNAL CORROSION PROTECTION — EXTERNAL POLYCTHYLENET IDBING OR BOUBLE WAVE WILL BE 8 MIS THICK PER LAYER AND TIED TO PEPE AT 5 MAY INTERNALS (F LAJO) OR BANGED TO PIPE AT 5 MAY INTERNALS WITH SYSTEM BANGS (F JACKED).

7. WHENEVER C-900/965 PVC PIPE IS TO BE USED, USE THE GREEN (WASTEWNER FORCE MAN)
ZOUMED VERSION, SEMI-PLEMEE FERMICO (4) ADAPTESS MAY BE USED ONTSIDE OF THE BOOM HOLE
WE ML. CHOSSING, DATE TO TRANSITION FROM C-900/963 DA TO (REFERENCE) SEME ZEE
WE MENT OF THE SEME PURPE FITTINGS, SEME ZEE MAY THE SEMEN AND AND THE CONTROL OF THE SEMENT AND AND THE CONTROL OF THE SEMENT FOR MANUFACTIONS OF THE CONTROL OF THE SEMENT FOR MANUFACTIONS OF REFERENCE AND THE SEMENT FOR MANUFACTIONS OF REFERENCE (MIT) PIPE CONNECTIONS
WESTER REQUIRED MAD RECESSARY FOR MANUFACTURED ON REFERENCE (MIT) PIPE CONNECTIONS
WAS ORDER THROUGH THE SEMENT MESTER REQUIRED.

ALL CRANITY SANTARY SEMER PPE SHALL BE CONSTRUCTED OF SOR 26 PPE WITH A MANAGUM IN 50 RATING AND CONFORMING TO ASTIM DZZHI (OR APPROVED EQUAL), UNLESS OTHERWISE NOTED THESE PLANS.

2. ALLOWARE SWEP LIKE PRE MATERAL SIALL BE IN ACCREMACE WITH "STAINARD CONSTRUCTIVA PREDEPARTONS FOR WASTERATERS COLLECTION STSTEMS, WATER LIKES, STORM DRAINAGE, AND STREET PARME", JANALARY 2011 YERSION, (LATEST REVISION) AND TICEO RULES AND REGULATIONS.

PROTECTION REQUIREMENTS AT WATER LINE-SANITARY SEWER CROSSING

WATER SENER						_
PLACE 1 FULL SECTION (MIN 18 FT) OF WATER LINE CENTERED AT SANITARY SEMER CROSSING. PROVIDE RESTRAINED JOINTS ON WATER LINE, SPACED AT	MINIMUM 2 FEET VERTICAL CLEARANCE				PROTECTION REQUIREMENTS AT WATER LINE (WL) - SANITARY SEMER (SS) CROSSINGS	
	4.	EXISTING	OVER	PROPO	PROTECTION REQUIREMENTS AT (ML) - SANITARY SEMER (SS)	
4	4.	PROP SS	20	CESC	N REQ	,
4	4	EXISTING	Nagun	PROPOSED WATER LINE	URBMEN Y SEMEN	:
4	4	တ္တန္တ	æ	ž	(SS) 13 13 13 13 13 13 13 13 13 13 13 13 13	
		MESTING	OVER	PROPOSE	CROSSI	
4	4	₹Ŗ	20	D SA	ิซิ	
	4	EXISTING	UNDER	PROPOSED SANITARY SEWER		
4	-	≠Ř	28	N.		

	•						•		
BUS SENSEMBLE NO COLUMN NO	PALACE I DILL SECTION (MM 18 FT) OF MM 150 PS SANITARY SEWER CONTROL AT WATER UME CROSSING, PROVIDE RESTRANCED JOHN SON SANITARY SEWER, SPACED AT LEAST 9 IT HORIZONTALY FROM CENTERLY OF WANTER UME OR FECASED M. A JOINT OF 150 PS PRESSURE PHE (JAM 18 FT) THO MOMENTAL SEES LANGER WITH SPACENS AT 5 IT INTERVAL.	EMBED SANITARY SEMER WITH CSS FOR THE TOTAL LENGTH OF 1 PAPE SECRENT PLUS 1 FOOT BEYOND THE JOINTS ON EACH END.	PROVIDE DIP FOR SMALL DIAMETER WATER LINE (LESS HES), PVC PIPE IS ONLY ALLOWED IF ENTHAN 24 NICASED AS PER TAC § 290.44, AND USE RESTRANED JOINTS FOR BOTH DIP AND PVC PIPE.	REPLACE 1 FULL SECTION OF EXISTING SANTARY SEWER WITH PRESSURE—RATED DIP OR PRESSURE—RATED PVC PIPE WITH ADAPTERS AND RESTRAINED JOINTS CENTERED AT WATER LINE CROSSING	PLACE I FULL SECTION (MM 18 FT) OF SANITARY SEWER CENTERED AT WATER LIME CROSSING. PROVINCE RESTRUMED JOINTS ON SANITARY SEWER, SPACED AT LEAST 9 FT HORIZON*ALLY FROM CENTERLINE OF WATER LIME	PLACE 1 FULL SECTION (JAIN 18 FT) OF WATER UNE CONTERED AT SAMPLARY SEARCH CROSSAUL, PROVIDE RESTRAINED JOINTS ON WATER LINE, SPACED AT LEAST 9 FT HORIZONTALLY FROM CONTEGURE OF SAMPLARY SEMER	MINIMUM 2: FEET VERTICAL CLEARANCE		
		άņ		ą. Ľ			ď.	EXISTING SS	OVER
2		٧.			4	4	4	SS	מג
SAULT AR		4,		43		4	4.	SS	UNDER
4	4	4.	٠.			4	۷.	SS	20
CANITARY STAFF CROSSINGS	NOT ALLOWED								OVER
Ś		4.	4			4	4	¥oe	טג
		4,					4.	EXISTING PROPEXISTING PROPEXISTING PROP	ONDER
١		4			4	4	-	≢R	2

-PROTECTION REQUIREMENTS FOR SANTARY START COURSINGS (UNLESS VARIANCE IS GRANTED BY THE TOEQ)

4. NOT REQUIRED FOR AUGERED SANTARY SEMER; COMPLITELY FILL AUGERED HOLE WITH BENTOWITE/CLAY MIXTURE.

6. CONTRACTOR SHALL AR TEST ALL GRAVITY SAWITARY SEWER LINES. FORCE MAIN LINES SHALL BE HYDROSTATIC TESTED AT 125 PS. CONTRACTOR SHALL TEST ALL SANITARY SEWER SYSTEMS IN ACCORDANCE WITH CITY OF HOUSTON ANDARD SPECIFICATION NO. 02533—ACCEPTANCE TESTING FOR SANITARY SEWERS. SANITARY SEWERS IS APPLICABLE TO BOTH GRANTY SANITARY SEWERS AND FORCE MAINS

9, WHERE SEMER MANHOLES ARE LOCATED WITHIN THE STREET R-O-W THE CONTRACTOR SHALL SET RELICENTARIES TO MATCH PRISHED GROUND ELEVATION & STRUCTURE OF THE RETURN MATCH, GROUND AUGUST RESPECT USE TO THE OF THE CHARLES WITHIN EXCEPTING, BULLECATION SHALL BE SET 1-MONES AGONE AUGUST REPORTED, MATCH SHALL BE SET 1-MONES AGONE AUGUST REPORTED, ME ELEVATION SHALL BE SET 1-MONES AGONE AUGUST REPORTED FROM THE MATCH SHALL BE SET 1-MONES AGONE 100-YEAR FLOOD ELEVATION OR STALED.

16. ALL SANITARY SEWEN LINE PIPE PORTIONS (LOCATED INSIDE OF A CAG-THPE PUBLIC ROAD'S ROW NAME) HANNE LESS THAN 4 OF TIDE COKER FROM PAYBEIRT'S TC (TOP OF CURB) MUST USE THE SAME HORD-PRESSINE AWAN C-900/0965 (OR-16) OF QUIJE, (THK QL 50-54) NORMALLY REQUIRED FOR BORES IN AND AT THE ROADWAY AND OTHER AREA(S).

2 FL MEAS ON PLANS SMALL BE FILED IN LINERS NOT EXCEEDING IN IN DEPTH AND EACH COMPACIED TO NOT LESS THAN SMA SMAS SMAD PROCESS DEAVE PROBE TO BESTALATION OF WATER LINE AND FALL ARE SECIED AND FERTILED WHICH TO MORKING DAYS. 1. Department of Public Works and Emplesmon's "Symbolad construction Systematic was engaged and engagemons" symbolad construction defauls for wistemater collection systems, where were strandard, and stream paymen' willess offerwas noted. And approved on these plans, the decision is consistent with the window standards estimatical in the "Warastructure design and a consistent with the window standards estimatic on the "Warastructure design and a standard programment of the programment of the construction and exceptional design and the construction and exception and excep UTILITY CONTRACTOR SHALL PROVIDE TELEPORARY SLIT BARRIER FENCE ON ALL NON-CURB INLETS HOW WILL REMAIN IN PLACE AFTER UNDERGROUND CONTRACT IS COMPLETE.

A: EXISTING AMALIBATIS, CLIRES, DRIVENNYS, AND SICEMALES DIAMACED OR REMOVED DURNIC CONSTRUCTION SHALL BE REPLACED TO CITY OF HOLISTON STANDARDS, WITH LATEST ADDICUMES AND AMERICANETS TREETED. CONTRACTOR SHALL PROVIDE SILT BARRIER FENCE ON ALL STAGE 1 CURB INLETS. CONDITION OF THE ROAD AND/OR RIGHT-OF-WAY. UPON COMPLETION OF JOB, SHALL BE AS GOOD; OR BETTER THAN PRIOR TO STARTING WORK.

10. CONTRACTOR SHALL COMPLY WITH OSHA REGULATIONS AND STATE OF TEXAS. LAW CONCERNING EXCAVATION, TRENCHING AND SHORING AS SPECIFIED IN CITY OF HOUSTON ORDINANCE JBT-1457. MELLEN AND LABEDOED BY WITH THE CONTEXT OF THE EXISTING SUM WITH FOR REPORTING STEEL. EXERCISE USE HORECOMEN, EXPERT AND REPORTED SAMED JOINT, IF NO REPURCIONE STEEL. CONTRACTOR TO TAKE NECESSARY PRECAUTIONS TO PROTECT ROOT SYSTEMS OF SHRUBS, PLANTS () TREES ALONG AREAS OF EXCAVATION.

WHED, CHAIR PAUMS SHALL BE INSTALED IN ACCORDANCE WITH CITY OF HOUSTON STANDARDS AT INTERECTIONS WARDE SDEWALKS DIST AND THE EXISTING CURB OR SIDEWALK IS DAMAGED OR DURING CONSTRUCTION.

THIS PROJECT SHALL BE BUILT BY MEANS OF OPEN OUT EXCEPT AS NOTED ON THE DRAWNINGS WITHOUTEN O DETERMINE THE LOCATIONS OF BORE PITS IN PELD, SUBJECT TO THE CITY ENGMEETS STRONG OF BORE PITS IN PELD, SUBJECT TO THE CITY ENGMEETS

S. PARKET OF WHITE MAIN ADMINISTRATE, THE CONTRACTOR SHALL CONTRICT CAPTAL PROJECTS, PLAN REVIEW SECTION AT 713-837-2024 AND COMENT WITH ALL REQUIREMENTS RECESSARY FOR THE ISSUANCE OF A MERIC CARGET. FO THE WATER MAIN CONSTRUCTION.

">, 10 AND < 5.0 ACRES
CONSTRUCTION ACTIVATES
SUBJAT A CONSTRUCTION SITE MODES (CSA) TO THE CITY AND TOCO
SUBJAT A CONSTRUCTION SITE MODES (CSA) TO THE CONSTRUCTION SITE
REQUIRED TO CREALIGH A SAMP
ROUBLED TO CREALIGH A SAMP
ANT SUPPORTING CONCRETE OR ASPH LT PLANT IS SEPARATELY AUTHORIZED TO DISCHARGE UNDER
ANT SUPPORTING CONCRETE OR ASPH LT PLANT IS SEPARATELY AUTHORIZED TO DISCHARGE UNDER
ANT SUPPORTING CONCRETE OR ASPH LT PLANT IS SEPARATELY AUTHORIZED TO DISCHARGE UNDER
ANT SUPPORTING CONCRETE OR ASPH LT PLANT IS SEPARATELY AUTHORIZED TO DISCHARGE UNDER

< 5.0. ACRES AND PART OF LARGER COMMON PLAN OF DEVELOPMENT THAT WILL EQUALTY DISTURBES CHASTAGES (SEE THAT IS EQUAL TO OR > 5.0 ACRES CHASTAGES AND ACKNOWN PLAN OF DEVELOPMENT AND ACKNOWN PLAN TO BE RELIAMED ON SITE DEVELOPMENT AND ACKNOWN PLAN TO BE RELIAMED ON SITE DEVELOPMENT AND ACKNOWN PLAN TO BE RELIAMED ON SITE DEVELOPMENT AND ACKNOWN PLAN TO BE RELIAMED ON SITE DEVELOPMENT AND ACKNOWN PLAN SITE THAT STANDARD AND ACKNOWN PLAN SITE THAT STANDARD AND ACKNOWN PLAN SITE PLAN STANDARD AND ACKNOWN PLAN ST

## WPPP CONSTRUCTION NOTES:

3. CONTRACTOR SHALL CLEAN UP THE EXISTING STREET INTERSECTIONS AND DRIVEWAYS DAILY, AS NECESSARY, TO REMOVE ANY EXCESS MUD. SLT OR ROCK TRACKED FROM THE EXCAVATED AREA. S, COMTRACTOR TO MOSFECT AND MAINTAIN THE AREAS LISTED BELOW AT LEAST ONCE EVERY FOURTED (A) CALEDIONE DATS AND WITHIN 24 HOURS OF THE END OF A STORM EVERT OF 0.5 MOVES ON GENERAL 4, CONTRACTOR SHALL FOLLOW COOD HOUSEXEEPING PRACTICES DURING THE CONSTRUCTION OF THE PROJECT, ALWAYS CLEANING UP DRT AND LOOSE MATERIAL AS CONSTRUCTION PROGRESSES. 1. Contractor shall medebat met protection dences and reproced deter earse earrer Aldre Roua pad dictores at locations show on the throat storm water polition precention (spep) plays to repe but and/or excanato maternas from Otterno into the Storm water mets and ditores expatiually politing the receiving stream. D, DIRRING HE EDCANTION PRIAS OF THE PROJECT, CONTRICTOR SPALL SORIDUILE THE WAS TO SORIDUILE THE WAS TO SORIDUILE THE WAS TO SORIDUILE THE WAS TO SORIDUILE TO SOLID THE CONTRICT OF THE PROJECT OF THE

7 DECOUNT PRANACE SHALL BE MARTIMED AT ALL THES DURNIC CONSTRUCTION AND ANY PRANACE DATE OF STRUCTING ESTERBED DURNIC CONSTRUCTION SHALL BE RESTORED TO WITE CONN. OF THE OWNER O AUTHORITY.

TO, MASTRANTER COLLECTION SYSTEMS, WATER LIKES, STORM DEMANGE AND STREET PANNE SHALL BE CONSTRUCTED. HE COLLECTION SYSTEMS, WITCH LIKES, STORM DEMANGE OF STREET PANNE SHALL BE STORM DEMANGE ON STREET PANNE" MICH ME STORM STRANDED CONSTRUCTION STREET PANNE" MICH ME STORM STRANDED CONSTRUCTION STREET PANNE" MICH STREET PANNE" MICH MICH THE STRANDED CONSTRUCTION STREET PANNE".

13. THE COMPACTION SHALL BE FILLY RESPONSIBLE FOR ANY DAMAGES TO EXISTING WHER, WISTERWIER, STORM SERRE AND TRAFFIC SHOULD CONDUTE, ALL DAMAGES SHALL BE REPARDED IN WISTERWIER, STORM SECOND SHALL BE REPARDED IN CONDUCTION OF THE CITY OF HOUSING, LETTLE OF HOUSING AND AND CONSTITUTION OF SECONDARY WITH LATEST ADDRESS, AND AND/OLDERS THERETO, AT NO COST THE CITY OF HOUSING

A PROB TO METE NAM ADJETUDITY THE INSTITUTION OF WITE METES AND LEASE OF UNMERCED SPANISHED METES AT THE SOUTH COTOR SHALL CONTACT METER THE TASK OF FORMERS AND BONDS.

C COMPRACTION SHALL CONTROL THY OF HOUSING STREET, AND BROOK CONSTRUCTION SECTION FOR HOUSING ALL LESS 1 OR HOUSE PROPER TO COMMENSIONE WHER MANN CONSTRUCTION AFTER WORK COODER HAS BEEN SIGNED BY PLAN REVIEW SECTION.

## WPPP AND SWQMP COMPLIANCE NOTES:

(\* 1.0 AGE PROSTURBED (GEARNO AND GRUBBING AND/OR EXCAVATION INVOLVED) FROMDE BURYS TO PREVENT ANY RUNGET BITO THE CITY'S USA FROMDE SIMPP MORE FOR COMPANION PLANS ANY CONSTRUCTION STE RANGET INTO THE CITY'S USA IS A VIGLATION OF THE CHOMMAND.

DISTURBED AREAS OF THE CONSTRUCTION STE THAT HAVE NOT BEEN FINALLY STABILIZED AREAS USED FOR STRACE OF MATERIALS THAT ARE EXPOSED TO PRECIPITATION STRUCTURAL CONTROL MEXISARIS.

LOCATIONS WHERE VEHICLES ENTER OR ENT THE SITE.

CAUTION: CENTERPOINT ENERGY.
GAS. FACILITIES

(TO MICLIDE CENTERPOINT DIERRY, MIRASTATE PPELME PRODUMENT, CENTRO (MIX.) SERVICE LINES ARE SE PLAKS ONLY MICHAES MACHINES AND FAULINES AND SERVICE MACHINES HAS BEEN MADE. CORREMANTING COMMENTITIES AT 71-72-74-57 OR TO CONSTRUCTION TO HAVE MAN AND SERVICE LINES OR TO CONSTRUCTION TO HAVE MAN AND SERVICE LINES

FRANCHISE UTILITIES

PHOR TO STREET CONSTRUCTOR, THE CONTRUCTOR SHALL CONTRUCT HE DOPARTMENT OF PUBLIC WISHESTERN CALL TO THE CONTRUCTOR SHALL CONTRUCTOR DOUBLE REFLECTIONIZED BLUE TRAFFIC MARKERS SAULL BE PLACED 8-MORES OFFSET OF THE REPUBLIK OF ALL THE HYDRANI COATIONS BY THE PLANNES OF THE P

## PECIAL TRENCH BACKFILL NOTE:

. ALL TRENCH BACKFILL FOR UTILITIES SHALL BE CAMPACIDE TO AT LUSIT 95% OF MANIAUL BE ENSITY PER ASTRA-988. MOSTUME CONTRINE 954LLE MINHA 31% OF POPULAU BUSCHIES SHALL BE MOSTES SHALL BE HARDEN AT APPROMANTE TOO-POOR INTERVALS PAR CHES WAS ALC PRINGHOUS DEVELOUE DU THE FALLOW OF PRINGHOUS SHALL BE WAS ALC PRINGHOUS DUE TO THE ALCARAGED DUE TO THE ALCARAGED DUE SHALL BE SHACH MANIAUL, BE ALCOH MANIAUL, BE A

2. ALL UTILITES PRESENTED ON THESE DRAWNOS ARE SHOWN AT THE APPROXIMATE LOCATIONS COLORED ON THE BEST AMALAGE INFOSMATION. THE CONTRACT OF SHALL FIG. PRES' PROBLEE FOR MYY AND LALL DIAMOSE GAUGE TO COMMENCING DESTRUCTION. BE SHALL BY SHALLOR SHALLOR DETERMINE THE EXACT ALL PRAMOSE CAUSED BY HIS FAILURE TO EXACTLY LOCATE AND MAINTAIN THESE UNDERSTANDING UTILITIES.

3. CONTRACTOR SHALL PROVIDE ADEQUATE CONCRETE THRIST BLOCKING TO INTHISTAND TEST.
RESSURE AS SPECIFED IN CITY OF HOUSTON, DEPARTMENT OF PUBLIC MORKS AND ENGINEERING
SPECIFICATIONS.

## STORM SEWER CONSTRUCTION NOTES:

2. ALL STORM STREET CONSTRUCTED IN SDELOT EXSENSITS SMALL BE R.C.P. (C-76, CLASS B) AND SMAL BE EXIDED IN ACCORDANCE WITH THE CITY OF HOUSTON DRAWNG NOS, 02317-02, 02317-03, 02317-06, 02317-07 (OCT. 2002) AS APPLICABLE. 1. STORM SEMEDS SMALL BE REINFORCED COMORETE PIPE (C-76, CLASS III), AND SMALL BE INSTALLED. BEOERD, AND BACKFILLED IN ACCORDANCE WITH THE CITY OF HOUSTON DRAWNG MCS. 02317-02, 02317-05, 02317-05, 02317-07 (OCT. 2002) AS APPLICABLE UNLESS OTHERWISE SHOWN ON THE DRAWNOSS.

4. ALL TRENCH BACKFILLS SHALL BE IN B" UF UFT, AND MECHANICALLY COMPACTED TO A DEN DENSITY AS DETERMINED BY THE STANDARD PRO TI, ALL DIOSES SHALL BE REGRADED TO PROPOSED ELEVATIONS TO INSURE PROPER DRAWAGE ALL OUTPLALS SHALL BE PROPERLY BACKFULED AND COMPACIED. ALL DISTURBED AREA SHALL BE REGRADED SEEDED, AND FERTULED. 10. The contractor shall be responsible for protecting, Manifaning, and restoring any back slope dranace system disturbed as a result of his work. 8. CONTRACTOR SHALL PROVIDE 12" MINIMUM CROSSINGS e, all storm scher ppes and nuet iejos shall be za inch and larger r.c.p. (c-76, class ii). 7. All proposed ppe, stub outs from manholes and inlets are to be plugged with 8° brick walls unless otherwise noted. 5. GROULAR AND ELIPTICAL REDIFFORCED CONCRETE PRIÉ SHALL BE HISTALLED USING RUBBER GASKET JOINTS CONFORMING TO ASTIA C443 AND ASTIA C877 RESPECTIVELY. 3. ALL SEWER UNDER PROPOSED OR FUTURE PA PROPOSED OR FUTURE CURBS SHALL BE BACKFI WITH M ONE (1) FOOT OF SUBGRADE. THE REMA SUITABLE EARTH MATERIAL 12. ALL DRIVEWAYS WILL BE LOCATED TO AVOID ) .ADJUST MANHOLE COVERS TO GRADE CONFO MANHQLES, INLETS AND VALVE BOXES TO GRAD CLEARANCE AT THE STORM SEWER AND WATER LINE TS, WITH TESTS TAKEN AT 100 FOOT INTERVALS ON EACH USTY OF NOT LESS THAN 95% OF THE MAXMUM (DRY OCTOR COMPACTION TEST (ASTAID—698/AASHTO T99). NEMENT AND TO A POINT ONE (1) FOOT BACK OF ALL ILLED WITH 1-1/2 SACK CEMENT/C:Y, STABILIZED SAND TO WHING DEPTH OF TRENCH SHALL BE BACKFILLED WITH EXISTING CURB INLET STRUCTURES. THING TO REQUIREMENTS OF SECTION 02086-ADJUSTING

## STREET AND BRIDGE NOTES:

ICOATION OF CRITEPOWIT DIEROY MAN LAES (TO NO. METE APPLICABLE) ARE SHOWN ME AN APPRAISABLE FOR A METER APPLICABLE) ARE SHOWN ME AND A METER APPLICABLE ARE AND A METER AND A

WHEN CENTERPOINT ENERGY PIPE LINE MARKINGS 4:30 pm) FOR STATUS OF LINE LOCATION REQUE

ARE NOT WSBLE, CALL (713) 967-8037 (7:00am to EST BEFORE EXCAVATION BEGINS.

WERN EXCAVATING WITHHE DIGHTESH MOSES (18") OF THE INDICATED LOCATION OF CENTERPOINT FOCULTIES. ALL EXCAVATION MUST BE ACCOMPUISHED USING NON-MECHANIZED EXCAVATION PROCEDURES. DCATE AND PRESERVE THESE UNDERGROUND MEN CENTERPOINT FACILITIES ARE EXPOSED SUFFICIENT SUPPORT MUST BE PROVIDED TO THE ACUITIES TO PREVENT EXCESSIVE STRESS ON THE PIPPING.

CAUTION: CENTERPONT ENERGY OVERHEAD.
ELECTRICAL UNES NY DAMAGES CAUSED BY HIS FAILURE TO EXACTLY ACHITIES.

OVERHEAD LIMES MAY EXIST ON THE PROPERTY. WE HAVE NOT ATTEMPTED TO MARK THOSE UNES SINCE THEY ARE CLEHEY VISIBLE. BUT YOU SHOULD LOCATE THESE PROPERTY DE BECAMING NO. THE CONSTRUCTION. TEXAS LAW, SECTION OF THE SECOND SECOND SECTION OF THE SECOND SECTION OF THE SECOND CENTURYLINK TELEPHONE CABLES

NOTIFY LONG STAR ANDIFICATION CENTER AS THE CONTINUENCE LOCALIES. THE CONTINUENCE APPROXIMATE USES DOWN, THE CONTINUENCE SHALL BE COMBACTOR SHALL BE SHOUL MIGHT BE COCASIONED BY HIS FAILURE. TO E HOURS PROM TO STARTING CONSTRUCTION TO HAVE OF CENTURY MY ELEPHONE UNUTIES ARE SHOWN AS MY OR SHALL DETERMINE THE EXACT LOCATION BEFORE RE PALLY RESPONSIBLE FOR MY MAD ALL DAMAGES, THE PALL DAMAGES AND ALL DAMAGES AND ALL

1

## TRAFFIC NOTES:

2. NO TRAFFIC LANES SHALL BE GLOSED DURING FRIDAY IN DOWNTOWN/ANDTOWN AREA. 3. NO TRAFFIC LANES SHALL BE CLOSED DURING 6:00 PM MONDAY THRU FRIDAY. 1. CONTRACTOR SHALL PROVIDE AND INSTALL TRA OF THE TEXAS WANUAL ON UNIFORM TRAFFIC CON WITH REVISIONS) DURING CONSTRUCTION. THE HOURS OF 7:00AM TO 9:00AM AND 4:00PM TO THE HOURS OF 5:30AM TO 7:00PM MONDAY THRU IFFIC CONTROL DEVICES IN CONFORMANCE WITH PART VI

THESE PLANS SHALL BE DRAWN TO SCALE ON REPRODUCIBLE WYLAR AND SCALED BY A LICENSED ENGNEER IN THE STATE OF TEXAS, PLANS WILL BECOME A PART OF THE CONTRACT DRAWNOS. 8. IF THE CONTRACTOR CHOOSES TO USE A DIFFERENT METHOD OF "TRAFFIC CONTROL PLANS" DURWIG THE CONSTRUCTION THAN HAIT IS OUTLINED IN THE CONTRACT DRAWNICS, HE/SHE SHALL BE RESPONSIBLE FOR PREPAIRNE AND SHAMITHING AM LITERAHTE SET OF PLANS" TO PLAN REVIEW SECTION FOR APPROVAL TEN MORONG DAYS PRIOR TO IMPLEMENTATION 7, OFF-DUTY UNIFORMED POLICE OFFICER(S) / F LANES ARE BLOCKED. 6. CONTRACTOR SHALL COVER OPEN EXCAVATIONS WITH STEEL PLATES ANCHORED PROPERLY DURING NON-WORKING HOURS, AND OPEN LAMES FOR NORMAL TRAFFIC FLOW. NO TRAFFIC LIMES SHALL BE CLOSED IN ALL RESIDENTIAL JREAS FROM 7:00 PM TO 7:00 AM. CONTRACTIOR SHALL MAINTAIN ONE LIME OF TRAFFIC IN EACH DIRECTION DURNG MORRING HOURS. LAGGER(S) IS/ARE REQUIRED TO DIRECT TRAFFIC WHEN

APPROVED FOR CONTURNAME UNCOMPROVING CONQUIT FACILITIES ONLY.

THE WAY OF A CONTRACTOR OF THE PARTY OF THE

CHANGE ATT AND AND THE WAY OF VACATION AND THE WAY OF ANY OF ANY

THE TIME SETTLY THE ACTION TO THE ACT OF THE

VERANGE FOR LINES TO BE TURNED OFF OR MOVED, CENTERPOINT AT 713-207-2222.

S. APPROCED COPES OF "TRAFFIC CONTROL PLANS", AND LIME "SOREMAL CLOSIAR FROMITS SIMIL RE.
AVALABLE FOR HISPECTION AT J. OR SITE AT JAL. HERS. THE CONTRACTOR MUST SCHORE", LIME "SOCIEST
LOCASIAR FROMIS" FROM CITY'S TRAFFIC DWISON BEFORE CLOSING A LANG! SECRML. THE REQUEST
MUST BE MADE AT LEAST TEN BUSINESSES DAYS PORM TO THE DIATE FOR WHO THE CLOSIAR IS SOCIED
MOTE THAT WESTING HOURS MAY BE RESTRICTED OR THE REQUEST MAY BE GENED. CHIL 832—393—3000
FOR AM APPLICATIONS. Kimley

Horn

74 St (201) 807-4500


HOUSTON METHODIST EMERGENCY CENTER AT CINCO RANCH

NOTE: CITY SIGNATURES VALID FOR ONE YEAR ONLY AFTER DATE OF SIGNATURES DEPARMENT OF PUBLIC WORKS AND ENGINEERING CITY OF HOUSTON GENERAL NOTES

WILL D. W 1.31.14 ALLYNO MELYN WHOLS



SUBMITTED: JULY 2014 SURVEY BY: MOIGH & CREED, BNC. DESIGNED BY: MBG



opinoysberg johann — 7/31/2014 - 7:54em Pier III. VACL LANGUCCO-NO. PROLYPHORIBIE Performing V-lathour/ORD/Viscolnosis/V-PROT.dep Styles 1889 PROLE SIVA-CRIST distre distrey allerny 1816 7/1940 18440 1855L-Pub — Hongas CALL BEFORE YOU DIG
TEXAS ONE CALL SYSTEM
1-900-245-4545
(at least 72 hours prior to degring) 18 24 128 8 8 WATERLINE EX STORM MANHOLE -RM = 129.02 .FL 30° (N) =121.21 FL 30° (E) =123.54 FL 24° (W) =121.21 CINCO ROSE DRIVE PROP 6" FIRE LINE CINCO ROSE DRIVE SCALE: 1"=20" H; 1"=2" V 90' F.O. PROP. DOUBLE DETECTOR ECX BACKFLOW PREVENTER ASSEMBLY WITH FDC VALLT <del>1</del>50 ERSTING 6" U.M.T.L ž 132 18 124 128 PROP. 45FF (BY ORNER)

OR. Z. WATER METER

OR. Z. WATER METER

OR. J. WATER METER

OR. ន double check of ystem will require a double check detector backflow prevention assembly with a meterd by pass located on private property in a location outside or that may be inside the structure and owned and maintained by the owner provided that the bypass meter will be owned and maintained by the city. PROP. 6" SSWAR (BY OTHERS) CLOSED SYSTEM - Do not have fire hydrants, Surge tank, fire cabinet, ect. (Sprinkler Only) 8 PROP. 2" STUB-REF. LANDSCAPE ARCH PLANS FOR CONTINUATION. 124 26 8 12**8** 122 ᇙ CINCO ROSE DRIVE PROP 6" SSWR LINE CINCO ROSE DRIVE SCALE: 1"-20" H; 1"-2" V SSMR UNE TO A TIPE H-2 MAET TO A TIPE 8 MALET WITH CRAITE.

MITH CR EX. STORM IMMORE

(COMPACTES TO ADJEST)

VOI. 12.4: (0) = 124.18

PROP. EXP PROP. 124.19: (25) = 124.28


PROP. AVER METER


PROP. AVER METER


DOM: DE 24" STORM LINE SETBACK CONNECT TO EX.
SSNR MH
RM=120.17
EX 67 FL, N= ±118.92
EX 67 FL, S= ±118.92
PROP pf FL= 120.855 PROP. 8" CLEANOUT 0+25 -EX. 10" SANITARY SENER EASDAENT DOSTING PROP. 6" SSMR (BY OTHERS.) 8 \$ 76 120 124 128 z PROP. 272'
GRATE NUET
(BY OTHERS)
TG =127.93
FL 18'(SE)=124.
FL 24'(NW)=124 WMETERED PROP. 6"AFRE LINE PROP. 6"AFRE LINE riag brang REFERENCE BENCHMARK


(TACORYLAIN REFERENCE MANK INMEN IS. A BRUSS DEK
STIMED 1504 BOT MENDER IT LEE SHOW AND GARRES
MANG LACATED ON BOTTMENET COMER, AT DESTREAM
BEDGE JAUTHENT, OH SHOULDES IN JAY MAY TAKE IN GEEDS
BENCHMARK STANDAR ON THE SHOW AND THE SHOW THE SHO FILE NO: VERT: 1" = 2" CHERPOSIT DESKY/ANTAK OK FACURES WINDOWS ONLY
(THE MINISTER WINDOWS OF MARK OR HAS CHERTAN
ON THE WINDOWS OF MARK OF MARK OR HAS CHERTAN
ON THE WINDOWS OF MARK OF MARK OR HAS CHERTAN
ON THE WINDOWS OF MARK OF MARK OF MARK SURVEY BY: MOXIM & CREED, INC. PRAWING SCALE: Kimley


Horn MES T. SI. 14 NOTE: CITY SIGNATURES VALID FOR ONE YEAR ONLY AFTER DATE OF SIGNATURES CITY OF HOUSTON
DEPARABING OF PUBLIC WORKS AND ENGINEERING
STREET & BROOK hief ray 1 × 11/1/2 × 12 HOUSTON METHODIST EMERGENCY CENTER AT CINCO RANCH PLAN AND PROFILES ALTHYRD MALINIA, INDULS 52593 DESIGNED BY: MBG DRAWN BY: SBB 74. No. (201) 857—6200 For No. (201) 857—6220

















TO ARRANGE FOR LINES TO BE TURNED GIF OR MOVED.
CALL CONTERFORM AT 713-207-2222.
NOTICE:
NOTIC

APPROVED FOR CESTURYLAN UNCERNIQUED COMPLET FACILITIES ON V.

SHE CHRISHOWN EMBAY/LANGEMBRUAD ELECTRICAL FACILITIES VARIABLE VIEWS CORRES LANGEMBRUAD FACILITIES ART TO EL 480 FIE CHRISHOME VIEWS CORRES LANGEMBRUAD FACILITIES ART TO EL 480 FIE

Kimley

Horn

CRAME AND ANY OWN TOWNS ON THE PART OF T

