



Innovating since 1956

February 2, 2016

Mr. Brian Petrilla  
 Deputy Chief  
 Ft. Bend County EMS  
 Email: [brian.petrilla@fortbendcountytexas.gov](mailto:brian.petrilla@fortbendcountytexas.gov)

Quote # 10488B

Chief Petrilla,

Per your request we are quoting (2) Frazer Type I 12' Generator Powered Modules mounted on your Dodge 3500 diesel chassis w/ Liquid Spring suspension. For your convenience all pricing has been itemized below.

Frazer Type I 12' Generator Powered Module	\$ 91,000.00
Liquid Spring suspension system	\$ 10,000.00
Heat shielding for diesel chassis	\$ 1,500.00
Chassis Exterior	\$ 250.00
Chassis Interior	\$ 1,150.00
Module Exterior	\$ 3,625.00
Module Interior	\$ 4,400.00
Subtotal (1)	\$ 111,925.00
Subtotal (2)	<b>\$ 223,850.00</b>
Buyboard fee per contract Ambulance 492-15	\$ 800.00
<b>Total</b>	<b>\$ 224,650.00</b>

**Items included in above total:**

**Chassis Exterior:**

1 . Stainless steel wheel covers	\$ incl.
2 . Credit for not installing Black Ranch Hand powder coated grille guard	\$ -250.00
3 . Furnish & install (2) Cast speakers for Dodge Ram 3500 bumper in lieu of (2) Federal Signal AS124 speakers on grille guard	\$ 500.00
4 . (4) Whelen M4 series grille & intersect LEDs (mounted on fender – straight, not following curve of the truck) w/ clear lenses (R-R-A-R)	\$ incl.
5 . Frazer aluminum rear window pass through plate	\$ incl.
6 . Route chassis exhaust to standard location under passenger's side bumper end cap	\$ incl.
7 . Provide weight slip with delivery book	\$ incl.
8 . (2) Mega fuses with new wiring	\$ incl.
<b>Total</b>	<b>\$ 250.00</b>

**Chassis Interior:**

9 . Custom powder coated 4-slot aluminum center console:	\$	incl.
<b>Note</b> - Mount it as far back as possible. The rear should be even with the back edge of the base plate.		
<b>Note</b> - Remove platform & Mount the studs to the black platform		
<b>Note</b> – Bolt console to chassis using nuts and bolts to prevent loosening and rattling		
Slot 1: Extended MDT plate w/ swivel on top towards P/S w/ fuel gauge on D/S of console	\$	450.00
Slot 2: Single switch panel		
<i>Layout: Primary, Secondary, Siren 1, Siren 2, Side Scene (left), Side Scene (right), Blank, Blank, Start/Stop</i>		
Slot 3: Radio plate 2398		
Slot 4: Whelen 295SLSA1 siren (no Tap-2) w/ mic on passenger's side of console slot 1 – tied into Siren #2 switch		
10 . Spotlight sent loose	\$	incl.
11 . Arm rests on console	\$	200.00
12 . Exhaust warning buzzer inside the console w/ Genset shutdown circuit & acknowledge switch at rear door switch panel	\$	incl.
13 . Coax runs: (2) terminating in electrical compartment, (1) terminating under the driver's side seat in the chassis, (1) terminating at console slot 4	\$	incl.
14 . Install your Motorola APX 6500 700/800Mhz self-contained radio in console slot 4 w/ mic on D/S of console slot 1 and speaker on rear wall of chassis cab towards the P/S & antenna from module roof (wire battery hot)	\$	350.00
15 . Single red Whelen TIR3 "COMP OPEN" and "DOOR OPEN" warning LED in addition to our standard LEDs on D/S of siren plate	\$	150.00
<b>Total</b>	<b>\$</b>	<b>1,150.00</b>

**Module Exterior:**

16 . Paint module Frazer white to match chassis	\$	N/C
17 . All clear lenses on emergency LEDs	\$	N/C
18 . (8) Whelen M9 series red LED box lights	\$	600.00
19 . (5) Whelen M6 series LEDs on front wall (R-B-R-B-R)	\$	incl.
20 . (3) Whelen M6 series LEDs on rear wall (R-A-R)	\$	incl.
21 . (2) Whelen M6 series LED load lights with flanges on rear of module (Come on with reverse and when passenger side rear entry door opens (no other switches))	\$	100.00
22 . (2) Whelen M6 series red brake/tail/turn LEDs	\$	incl.
23 . (2) Whelen M6 series red wheel well LEDs	\$	incl.
24 . (2) Fire Research Corp. 900 series Spectra LED scene lights – on 2 switches	\$	incl.
25 . ICC clearance lights above corner/box lights	\$	incl.
26 . (2) Grote 4" round BTT red LEDs in the rear bumper panel on each side	\$	incl.
27 . (2) Grote 4" round back-up clear LEDs in the rear bumper panel on each side	\$	incl.
28 . (1) 20" LED ground light below the side entry door wired to turn on when door is open	\$	700.00
29 . Cummins Onan 5.5kW commercial generator system w/ fuel gauge on driver's side of console & locking gas cap	\$	incl.
30 . Single 30 amp Meltric shore receptacle on driver's side front wall of module w/ (2) pigtails shipped loose	\$	150.00
31 . Shore power ignition kill switch	\$	250.00

32 . Diamond plate on front corners, wheel wells, and rear	\$	incl.
33 . 3" taller rear inside/outside storage compartment with a 20.375" wide x 15.437" tall opening with lexan doors for a divider 12" from the front wall & shelf to the rear of the vertical divider that is 12" from the front wall of the compartment	\$	300.00
34 . O2 compartment with a laydown "H" cylinder & shelf 20" from floor of compartment	\$	incl.
35 . 3 high "D" cylinder holder in the O2 compartment above laydown O2 on the shelf toward the front wall	\$	225.00
36 . Standard long lower storage compartment w/ gas hold open	\$	incl.
37 . Standard radio compartment	\$	incl.
38 . Electrical system decal applied to interior of compartment access door	\$	incl.
39 . Standard electrical compartment w/ 30 amp On-board chassis battery charger	\$	incl.
40 . Extra Whelen 295SLSA1 in electrical compartment activated via Siren #1 switch w/ mic zip tied to siren	\$	450.00
41 . Install your Sierra wireless device in electrical compartment w/ antenna on module roof	\$	250.00
42 . Standard rear backboard compartment	\$	incl.
43 . 4" body drop on passenger's side of module forward of the rear wheels including taller I/O & side entry w/ double side entry step in lieu of standard	\$	600.00
44 . Spare tire – loose (delete if chassis does not come with spare tire)	\$	incl.
45 . 5 J236 keys for Eberhard handles	\$	incl.
46 . Double 6061-T6 structural members welded at all vertical and horizontal wall intersections	\$	incl.
47 . LED flex strip lighting in applicable compartments	\$	incl.
	<b>Total \$</b>	<b>3,625.00</b>

**Module Interior:**

48 . 120VAC Dometic filtered air conditioning and heat w/ thermostat at the action wall – Location 3	\$	incl.
49 . Aluminum powder coated interior cabinets	\$	incl.
50 . Stainless steel countertops	\$	incl.
51 . SpecTape-Insulfab insulation in ceiling, walls and doors	\$	incl.
52 . Sound deadening material in ceiling, walls, and compartment doors	\$	incl.
53 . Double-pane entry door windows	\$	incl.
54 . Stainless steel grab handles	\$	incl.
55 . SSCOR brand suction at action wall – Location 6	\$	incl.
56 . 3 place switch panel (Interior lights, Blank switch, blank switch) – Location 1	\$	incl.
57 . Standard dump bypass/rear load switch plate	\$	incl.
58 . Delete sharps container and bracket at the action wall in standard location	\$	incl.
59 . Small acrylic holder at the end of the action wall	\$	incl.
60 . Large acrylic holder aft of the CPR seat	\$	incl.
61 . Stainless steel squad bench and action wall wrappers	\$	incl.
62 . (8) Grote LED interior ceiling lights w/ standard switching	\$	incl.
63 . Standard overhead grab rails	\$	incl.
64 . (2) IV hangers in ceiling	\$	incl.
65 . Lonseal "Loncoin II" Onyx, instead of standard flooring	\$	250.00
66 . Alucabond aluminum & polyethylene plastic sub-floor	\$	incl.
67 . Floor upgrades for Transafe system – extra sub floor, plating and structure	\$	1,500.00
68 . 175-3 single position cot mount	\$	incl.

69 . Cot plates & cot hook for your Stryker Power PRO	\$	incl.
70 . Dual O2 outlet at action wall (Location 2), single O2 outlet above squad bench	\$	incl.
71 . 5 lb. ABC fire extinguisher – shipped loose	\$	N/C
72 . Magnetically attached seamless cushions	\$	incl.
73 . 120VAC duplex outlet 24" from the floor of the I/O compartment (typically above shelf)	\$	incl.
74 . 120VAC duplex at the laydown O2 box in standard location	\$	incl.
75 . 120 VAC quad outlet at the action wall – Location 7	\$	incl.
76 . Standard laydown O2 box w/ Lexan lid	\$	incl.
77 . Standard front wall cabinets	\$	incl.
78 . Engel 15 qt. refrigerator w/ 120VAC adapter and locking hasp mounted on laydown O2	\$	900.00
79 . Double locking aluminum drug box under the front wall cabinet next to the front I/O	\$	250.00
80 . Standard front corner area	\$	incl.
81 . Grey trash can in the top opening at the head of the squad bench	\$	incl.
82 . 17 1/2" (HFD style) end rail at the forward end of squad bench	\$	150.00
83 . 22 pocket acrylic organizer above squad bench (was PD1). Part B to the front and part A to the rear	\$	600.00
84 . Standard Front I/O w/ (1) shelf & compartment below	\$	incl.
85 . Reinforced Lexan doors w/ Eberhard handle on front I/O	\$	750.00
86 . Ribbed rubber on front I/O shelf/shelves	\$	incl.
87 . Blue cushions including single CPR seat w/ non-locking lid, squad bench, standard captain's chair & cushion above the rear entry door	\$	N/C
<b>Total</b>	<b>\$</b>	<b>4,400.00</b>

### Terms and Conditions

- 1 . This quote is valid for 90 days.
- 2 . All pricing is F.O.B. Houston.
- 3 . Please make your purchase order out to Frazer, Ltd. (P.O.Box 5000, Houston, TX 77402). Please email a copy of your purchase order and this quote to Adam Fischer at [sales@frazerbilt.com](mailto:sales@frazerbilt.com).
- 4 . Please note, payment for the entire purchase is due upon receipt and acceptance of completed unit.
- 5 . To minimize delays, customer provided items should be present prior to unit production start.
- 6 . Frazer will provide a weight slip with accompanying scale calibration certification. Your local vehicle registration office may require a state certified weight slip for registration. Should that be the case, you will need to weigh the vehicle at a local weigh station that provides a weight slip with the department of agriculture seal prior to registration.

Thank you for the opportunity to quote this job. If you have any questions please call me at 888-372-9371.

Best Regards,



Laura Richardson  
Frazer, Ltd.

LGR: KVG



# CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.  
Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

**OFFICE USE ONLY  
CERTIFICATION OF FILING**

**1 Name of business entity filing form, and the city, state and country of the business entity's place of business.**  
Frazer, Ltd.  
Houston, TX United States

Certificate Number:  
2016-8432

Date Filed:  
02/02/2016

**2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.**  
Fort Bend County

Date Acknowledged:  
02/09/2016

**3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the goods or services to be provided under the contract.**  
13317  
Ambulance Module

4	Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
			Controlling	Intermediary

**5 Check only if there is NO Interested Party.**

**6 AFFIDAVIT** I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

\_\_\_\_\_  
Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said \_\_\_\_\_, this the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_, to certify which, witness my hand and seal of office.

\_\_\_\_\_  
Signature of officer administering oath      Printed name of officer administering oath      Title of officer administering oath