

Billing Address

Fort Bend EMS

Shipping Address

Fort Bend EMS

Quote Info

Date: 12/5/16
Quote #: 00692
Terms: Net 30 Days
Contact: Lauren Kuhner
Email: lauren.kuhner@stryker.com

Performance Load **\$22,858.80**

Qty	Part #	Description	Unit	Extended
4	6392-000-00 1	Performance Load with Charge plate	\$4,959.62	\$19,838.48
4	6390-700-00 1	Floor plate assy kit	\$755.08	\$3,020.32

Power Pro with Power Load and Perf Load upgrade **\$17,358.12**

Qty	Part #	Description	Unit	Extended
1	6506	Power-PRO XT	\$12,836.46	\$12,836.46
1	6506-034-00 2	perf-Load/Power-LOAD Cot Compatibility	\$1,610.70	\$1,610.70
1	6506-038-00 0	Steer-Lock	\$618.54	\$618.54
1	6500-310-00 0	2 Stage IV Pole (patient right)	\$218.40	\$218.40
1	6500-160-00 0	Base Storage Net	\$156.78	\$156.78
1	6500-128-00 0	Head End Storage Flat	\$111.54	\$111.54
1	6500-240-00 0	Foot End Oxygen Bottle Holder (not avail with knee-gatch)	\$148.98	\$148.98
1	6500-147-00 0	Equipment Hook	\$42.12	\$42.12
1	6506-040-00 0	XPS Side Rail	\$1,614.60	\$1,614.60

Power Pro with perf-Load and power-Load upgrade without XPS **\$15,743.52**

Qty	Part #	Description	Unit	Extended
1	6506	Power-PRO XT	\$12,836.46	\$12,836.46
1	6506-034-00 2	Perf-Load/Power-LOAD Cot Compatibility	\$1,610.70	\$1,610.70
1	6506-038-00 0	Steer-Lock	\$618.54	\$618.54
1	6500-310-00 0	2 Stage IV Pole (patient right)	\$218.40	\$218.40
1	6500-160-00 0	Base Storage Net	\$156.78	\$156.78
1	6500-240-00 0	Foot End Oxygen Bottle Holder (not avail with knee-gatch)	\$148.98	\$148.98

1	6500-128-000	Head End Storage Flat	\$111.54	\$111.54
1	6500-147-000	Equipment Hook	\$42.12	\$42.12

Power Pro with Performance Load upgrade				\$30,207.06
Qty	Part #	Description	Unit	Extended
2	6506	Power-PRO XT	\$12,836.46	\$25,672.92
2	6506-038-000	Perf-LOAD Cot Compatibility	\$1,026.48	\$2,052.96
2	6506-038-000	Steer-Lock	\$618.54	\$1,237.08
2	6500-310-000	2 Stage IV Pole (patient right)	\$218.40	\$436.80
2	6500-160-000	Base Storage Net	\$156.78	\$313.56
2	6500-147-000	Equipment Hook	\$42.12	\$84.24
2	6500-240-000	Foot End Oxygen Bottle Holder (not avail with knee-gatch)	\$148.98	\$297.96
1	6500-128-000	Head End Storage Flat	\$111.54	\$111.54

Power-LOAD				\$20,822.88
Qty	Part #	Description	Unit	Extended
1	6390	Power-LOAD	\$20,822.88	\$20,822.88

Stair-PRO				\$19,843.60
Qty	Part #	Description	Unit	Extended
7	6252-000-000	Stair-PRO Model 6252	\$2,623.52	\$18,364.64
7	6252-027-000	Foot Support	\$211.28	\$1,478.96

Stryker Service				\$930.00
Qty	Part #	Description	Unit	Extended
3	77100003	ProCare upgrade charge	\$310.00	\$930.00

Upgrade				\$4,948.08
Qty	Part #	Description	Unit	Extended
3	6506-700-014	6506 PWR/PERF-Load upgrade kit	\$1,649.36	\$4,948.08

Trade-In Equipment				-\$3,700.00
Qty	Part #	Description	Unit	Extended
1		Trade-up SN 081039192	-\$2,200.00	-\$2,200.00
1		Trade-up SN 081240273	-\$500.00	-\$500.00
1		Trade-up 081240174	-\$500.00	-\$500.00

1	Trade-up SN 081039192	-\$500.00	-\$500.00
---	-----------------------	-----------	-----------

Sub-Total	\$129,012.06
------------------	---------------------

Grand Total	\$129,012.06
--------------------	---------------------

Notes
Terms and conditions: Cot, all cot accessories on original order, and aftermarket accessories FOB origin. Applicable sales tax will be applied at time of invoicing. Order subject to Stryker Corporation's approval. Credit cannot be allowed on return of special or modified items. All approved returns will be accepted only in Kalamazoo, Michigan. There is a 10% restocking fee.
Stryker Remit To Address: Stryker Medical PO BOX 93308 Chicago, IL 60673
Comments:

Printed Name	Signature	Date
--------------	-----------	------

Re: Power-LOAD Cot Fastener Sole Source Information
Date: September 1st 2016

To Whom It May Concern:

Stryker Medical certifies that we are the sole manufacturer of the Stryker EMS Power-LOAD (Model 6390). This correspondence is to inform you of the unique characteristics of the Power-LOAD Cot Fastener. These characteristics can be broken down into two primary categories: Independent Qualification, and Ease of Use.

The Stryker EMS Power-LOAD (Model 6390) cot fastening system is mounted within the patient compartment and is intended to aid in the loading/unloading of patients. The Stryker Power-LOAD is the only powered cot fastening system that meets the following:

Independent Qualification

- IPX6: The system is rated to withstand powerful water jets.
- IEC 60601-1 and IEC 60601-1-2: This certification indicates that Power-LOAD conforms to industry standards for mechanical and electrical safety for medical electrical devices, as well as electromagnetic compatibility and immunity.
- BS EN-1789 clause 4.5.9: This is a European dynamic crash test which subjects a 50th percentile dummy to a nominal 10g deceleration for a minimum of 50ms. Following the test there shall be no sharp edges or danger to the safety of persons in the road ambulance.

Ease of Use

- Device must provide a linear guide when loading and unloading the cot
- Device must allow for remote actuation from Power-PRO foot end controls
- Device must engage to the cot during loading and unloading, providing a means of lifting and lowering
- Device must allow for manual back-up operation in the event of power failure or system error
- Device must have a safe working load of 870 lbs and be capable of lifting patients weighing up to 700lbs.
- Device must be mounted inside the patient compartment to prevent environmental exposure and corrosion
- Device must be power washable
- Device must be capable of inductively charging the Stryker SMRT cot battery

Please contact your Stryker Sales Representative for further information.

Sam Bossley
Associate Marketing Manager – EMS

3800 E. Centre Ave.
Portage, MI 49002
t: 269 389 6628
sam.bossley@stryker.com



Medical

Date: March 23, 2016

Re: Power-PRO XT Ambulance Cot Sole Source Information

To Whom It May Concern,

Stryker Medical certifies that we are the sole manufacturer of the Stryker EMS Power-PRO XT (Model 6506). This correspondence is to inform you of the unique characteristics of the Power-PRO XT Ambulance Cot. These characteristics can be broken down into two primary categories: Independent Qualification, and Ease of Use and Maintenance.

Independent Qualification

- IPX6: The system is rated to withstand powerful water jets.
- IEC 60601-1 and IEC 60601-1-2: This certification indicates that Power-PRO conforms to industry standards for mechanical and electrical safety for medical electrical devices, as well as electromagnetic compatibility and immunity.
- BS EN-1789 clause 4.5.9: This is a European dynamic crash test which subjects a 50th percentile dummy to a nominal 10g deceleration for a minimum of 50ms. Following the test there shall be no sharp edges or danger to the safety of persons in the road ambulance.¹

Ease of Use and Maintenance

- The cot has a weight capacity of 700lbs.
- When unloading with the manual release handle, the cot utilizes hydraulic dampening. Thus, the cot will not abruptly jar the operator or the patient.
- The battery is placed at the foot-end of the stretcher.
- The cot legs power-retract in 2.4 seconds which speeds load times.
- The cot provides the highest possible load height of any cot on the market at 36" and is operator adjustable to match the deck height of individual ambulances.
- The foot-end of the cot provides lifting bars and operator controls at two different heights, thus providing optimum ergonomics to most operator heights.
- The foot-end of the cot contains a large battery indicator light which displays amber or green which indicates battery level. A warning is given by a flashing amber light, providing the operator the time to change the battery before full depletion of power.
- The Model 6506 has 6" x 2" sealed bearing casters – the largest in the industry.
- The cot features a foot-end-mounted hourly usage meter. This is an easy tool to determine the timing of preventative maintenance checks.

¹ Only conforms when used with Power-LOAD (model 6390).

- The cot features powder-coating of the entire aluminum frame (including the patient handling surfaces), thus eliminating aluminum oxidation throughout the cot.
- All caster bearings are sealed, eliminating timely and costly lubrication.
- The cot is power-washable.

Please forward any further questions to your Stryker sales representative.

Sincerely,

A handwritten signature in black ink, appearing to read 'Sam Bossley', with a stylized flourish at the end.

Sam Bossley

Kameron Kampen
Product Associate

Stryker Medical
3800 E. Centre Ave.
Portage, MI 49002



Medical

Date: April 20, 2016

Re: Stair-PRO Sole Source Information

To Whom It May Concern:

Stryker Medical certifies that we are the sole manufacturer of the Stryker EMS Stair-PRO (6252) product. This correspondence is to inform you of the unique characteristics of the Stair-PRO (6252) system.

Ease of Use

- Innovative Stair-TREAD system transports patients down stairs without lifting
- Upper control handle provides optimal operator visibility and control
- Handle length optimized for upstairs mobility
- Contoured ABS seat
- Extendable foot end lift handles

Please contact your Stryker Sales Representative for further information.

CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.
Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

OFFICE USE ONLY CERTIFICATION OF FILING

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.

Stryker
Kalamazoo, MI United States

Certificate Number:
2016-140309

Date Filed:

11/28/2016

Date Acknowledged:

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.

Fort Bend County

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.

18690
Power Pro, Power Load, Stair Pro Sole Source


4	Name of Interested Party	City, State, Country (place of business)	Nature of Interest (check applicable)	
			Controlling	Intermediary
	Stryker Medical	Kalamazoo, MI US		

5 Check only if there is NO Interested Party.



6 AFFIDAVIT

I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.


Signature of authorized agent of contracting business entity
Lauren Kuhn

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said Lauren Kuhn, this 28th day of November, 2016, to certify which, witness my hand and seal of office.



Signature of officer administering oath

Printed name of officer administering oath

Title of officer administering oath

CERTIFICATE OF INTERESTED PARTIES**FORM 1295**

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

**OFFICE USE ONLY
CERTIFICATION OF FILING**

Certificate Number:
 2016-140309

Date Filed:
 11/28/2016

Date Acknowledged:
 12/20/2016

1 Name of business entity filing form, and the city, state and country of the business entity's place of business.

Stryker
 Kalamazoo, MI United States

2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.

Fort Bend County

3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.

18690
 Power Pro, Power Load, Stair Pro Sole Source

4	Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
			Controlling	Intermediary

5 Check only if there is NO Interested Party.

**6 AFFIDAVIT**

I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

 Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said _____, this the _____ day of _____,
 20_____, to certify which, witness my hand and seal of office.

 Signature of officer administering oath

 Printed name of officer administering oath

 Title of officer administering oath