

REVIEW BY FORT BEND COUNTY COMMISSIONERS COURT

Fort Bend County Engineering Department 301 Jackson Suite 401

301 Jackson Suite 401 Richmond, Texas 77469 281.633.7500 Permits@fortbendcountytx.gov

X Con	ht of Way Permit nmercial Driveway Permit 2016-10590
Applicant: ISGH Katy Islamic Center Masj	id Aqsa/Vatani Consulting Engineers PLLC
Job Location Site: 24730 Saddlespur Lane	e, Katy, TX 77494
Bond No. Date of Bond	d:10/17/2016
Laying, Construction, Maintenance, and Repair Roads, Streets, Highways, and Drainage Ditche Commissioners Court of Fort Bend County, Tex	ain Fort Bend County property subject to, "The Order Regulating the r of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along in Fort Bend County, Texas, Under the Jurisdiction of the kas," as passed by the Commissioners Court of Fort Bend County, pourt of Fort Bend County, Texas, to the extent that such order is not Statutes and Codes Annoted.
grounds for job shutdown. 2. Written notices are required: a. 48 hours in advance of cor b. When construction is com Administrator thru MyGov	ers Court must be kept on the job site and failure to do so constitutes instruction start up, and inspection, submit notification to Permit vernmentOnline.org portal. te of permit if construction has not commenced.
	duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said vledged by the Commissioners Court of Fort Bend County, Texas, and
Signature	Presented to Commissioners Court and approved.
By: Churly O. All County Engineer	Date Recorded $1-10-17$ Comm. Court No. 181^{-1}
N/A By:	Clerk of Commissioners Court By: Myla Willis
Drainage District Engineer/Manager	Deputy



PERMIT APPLICATION REVIEW FORM FOR CABLE, CONDUIT, AND POLE LINE ACTIVITY IN FORT BEND COUNTY

Fort Bend County

Engineering Department
301 Jackson Suite 401
Richmond, Texas 77469
281.633.7500 Permits@fortbendcountytx.gov

Rigi	nt of Way Permit	
✗ Con	nmercial Driveway	Permit
Permit No	: 2016-10590	
		e activity in Fort Bend County" and accompanying ropriate regulations set by Commissioner's Court
(1) COMPLETE APPLICATION FORM:		
X a. Name of road, street, and/or	r drainage ditch aff	ected.
x b. Vicinity map showing course	of directions	
X c. Plans and specifications		
(2) BOND:		
County Attorney, approval whe applicable.	n	
Perpetual bond currently posted.	Bond No:	Amount:
X Performance bond submitted.	Bond No:	Amount: \$10,000.00
Cashier's Check	Check No:	Amount:
(3) DRAINAGE DISTRICT APPROVAL (WHE	EN APPLICABLE):	
(a) BIAMAGE BIGTHIGT AT THOTAL (WILL	in Air Elonolly.	
Drainage District Approval	_	Date
We have reviewed this project and agree it r	neets minimum re	quirements.
Charly O. Af		12/22/16
Permit Administrator		Date

PERFORMANCE BOND COVERING ALL CABLE, CONDUIT AND/OR POLE LINE ACTIVITY IN, UNDER, ACROSS OR ALONG FORT BEND COUNTY ROAD

ACTIVIT	I IIV, CREEK	AUTHORIZED	
1	BOND NO		
THE STATE OF TEXAS	§	KNOW ALL ME	N BY THESE PRESENTS:
COUNTY OF FORT BEND	§		
-		mic Center Masiid Aa	whose
THAT WE, 1	SGH Katy Isla	amic Center Masjid Aq	Texas, hereinafter called the Principal,
address is 24730 Saddle	Spur Lane		, a Corporation existing under and by virtue of
And	ГУ яп	d authorized to do an in	, a Corporation existing under and by virtue of demnifying business in the state of Texas, and whose whose officer residing
the laws of the state of	24730 Saddle	e Spur Lane	, whose officer residing
in the State of Texas, autho	rized to accept	service in all suits and act	, whose officer residing ons brought whining said state is and, hereinafter called the Surety, and held and
firmly bound unto, Robert	e. Hebert, Cou	nty Judge of Fort Bend C	, hereinafter called the Surety, and held and ounty, Texas, or his successors in office, in the full sum outperform outperformed outper
of Ten thousand dolla	rs		Toyas or his successors in office, to
America, to be paid to said	d Koneit E. He	court, court	densigned bind ourselves and each of us, our news,
which payment well and	truly to be ma	ons, and legal representat	ves, jointly and severally, by these presents.
executors, administrators,	Successors, assig	9110, mara 20 Barre 1	
laying, constructing, maint along roads, streets and he Rend, and the State of Tex	taining and/or raighways, commas, under the just order adopted	nercial driveway and me urisdiction of the Commis ed on the <u>1st</u> day of <u>D</u>	HEREAS, the above bounden principal contemplates oles, conduits, and/or pole lines in, under, across and/or dian openings or modifications in the County of Fort Sioners' Court of Fort Bend County, Texas, pursuant to ecember, A.D. 1980, recorded in Volume 13, of the ting same, which Commissioners' Court order is hereby set out herein;
referred to and made a pa	it hereor for an	· P···································	was a sufermence bond covering all such
AND WHEREAS	, the principal	desires to provide Fort B	end County with a performance bond covering all such
cable, conduit and/or pole	line activity, co	Millier crar drive way and 2	
activity (including, but no lines) in, under, across modifications in the Cour Bend County, Texas, pur Commissioners' Court or manner therein specified, Fort Bend County may su null and void, otherwise to	and/or along and/or along and/or along anty of Fort Bendsuant to and inder set forth and and shall pay on takin by reason or emain in full	roads, streets and hight d and State of Texas, und accordance with minime nd specified to be by said over and make good and it of any failure or default force and effect.	I faithfully perform all its cable, conduit and/or pole line intenance and/or repair of cables, conduits and/or pole vays, commercial driveway and median openings of the jurisdiction of the Commissioners Court of Form requirements and conditions of the above mentioned principal done and performed, at the time and in the eimburse Fort Bend County, all loss and damages which on the part of said principal, then this obligation shall be
This bond is pay:	able at the Coun	aty Courthouse in the Cou	nty of Fort Bend and State of Texas.
It is understand	that at any time	e Fort Bend County deen	is itself insecure under this bond, it may require furthe
and/or additional bonds of	of the principal.		
		_	,2016
EXECUTED this	s <u>October</u>	day of <u>17th</u>	
			with the
			PRINCIPAL
			TRINGITIZE
			BY
			RLI Insurance Company
			SURETY Sold of the second of t
			BY CYCATA
C-IDocuments and Sattings cal FOR TRENT	D\Local Settings\Temporary	y Internet Files\Content.Outlook\080X5MWJ	ROW Application.dex
Cimponnians and semilescent overprise		y Internet Files\Content Outlook\080X5MWJ	
			This (IN O) williams
		er e	AND THE PROPERTY OF THE PROPER



RLI Insurance Company P.O. Box 3967 Peoria IL 61612-3967 Phone: (309)692-1000 Fax: (309)683-1610

POWER OF ATTORNEY


RLI Insurance Company

Bond No. _

Know All Men by These Presents:

That the	RLI Insurance Company	, a corporation organ	nized and existing under the	laws of the State of
Illinois	s and authorized and licensed	to do business in all states	and the District of Columbi	a does hereby make,
constitute and anno	oint: Carrie Heckendorf	in the City of _	Merrill	, State of
Wisconsin	as Attorney In Fact	, with full power and a	uthority hereby conferred up	pon him/her to sign,
evecute acknowle	edge and deliver for and on its behalf as Su	irety, in general, any and a	all bonds, undertakings, and	recognizances in an
amount not to ex	xceed Ten Million and C	00/100 D	ollars (<u>\$10,000,000.00</u>) for any single
obligation, and spe	ecifically for the following described bond.			
Principal: _	ISGH Katy Islamic Center Masjid Aqsa	l.		
Obligee: _	Fort Bend County			
Type Bond:	Performance Bond Covering All Cable,	Conduit and/or Pole Line	e Activity	
Bond Amount: _	\$ 10,000.00			
Effective Date: _	October 17, 2016			
The	RLI Insurance Company	further certifies that	the following is a true as	nd exact copy of a
Resolution adopte	ed by the Board of Directors of	RLI Insurance Comp	pany, and n	now in force to-wit:
corporate seal n	Powers of Attorney or other obligation may be printed by facsimile." HEREOF, the	nce Company	has caused these preser	nts to be executed by
its <u>Vice</u>	President with its corporate seal a	ffixed this 1/th day ()1 <u>October</u> , <u>20</u>	<u>, , , , , , , , , , , , , , , , , , , </u>
	L'Montgonery	SEAL	B. H. W. H	Vice President
Cherie L. Montgom	nery Assistant Secretary	Barton W.	Davis	vice Flesident
and Chari		ne duly sworn, acknowleds	ged that they signed the aborecretary, res I instrument to be the volur	ve Power of Attorney
Jacqueline M. Bock	Ret Notary Public	"OFFICIAL SEA POBLIC JACQUELINE M. BOO STATE OF COMMISSION EXPIRES 01	CKLER	

DRAINAGE & GRADING PLANS FOR PROPOSED "ISGH ISLAMIC CENTER-KATY" LOCATED @ 24730 SADDLESPUR LANE KATY, TEXAS - 77494



INDEX OF DRAWINGS	CODE	SHT#
COVER SHEET AND INDEX	C001	1
SITE DIMENSIONAL PLAN	C002	2
GRADING & DRAINAGE PLAN	C003	3
DRAINAGE AREA PLAN	C004	4
SITE UTILITY PLAN	C005	5_
SW POLLUTION PREVENTION PLAN	C006	6
SWPP DETAILS	C007	7
CONSTRUCTION DETAILS I	C008	8
CONSTRUCTION DETAILS II	C009	9
CONSTRUCTION DETAILS III	C010	10
CONSTRUCTION NOTES	C011	11
PHOTOMETRIC PLAN	E001	12_








VATANI CONSULTING ENGINEERS, PLLC DESIGN CONSULTANTS

TRPE FIRM # 4266

5200 Mitchelldole Suite F-27 Houston, TX, 77092 Phone: (713) 400-0005 Fax: (713) 956-2555 E-mail : eshra@vatoni.com www.vatani.com


AUGUST 2016





VICINITY MAP


NOT TO SCALE


Key Map # 484-M; ZIP CODE # 77494;
















SWPP DETAILS
FOR '1SGH ISLAMIC CENTER'


@
24730 SADOLESPUR LAME
MATY.TEMS-77494 C007 Maggiland 1011/16 7 OF 12


*


"MID












, wayer or




69194 89194


VATAN CONSULTING ENGINEERS, PLLC
DESIGN, CONSULTING ENGINEERS, PLLC
SEGN UNTRACHED
STATE & 4260 - 1000 - 10


CONSTRUCTION DETAILS!
FOR TSGH ISLAMIC CENTER.


©
24730 SADDLESPUR LANE
KATY, TEXAS-77499


C008



































Fort Bend County

Construction - General Notes

1. Fort Bend County must be invited to the Pre-Construction Meeting.

2. Contractor shall notify Fort Bend County Engineering Department 48 hours prior to commencing construction and

48 hour notice to any construction activity within the limits of the paving at Construction@fortbendcountybugov.

3. Contractor is responsible for obtaining all permits required from Fort Bend County prior to commencing

construction of any improvements within County road right of ways. A All Paving Improvements shall be constructed in accordance with Fort Bend County Rules, Regulations and Requirements relating to the Approval and Acceptance of

Improvements in Subdivisions as currently amended. 5. All road widths, curb radii and curb alignment shown indicates back of curb

6. A continuous longitudinal reinforcing bar shall be used in the

7. All concrete pavement shall be 5 ½ sack cement with a minimum compressive strength of 3500 psi at 28 days. Transverse expansion joints shall be installed at each curb return and

at a maximum spacing of 60 feet. 8. All weather access to all existing streets and driveways shall be

maintained at all times. 9, 4"x 12" reinforced concrete curb shall be placed in front of single

family lots only. All other areas shall be 6" reinforced concrete curb.

10. At all intersection locations, Type 7 ramps shall be place in accordance with TXDOT Ped-12a standard detail sheet.

A.D.A. - Handicap Ramps shall be installed with street paving at all intersections and comply with current A.D.A.

11. Curb headers are required at curb connections to Handicap Ramps, with no construction joint within 5' of ramps.

12. All intersections utilizing Traffic Control measures shall have A.D.A. wheel chair ramps installed.

13. Guidelines are set forth in the Texas "Manual on Uniform Traffic Control Devices", as currently amended, shall be observed. The Contractor shall be responsible for providing adequate flagmen, signing, striping and warning devices, etc., during construction - both day and night. 14. All R1-1 stop signs shall be 30"x30" with diamond grade sheeting

per Texas manual on uniform traffic control

15. Street name signage shall be on a 9" high sign flat blade w/reflective green background. Street names shall be upper and lowercase lettering with uppercase letters of 6" minimum and lowercase letters of 4.5" minimum. The letters shall be reflective white. Street name signs shall be mounted on stop sign post.

16. A Blue Double Reflectorized button shall be placed at all Fire Hydrant locations. The Button shall be placed 12 inches off of the centerline of the street on the same side as the

hydrant. NOTE: Fort Bend County notes supersede any conflicting notes. Inspection. The Project and all parts thereof shall be subject to inspection from time to time by inspectors designated by Fort Bend County.

No such inspections shall relieve the Contractor of any of its obligations hereunder. Neither failure to inspect nor failure to discover or

reject any of the work as not in accordance with the drawings and specifications, requirements and specifications of Fort Bend County

any provision of this Project shall be construed to imply an acceptance of such work or to relieve the Contractor of any of its obligations Magei Ded 10/11/16

8-2m4







CONSTRUCTION DETAILS III
FOR "ISGH ISLAMIC CENTER"

@
24730 SADOLESPUR LANE
KATY, TEXAS-77494

C010

10 OF 12

GENERAL CONSTRUCTION NOTES:

- I. COMERNIC TWASSEMACTR COLLECTION STIELDS WAIR LINES STORM DRAMAGE AND STREET FRANKCH ACCORDINGED WIN THE LINES STORM OF THE PRESENCE STANDARDS CONTRICCION STREET FRANKCH AND STREET F
- UTRITIS PRESENTIO ON THESE DRAWINGS ARE SHOWN BASED ON THE BEST AVAILABLE INFORMATION. CONTRACTOR SHALL VERBY THE EXACT LOCALIONS IN THE RELP PROFET TO COMMENCING. CONTRACTOR SHALL NOTIFY THAT ON THE CALL THE THE TAY OF THE CONTRACTOR SHALL NOTIFY THAT ON THE CALL THE THAT SHALL NOTIFY THAT SHALL NO
- CONTINUED SHALL RESPONSE FOR DAMAGE TO BEIRD WATER WATERAID TOWN WATER LIST AND TRAFF, COMINCE DEPTED. DAMAGES SHALL BE STANDED AN ACCORDANGE FOR THE CONTINUED SHALL BE SHALL AND THREE FAVES AND TANDAMS CONTINUED SHALL BE SHALL BE SHOWN DAMAGE AND THREE AVENUE AND TANDAMS CONTINUED SHALL BE SHAL
- CONTRACTOR SHALL NOTE'S THE OFFICE OF THE CITY ENGINEER, DEPARTMENT OF PUBLIC WORKS AND ENCINEERING AT 213 863-1450 FOR INSPECTION AFLEAST 48 HOURS PRIOR TO COMMENCING CONSTRUCTOR.
- ADEQUATE DRAMAGE SHALL BE MANIFAMED AT ALL BHILS DUBING CONSTRUCTION AND ANY DRAMAGE DITED ON SHUCTURE DISTURBED DUBING CONSTRUCTION SHALL BE RESTORED TO EXISTING CONDITIONS OF ACTER.
- CONTRACTOR SHALL TAKE NECESSARY PRECAUTIONS TO PROTECT ROOT SYSTEMS OF SHRUBS. PLANTS AND TREES ALONG THE AREA OF EXCAVATION.
- CONTRACTOR SHALL COMPLY WITH LATEST EDITION OF OSHA REGULATIONS AND THE STATE OF TEXAS. LAWS CONCERNING EXCAVATION.
- 8 CONTRACTOR SMALL AMENIARY A SET OF REPUBLE DRAWINGS RECORDING AS BULL CONDITIONS DURING CONSTRUCTION INSIA REDUCE AMERICO OF DRAWINGS WILL BE SUMMITED TO THE DISSON CONSULTANT WILD WILL AND THE CHANGES ON THE ORDINAL SECONDS AMERICA CACH SHEET IN THE BLY AS RECORD DRAWINGS. AND RELIGIOUS SAME TO THE CITY DRAWINGS.

SANITARY SEWER NOTES:

- AL SWIES SHALL BE CONSIDECTED IN ACCORDANCE WITH THE CIPT OF NOSSON "STANDARD CONSIDERING WERE THE CONTROL OF T
- 2 ALL MANNOUS ARE TO BE PER CITY OF NOUSTON STANDARD DETAILS DRAWING NUMBER 000E201 2008-20 20080N-02 00087-03 AND GOODN-03 UNLESS CITIERNISE NOTED, USE 2010 VERSION AS APPLICABLE.
- 3 SANIFARY SEWER MANHOLES WILL HAVE SCOONED AND BACKERL PER CITY OF HOUSTON STANDARD DETAILD BLAVENC NO. 02317 OF UNIESS OTHERWISE HOTED.
- 4 SANBARY SEWER PIPE 4 AND SMALLER SHALL BE SCHEDULE 40 PVC. SANBARY SEWER PIPE 8" AND LARGER SHALL BE SOR 28 PVC
- ALL SDR 26 PVC PPE SHALL MEET ASTM SPECIFICATION DBB34 AND USE "FULL BODIED" SDR 26 PVC FITHINGS WITH APPROPRIATE ADAPTERS AND SHALL HAVE A CELL CLASSPICATION OF 12344 B AS DEFINED IN ASTM DLTDR AND SHALL HAVE DRY SIE DO AND TUBBER GASET BELLANDS SPICOL THE CONT BNDS.
- AWWA C-700 DR 18 PVC PIPE USES ERHER AWWA CROODE- & PVC FITTINGS OR DIP HITTINGS
- ALL SANGART SAYER LIKES UNDER PROPOSED OR TUTURE PAYAMENT AND TO A POWE ONE (1) FOOD SET CLUBS SYMAL HAVE RECORDED OR TUTURE CLUBS SYMAL HAVE RECORDED FOR CITY OR POUSING HANDWARD DEFAULD AND AND CHARLES DANNOR ON STORY OF CORD TO A SPATEAR AND HE TO SACK COMMITTY'S STANGARD SAND SACKETU OF TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS RESENT AND STANGARD TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS RESENT AND STANGARD TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS RESENT AND STANGARD TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS RESENT AND STANGARD TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS AND AND STANGARD TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS AND AND STANGARD TO THE OTTOM ON THE PAYAMENT SACKARDE TO PREFERENCIAL SETS AND T
- a. ALL SAMPATE SEMES CROSSING WASTELDIES WITH A CLEARANCE BETWEEN 12 MCDES AND 1 THE SMALL MAYER AMMANUA OF ONE 18 JOSE OF 130 PS (DATE BONG OF GREEN) CROSPICE PREVAILING ABIN MAYOR CANDIDATE CONTRIBE OH WAITE LINE WHEN WASTE USE S 161 ON JANUARY SMALL PREVAILING MARGINAT 100 THE ARMANICAL.
- CONTRACTOR SHALL PROVIDE A NORMALIM HORIZONTAL CLEARANCE OF P FEET BETWEEN WATER LINES AND SANITARY SEVER MARKOUS AND LINES
- ID. SANITARY SEWER MANNOLE TRUS OUTSIDE OF PROPOSED PAYING WILL SEED 5" 6" ABOVE THE SANITOUNDING LEVEL PROPHO CRADE AFTER PAYING WITH SLOPED SACCULA DODGE HOW STORM WATER TO DEARN AWAY FROM MANDED BY THE PAYING WITH SLOPED SACCULADED BY STORM WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WITH SLOPED SACCULADED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM MANDED BY THE PAYING WATER TO DEARN AWAY FROM THE PAYING WATER THE PAYING WATER TO DEARN AWAY FROM THE PAYING WATER THE PAYING WATER THE PAYING WATER THE PA
- 11 IN WEI STABLE TRENCH AREAS USE BEDDING PER CITY OF HOUSTON STANDARD DETAILS DRAWING NUMBER 02317 02 (7002)
- 13 INFERRATION EXPERIENCED OR LOW PRESSURE AR 1651: EINER OF THE FOLLOWING TISTS SHALL BE PREFORMED AS PER TAC. THE 30 317.2 WIRIN THE SPECIFED TOLERANCES ON ALL GRAVITY SEWERS.
- A APPLICATION OF EXPETEATION TEST: FOTAL LEAKAGE AS DETERMINED BY A HYDROSTATIC HEAD TEST. SHALL HOT EXCEED SO GALLONS PER INCH DIAMETER PER MALE OF PIPE PER 24 HOURS AT A MINIALIM TEST HEAD OF 1970 (2) FEET.
- B. LOW-PRESSURE ARE TEST: PER MODIFIED TO CT DINGROUDS TEST MAD THE ST. THE PROPERTY OF THE
- 6° 340 SECONDS OR 9.855()) FOR IEST LENGTHS CREATE THAN 786 8° 449 SECONDS OR 13.00() FOR IEST LENGTHS CREATE THAN 786 10° 549 SECONDS OR 13.00() FOR IEST LENGTHS CREATE THAN 786 10° 549 SECONDS OR 23.40() FOR IEST LENGTHS CREATE THAN 786 18° IEST LENGTHS OF 3.30() FOR IEST LENGTHS CREATE THAN 15° 18° IEST LENGTHS OF IEST LENGTHS CREATE THAN 15° 18° IEST LENGTHS OF IEST CREATE THAN 15° 18° IEST CREATE THAN 15° 18

- 14 "SAN, S. E." INDICATES "SANITARY SEWER EASEMENT"
- IN STANLE, A TRIBUTATION DATING THE RESIDENCE OF BIT CHEEK ACTIVITY PAYMENT AND ON BICKY I CAN THE WAS ACTIVITY OF THE WAS ACTIVITY.

STREET, BRIDGE AND RICHT-OF-WAY

- DEPARTMENT OF THE WORLD AND SECRETARIST TRANSPORT CONSTRUCTION SPECIFICATIONS AND
 "INFORM CONSTRUCTION SPECIFICATION SPECIFICATIONS CONTINUED AND
 "INFORM CONSTRUCTION SPECIFICATION S
- I. AREAL ON PLANE SHALL IS PLLED IN LATERS HOT EXCEDENTS IS "IN DEPTH AND SACH COMPACTED TO HOT SS THAN 15% STANDARD PROCEOU CONSTITUTION TO HOTALLATION OF WATER LINE AND FILL AREA SHALL SE EXIDO AND PERTURED WITHIN 10 WORKING DAYS.
- 3 UTERLY COMPACTOR SWALL PROVIDE TRAPORARY SAT BARRIER POWCE ON ALL HON-CURRED BREETS WHICH WILL REMAIN IN PLACE AFTER LINGUISCONDING CONTRACT IS COMPLETE.
- 4. CONTRACTOR SHALL PROVIDE SLT BARRIES PRICE ON ALL STAGE 1 CLISS INLESS.
- EXSIPIG PAYBURDES, CURBS, DRIVEWAYS, AND SIDEWALKS DIVENAGED OR REMOVED DURING CONSTRUCTION SHALL BE REPLACED TO CRY OF HOUSTON STANDARDS. WITH LATEST ADDRESSA AND AMENDMENTS THERESO.
- CONDISION OF tHE SIGNE AND/OR SIGNE OF WAY BEON CONFLETION OF JOB SMALL SE AS GOOD AS ON RETTIER HALF PRICE TO STARSHIC WOSE.
- ADEQUATE DRAPINGE SHALL BE MARKANISO AT ALL THAIS DIAMIC CONSTRUCTION AND ANY DRANKAGE DRCH OR STRUCTING DISTRIBUILD DURING CONSTRUCTION SHALL BE IT STORRE TO SATERACTION OF THE OWNERG
- EXPOSED IS*OF REPORTED STREET AT PROPOSED SAMED X; OF F HIS REPORTING STREET, DIRECT, USE HORSESTAL DOWNER, HORSESTAL DOWNER, SHORESTAL DAWNER, SHORESTAL DOWNER, SHORESTAL DO
- 9. COMPRACTOR TO TAKE HISCHMARY PRISCAUTIONS TO PROTECT ROOT SYSTEMS OF INFRIDE. PLANTS AND THIRD. ALONG AREAS OF BICANYADON.
- CONTRACTOR SHALL COURT WITH ORNA SEQULATIONS AND STATE OF TELAS LAWS CONCEINING BECAVARION. TESTICING AND SHORMS AS SPECIFIED IN CITY OF HOLISTON ORIGINANCE 687-1487.
- 12. WARFFAMED COLUMENTS FISHER, WASTE LIKEL, STOLLE OF AMERICA AND DIESE FAVORE FAVOR. SHALL BE COMMISSION OF ACCOUNTED THE WASTE OF A STOLLE OF A STANDARD OF A STANDARD
- THE COMMUNICION SHALL SE NALT RESPONSIBLE FOR ANY DIVANCES TO DISSING WASSE, WASSENATER, SIGNAL SHARL AND SHARLES SHALL SHARLES HAVE SHARLES HAVE SHARLES HAVE SHARLES HAVE SHARLES HAVE COMMUNICIAN SHARLES HAVE COMMUNICIAN SHARLES HAVE COMMUNICIAN SHARLES HAVE SHARL
- PROE TO SMIRT CONSIDERING THE CONTRACTOR SHALL CONTACT HE DISTRIBUTED OF FUSION WORLD AND DAMAGEMENT AT PHONES ISO-094-008 COL 994-4024[F/X] AND COMPLY WITH ALL REQUIREMENTS FOR THE SUMMACT OF PRECISIONS FROM THE CONDESS FOR STREET CONSTRUCTION.
- IS DOWN BRUCTORED BUT TRAFF, MARKES SHALL BE FLACED SHARED OF THE CENTREME OF ALL TRAFF TRAFF OF THE CANDES SHALL BE FLACED SHARED OF THE FAVORS CONTRACTOR. HIDRARDS LOCATED AT PRESSECTIONS SHALL HAVE A SHARED HAVE OF THE FAVORS CONTRACTOR.

STORM SEWER NOTES

- 1. ADJUST MANDEDLE COVERS TO GRADE CONFIRMING TO REQUIRE
- FINDS TO STORM SINIS CONSTRUCTION. THE COMBILATION SHALL CONTACT THE DEPARTMENT OF PUBLIC HOUSE, AND SHORESHIPS OF ITYLESSES FEW OR (F13535) 7883 AND COMPLY WITH ALL SEQUENTIALISES FOR THE SALMACIC OF THE HICESSAMY PERMIT
- L STORM SINGE SHALL SE SEMPORCED CONCESSE FFE (C.7.4. CLASS. III., AND SHALL SE RETALLED, SECOSE, AND SACKRALED SE ACCOMMENCE WIN THE CITY OF HOUSTON DELAWING INCID. (2017-03, 02017-03, 02017-03, 02017-04, 02017-04, 02017-05,
- E. ALL SIDBIN SEMINE CONSTRUCTED IN SIDE LOT EASEMENT SHALL BE R.C.P. IC 74. CLASS III) AND SHALL BE RECORD IN ACCORDANCE WITH THE CITY OF HOUSTON DRAWN-G HOS. 02317-02. 02317-03. 02317-03. 02317-04. 02317-04.
- 4. ALL TREMCHE BACKETLES BINAL BE RIF LIFTS. WITH 1251 TAKEN AT 100 POOR RETERVALS ON EACH LUT, AND MECHANICALLY COMPACTED TO A Obsert OF 195 OF THE MANAGEMEN DET OFMERT AS DETERMINED BY THE SHAMBARD PROCECUTE COMPACTION IST (ASTER D-MAY) AND TO THY.
- CIRCULAR AND BAPTICAL VENIFORCIED CONCRETE PPE SHALL BE INSTALLED USING RUBBER GASKET JOHES CONFIDENCES TO ASTRICAGE AND ASTRI CEST RESPECTIVES.
- B. ALL STORM SPINE FIFE AND SHAFF LEADS SHALL ME 24-91; H AND LARGES E.C.F. (C-74. CLASS III)
- . ALL PROPOSED STUD-OUTS PROMI MANHOLES AND PILETS ARE TO BE PLUGGED WITH 8" SECC. WALLS UNLESS
 CONSTRUCT MATERIA.
- O. COMBACTOR SMALL PROVIDE HT IMPUNION CLEARANC! AT STORM SEWER AND WATER LINE CECERNOS. II ADJUST MANAGUS COVERS TO GRADE CONFORMING TO REQUIREMENTS OF SECTION 020% ADJUSTING MANAGUS, NETS AND VALVE SOME TO GRADE.
- 12. THE COMBRACTURE SHALL BE RESPONSIBLE FOR PROTECTING, MARKANING, AND RESTORING ANY BACK ROPE DRAMMAGE SYSTEM DISTRIBUTED AS A RESULT OF HIS WORD.
- 3. ALL DICHES SMAL SE SEGRADIO TO PROPOSED EL VATIONS TO PRIME PROPRIS DRAMAGE, ALL OUTMALLS SMALL SE PROPRIS SACERLED AND COMPACTED. ALL DEFINERD ASSA SMALL SE SECRADIED, SEIDED AND DEFINERACION.

CENERAL NOTES

- HO ATSMIT WAS MARE TO PERFORM A SOURCHART SURVEY, SOURCHUT LINES HAVE BEEN SHOWN FOR BUSINESSINGS RUPPLESSION.Y.
- 2. PRINTE ORINFRANE, ROMANIA, PAVINE, MORR LINE, WASTEWARD COLLECTOR INTERAL, AND DAMAN PRINTED BOW, IN COMMISSION AND THE DR. OF CHARGE AND COLLEGE OF COLLEGE AND COLLEGE A

GENERAL CONSTRUCTION NOTES FOR STORM WATER FOLIUTION PREVENTION FLAN

- REACTOR SHALL MATERIAN SLET PROPERTIES DEVICES AND INSPECIOLE TO ELECTRONS SLETCHES (LOTGE O WIND DECIDES AT LOCATIONS SHOWN OR HE THYCAL STORM WATER FOLLUTION PREVENTION (MATERIAL PURPLE) AND DECIDES SLEAVED SLEECH AND ANGELISM PROJECTION OF THE ENDING WATER FALLS AND DECIDES INJUST POLITIONS OF EXCHANGE DAY.
- 2 DURN-G THE SECUVATION PRIME OF THE PROJECT, CONTRACTOR SHALL SCHEDULE THE WORK IN LINCH SECHABIOS OF THAT THE SECUVATION MATERIAL CAM BE WOLCON THALED AWAY FROM THE LIFE AND TO PREVENT IT RICHARD THAT FROM THE LIFE AND TO PREVENT IT RICHARD SHAWN SECOND THE SECHABIOS PARTISHES, AND LONG TOOK SECUVATED MATERIAL VISION FALLS ON THAT WHILL BE WITH SHICE AND SECHAMIND AREA.
- 3 CON RACTOR BINAL CLEAN UP THE BIRTHIG STREET PHRESECTIONS AND DEVEYAYS DALT, AS NECE REMOVE ANY SECIES MIJD, SET OF ROCK TRACKED PROVE THE EXCAVARIED AREA.
- ACONTRACTOR SHALL FOLLOW GOOD HOUSESSEND PRACTICES DURING THE CONSTRUCTION OF THE PROJECT, ALWAYS CLEANING UP DIRE AND LICOSE MATERIAL AS CONSTRUCTION PROGRESSES.
- CONTRACTOR SHALL REFECT AND MARKARI THE AREAS LISTED RECOW AT LEAST ONCE EVERY FOURTERN. 14. CALLYDAR DAYS AND WITHIN 24 YOURS OF THE BHD OF A STORM EVERY OF 65 INCHES OR GREATER.
- DEFINISHED AREAS OF THE CONSTRUCTION SITS THAT HAVE NOT SEEN PRIVALLY STABLIED AREA MED FOR SPORAGE OF MATERIALS THAT ARE EXPOSED TO PRECIPITATION SINGLIFURAL CONTROL MEASURES USED TO REST. INC. AND MESSEL VENCUS SHOWS OR BUT THE STR.
- ACONTRACTOR I BE REPORTED TO MANAGEMENT DECISIS AND / OR CHAVERS FOR UNDERSTACTED DEARWARD AT ALL THEIR WHISE SCOOLING BEREIGHES OF EXCHAVIOR ON SACTIFIANT OPERATOR, SUCH AREA SHALL BE SEPLACE OF SACRONG DE SCOOLING, ROPES 21 OR SHEWER SHALL BE SEPLACED OF SCOOLING.

GENERAL NOTES FOR DEVELOPER SPONSORED WATER MAIN PROJECTS (INSIDE HOUSTON CITY LIMITS)

- . THE PROJECT SHALL BE MAY BY INSAME OF ANGES SECIOT WHERE NOTED ON THE DRAWINGS, THE CONSENCTION WILL DESIGNANT SHE LOCATIONS OF SORE PER BY BYTE MEAD, SUBJECT TO THE CITY ENGINEER'S APPROVAL.
- PRICE TO WARRE MARK ADJUSTMONS. THE INSTALLATION OF WARRE METRIS. AND LEADS OF UNMATERED SPRINGLISE LINES, THE CONTRACTOR SHALL CONTACT WARRE TAYS AND METRIS SECTION AT 715-535-7475.
- 3. PROJE TO WASSE MANY CONSTRUCTION, THE COMMUNICION SHALL CONTACT THE DEPARTMENT OF PUBLIC WOSES AND RECOMMUNICATION FOR AND COMPANY WHIN ALL REQUIREMENTS HECESARY FOR THE SISLANCE OF A WOLD CORREST THE HYARDE MANY CONSTRUCTION.

CENTER FOINT ENERGY: CAUTION: UNDERCROUND GAS FACILITIES

- OCASION OF CENTERIOR I DIRECT MAIN LIKE [ID RECLUS CENSEROIS BREIOT, RETAILAT PETRAS INC. WHER AFFLICARS, ARE SHOWN IN A APPOISSANT SOCIATION, ONLY, SERVICI LIKE AN ESSULVEY TO THE APPOINT OF THE APPOI
- WHICH CONTRIPCION SHERRY PIPE LINE MARRIPROS ARE HOT WIRELE. CALL (7) 25 745-8036 OR (7) 3-767-8037 (7:50 AJ), TO ASS PIA) FOR STATUS OF LINE LOCATION RECORDS BEFORE EXCAVATION RECORD.
- 2 WHISH EXCAVATING WITHIN BIGHTIEN HICHES (HT) OF THE RESCATED LOCATION OF CLARRISHING PROCEDURES. FACERIES, ALS DICAVATION HARD SE ACCOURTMEND VENING HON-HEICHANIZED EXCAVATION PROCEDURES.
- I. WHEN COMPRESSOR IS RECOVERABLED AND EMPIRED. SUPPLIES SUPPLIES MUST BE PROVIDED TO THE FACILIES TO PREVIOUS DECIMINATIONS ON THE PEPING.
- FCH EMBROBICIES RECARDING GAS LINES CALL (719) 669-3652 OR (715) 207-4200.
- THE CONTRACTOR IS RALLY RESPONSISE FOR ANY DAMAGES CAUSED BY HIS/HISF FAILURE TO EXACTLY LOCATE AND PERSONNEL PROBLEMENT THROUGH LINCOLDES.
- WATER MAINS SWALL SE CONSTRUCTED IN ACCORDANCE WITH CITY OF HOUSTON, DEPAREMENT OF PUBLIC WORK AND INDUSTRIES STANDARD SPICERCATORS WITH LARBY ADDRESS AND AMERICANSAS. ALL URLINE PRESENTED ON THESE DEVININGS ARE SECTION AT THE APPROCHAITS LOCATIONS BASED ON THE BEST AVAILABLE SECTIONS ON THE COMMISSION SHALL READ DESSIONS THE SEACH LOCATIONS PRIOR TO COMMISSIONS CONSTRUCTION. HE SHALL SE PALLY SESPONSIAL FOR ANY AVOIR ALL DAMAGES CAUSED DURING THE CONSTRUCTION OF THE ARMY UNITED.
- I, PALMER DO BECCO LICCUR AND MARRIAN BRIEF UNDISCIDUARD UTARIS. CONTRACTOR SHALL PROVIDE CAGARIER CONCERT WHATE ROCKERS ON WHITE AND PRESENT BY A SPICKED 6. CITY OF RICKED CAPACIDIER OF MALE WISES & DEVISION SPICKED SPICKED FOR WHATE MAN PREMAUMANT OF NATIR MARRIER AND LANG OR UNIVERSITY SPIRMERS (MR. THE CONTRACTOR SHALL COMINC! WARRE LANG MARRIES ACT (19389-79).
- COMMENCED SMALL CONSACT CRY OF HOUSING FURIES WORKS AND EXCHANGED CONSTRUCTION REPRESENTATION FOR PROFESSION AT LAST 48 WORKING HOUSE PROFESSIO COMMENSANG WASTER MARK COMMENCED ATTEMPT WORK CHOICE THAT SERVICE WASTER WAS

WARNING: OVERHEAD ELECTRICAL LINES

- SAND LINES MAY EVENT ON THE PROPRIETY. THE LOCATION OF OVERHEAD LINES HAS NOT REDY SHOWN ON THESE HOLD AS THE LINES AND CLEARLY VISIBLE, THE TOU SHOULD LOCASE THEM PROOF TO THE SEGMENHED OF ANY SECTION, TERMS LAW, SECTION THE, WISHAM IS LAWRITY CODE, PORROSS ALL ACTIVITIES THAN OCCUR HI CLOSE OFF TO HOMB WOUND KINES, PRECENCING.
- NATI ACTIVITY WHERE PRESCH OR HENGS MAY COME WHIRE SILIAI PRET OF LIVE OVERHEAD AND COMMAND A CEMAL DESIRED, FORUM SHOWS, DISLING BIG. PLS DENVIR HOSTING EQUIPMENT, OR SMALAR APPLICABLE WHITE FORET OF LIVE OVERSIGNO HIGH VOLTAGE LIVES.
- PARIES INSPONMENT FOR THE WORK, RECLIDING CONFENCIONS ARE LEGALLY RESPONSIBLE FOR SAFETY OF CO-CHECKION WORKERS UNDER THE LAW, THE LAW CAMES SOME CRIMINAL LAW CAY LABOLITY, TO ARRANGE FOR LIST 10 THE TOP CALL CRIMER FOR THE MOST AND CALL CRIMER FOR THE CALL CRIMER FOR THE MOST AND CALL CRIMER FOR THE MOST AND CALL CRIMER FOR THE METERS AND
- ACTIVITIES ON OR ACROSS CENTERPOINT ENERGY FEE OR EASEMENT
- NO APPROVAL TO USE. CROSS OR OCCUPYCENTERFORE SHEACY FEE OR EASALANT PROPERTY IS GIVEN, E YOU HERD TO USE CHRESTORM SHEACY PROPERTY, PLANE COMMACT OUR SURVEYING A REGIST OF WAY DIVISION ART/132874-660 (7) 13297-7227.

SAVETE CONSTRUCTION NOTES:

2. 1

- COMMISCION SHALL SAMEMAR SELT PROTECTION DEVICES AND SEMECICED THIS FARM: MARKET RECIPION SHAPE TO SEND SECTION OF SEMECIAN SHAPE TO SEMECIAN SHAPE TO
- 2. DUBBIG THE BECAYATION PIMALE OF THE PROJECT. COMMACTURE SHALL SCHEDULE THE WORK IN SHORT SECHANGES SO THAT SECANAGEM NATURAL CAN BE QUICTLY HARDD AWAY FROM THE SUT AND TO PREVENT A PROM SANTING UNCOLLECTED ON THE BROWN OF NATURAL AND LOCKE SECANATED MATERIAL WHICH FALLS OR PAYMENTS OF DEVENTANT SHALL SHAPE FACE AND THE BECANATED AND SANTING AND MATERIAL WHICH FALLS OR PAYMENTS OF

0.00

- COMBACTOR BRAIL CLEAN UP THE EUSTING STREET INTRESECTIONS AND DRIVEWAYS DALY. AS NECESSAIRT, TO REMOVE ANY EXCESS AUD. SET OR ROCK TRACKED FORM THE EXCAVATED AREA.
- I, CONTRACTOR SMALL POLLOW GOOD HOUSELEEPING PRACTICES DURING THE CONSTRUCTION OF THE PROJECT, NUMBER CLEANING UP DRIT AND LOOSE MATERIAL AS CONSTRUCTION PROGRESSES.
- CONTRACTOR TO INSPECT AND MAINTAIN THE AREAS ISSED BELOW AT LEAST ONCE EVERY
 COMMISSION OF A STORM PURPLE OF A STORM EVENT OF 0.5
- DEPUREMENT AREAS OF THE CONSTRUCTION SHE THAT HAVE NOT BEEN FINALLY STABLED.

 AREAS USED FOR STORAGE OF MATERIALS THAT ARE EXPOSED TO PRECENTATION.

 STRUCTURAL CONTROL MALSURES.

 UCCANDIAN WHIGH VINECUS ENTER OR EXIT THE SITE.
- A CONTRACTOR TO BE REPORTED. FOR MANAGE ENGINE CHICAGO AND OR CLEVERS FOR INCUSENCE TO MANAGE A LAY MAY. WHERE MODRING DISTURBED TO ECCHANION OF MANAGE A LAY MAY WHERE MODRING DISTURBED TO ECCHANION OF MALE REPORTED TO SECHANGE OF MALE REPORTED TO SECHANGE OF MODRING SCOPES ALL OR STREET, AND ALL OR SECHAL DE TO SCOPE AND ALL OR SECHAL DESCRIPTION OF A MANAGEMENT OF A MANAGEMENT

AT&T TEXAS/SWBT FACILITIES:

- THE LOCARDING OF A LAT TEXASCHIET FACATES ARE SKOWN IN AN APPROXIMATE WAY CHAT.
 THE CONFIDENCE SHALL DUTENNIET THE EXACT LOCARDIN BROKE COMMERCING WORL HE
 AZINGS TO BE NALY BEDFONGER FOR ANY AND ALL DOMANGES WHICH MIGHT BE OCCASIONED
 BY THE PRANKER TO DEACHT LOCARE AND PRESERVE THESE UNDERGROUND UTLITIES.
- E COMPACTOR SHALL CALL 1-800-344-8377 A MINIMUM OF 48 HOURS PRICE TO METRICITION TO MAYE UNDESCRICUMD LIMIS FRED LOCATED
- WHILE EICAMAING WINNE ECHIEFE NOTES LIFE OF THE MOCATES LOCATION OF ALL IDEAL/WINE FACURES ALL EICAMAING MUST BE COMPACION USED WHICH SCIENCE THE COMPACION SHALL ERROR THE ALL IDEAL/WINE FACURES WHEN SCIENCE THE COMPACION SHALL ERROR THE ALL! IDEAL/WINE FACURES THE ALL!
- 4. WHICH ATAT TREASTANT FACETIES ARE EXPOSED THE CONTRACTOR WILL PROVIDE SUPPORT TO PREVENT DAMAGE TO THE CONDUIT DUCTS OR CAMES WHICH BEQAVARING HEAR TELEPHONE FOR THE TREASTANT OF THE POLE FOR SUPPORT
- 5. 1-4: PRESENCE OR ARBENCE OF ATATTEKARSWEE UNDESCRIOUND CONDUT FACURES OR BURKED CASE FACURES SHOWN ON THESE FLAND DOES NOT MEAN THAT THERE ARE NO DIRECT BURKED CASES OF OTHER OTHERS FACURES OF THE AREA.
- 4. "HEASE CONTACT THE ATET TEXAS DAMAGE PREVENTION MANAGER MR. ROOSEVELT LEE JF. AT 173867-4682 OR EMAIL HIM AT BYZSPBATI COM. IF THERE ATE QUESTIONS ABOUT SORING OR FISC ANATION FRAM QUE ALLET TEXAS VIEW FACURES.

CITY OF HOUSTON DEPARTMENT OF PUBLIC WORKS AND ENGINEERING TRAFFIC NOTES

- COMMISSION BRAIL PROVIDE AND INSTALL STAFFIC CONTROL DRIVERS IN CONFORMANCE WITH FASH IS OF THE TEXAL MANUAL ON LANGOUN STAFFIC CONTROL DRIVERS, STAFFIX AND LC.D. WORT SECURE STAFFIN WITH STAFFIX STAFFIX CONTROL DRIVERS, STAFFIX AND LC.D. VOLLAGE SHALL SECOND DURNES THE HOUSE, OF 700 AM TO 100 AM AND 4.00 PM TO 1.00 PM WORDAY THE MISSION STAFFIX.

- WORKEN TREATMENT
 AND THE METAL THE M
- LAMBII IN THE EVENE WHICH NO TRAVPIC CONTROL PLANS' EXST AS A PART OF CONTRACT DRAWINGS CONTRACTOR MAY REFEARE PLANG AND SIGNAT TO PLAN REVIEW SECION FOR APPROVAL TEN WORKING DAYS PRICE TO UNE EMERITATION.
- THESE PLANE SHALL BE DRAWN TO SCALE ON REPRODUCIBLE MILARS AND SEALED BY A INCRESS ENGINEER IN THE STATE OF TEXAS. THANS WALL BECOME A PART OF THE CONTRACT A PROVIDE COMES OF ISLAFFIC CONFIRS FAME AND LIMIT EXCEPT SHALL BE ANALASE FOR SPECIAL AT JOS 35 A. I. A. I.

DIS APPROVAL B FOR CONSTRUCTION UTILIZING AUGIE? SORE AND LACE METHOD DIALY, FOR ANY BEASONS. IF OPEN CUI METHOD IS REQUIRED, APPROPRIATE PAYMENT, FOR ANY BEASONS. IF OPEN CUI METHOD IS REQUIRED APPROPRIATE OF ANY ALL DIALY BEASON OF A SUBMETTO FOR SERVEY AT LESS IN GROSS IN ADVIAGOS BEASON OF SORE ANY AT LESS IN GROSS ANY ADVIAGOS BEASON OF SORE ANY AT LESS IN A STATE OF SOME ANY AT LESS ANY ATTERNATION AND ATTERNATION AT LESS ANY ATTERNATION ATTERNATION AT LESS ANY ATTERNATION ATTERNATION AT LESS ANY ATTERNATION AT LESS ANY ATTERNATION AT LESS ANY ATTERNATION AT LESS ANY ATTERNATION ATTERNATION ATTERNATION AT LESS ANY ATTERNATION ATTERN

. . *** * ACHOLLAH VATAM

· . .

7 LC II CONSULTING ENGINEERS, PLI DESIGN CONSULTANTS TBPE # 4266 CHILDALI PROME (713) 948-30 TBLC 77992 L-mail estratibustance (172045-77992 L-mail estratibustance D Þ 5200 MITC SURT 1-27 HOUSTON.

TRUCTION NOTES 15GH ISLAMIC CENTER SADOLESPUR I CONS 1 FOR 1 (0)

magical GIV/16

