

**REVIEW BY FORT BEND COUNTY
COMMISSIONERS COURT**

**Fort Bend County
Engineering Department**
301 Jackson Suite 401
Richmond, Texas 77469
281.633.7500
Permits@fortbendcountytx.gov

- Right of Way Permit
 Commercial Driveway Permit

Permit No: 2017-13430

Applicant: AT&T / Byers Engineering

Job Location Site: 21932 Bellaire Boulevard, Richmond, TX 77407

Bond No. 011-001000000-01 **Date of Bond:** 3/6/2007 **Amount:** \$25,000.00

The above applicant came to make use of certain Fort Bend County property subject to, "The Order Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners Court of Fort Bend County, Texas, of the Minutes of the Commissioners Court of Fort Bend County, Texas, to the extent that such order is not inconsistent with Chapter 181, Vernon's Texas Statutes and Codes Annotated.

Notes:

1. Evidence of review by the Commissioners Court must be kept on the job site and failure to do so constitutes grounds for job shutdown.
2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. When construction is completed and ready for final inspection, submit notification to Permit Administrator thru MyGovernmentOnline.org portal.
3. This permit expires one (1) year from date of permit if construction has not commenced.

On this 9th day of May, 2017, Upon Motion of Commissioner Meyers, seconded by Commissioner Morales, duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said notice of said above purpose is hereby acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said notice be placed on record according to the regulation order thereof.

Signature

Presented to Commissioners Court and approved.

By: Charles O. Ay
for County Engineer



Date Recorded 5-15-2017 Comm. Court No. 11L

By: N/A
Drainage District Engineer/Manager

Clerk of Commissioners Court
By: Amelia Wilkes
Deputy

- FORT BEND COUNTY SPECIFICATIONS**
1. NO MORE TRENCH DEPTH AT ONE TIME THAN 48 INCHES SHALL BE PERMITTED FOR ANY TRENCH OR CUTS AT THE END OF EACH WORK DAY.
 2. ALL EXCESS EXCAVATION TO BE REMOVED FROM THE SITE BY THE END OF EACH WORK DAY.
 3. DITCHES TO BE OPENED AT END OF EACH DAY TO ASSURE ADEQUATE DRAINAGE.
 4. ROAD MUST BE KEPT OPEN TO TRAFFIC AND FLAGMEN, SIGNS, SIGNALS, ETC. TO PROVIDE COMPLETE SAFETY TO THE PUBLIC.
 5. IF IT BECOMES NECESSARY FOR EQUIPMENT TO OPERATE ON A PORTION OF THE PAVEMENT, THE CONTRACTOR SHALL BE RESPONSIBLE TO REPAIR AND MAINTAIN TO THE PAVEMENT ANY DAMAGE WHATSOEVER TO THE PAVEMENT.
 6. CONDITION OF ROAD UPON COMPLETION OF JOB SHALL BE AS GOOD OR BETTER THAN PRIOR TO STARTING.
 7. MIN. DEPTH TO TOP OF CABLE OR CONDUIT IS TO BE 60" BELOW CROWN OF ROAD AND 42" BELOW ANY ADJACENT DRIVE.




48 Hour Notice: Contractor shall notify Harris County prior to commencing construction and/or backfilling any utilities. Contractor to contact Marc Barbee with Public Review Department @ (713)274-3931 or marc.barbee@hccpd.org



A Notification issued by HC Infrastructure Department-Permits Office-s required for proposed work within Harris County Right-of-Way. The project must be approved prior to obtaining the requires Notification. A Notification must be obtained separately from a site development permit package. For additional information please visit: <http://hccpd.org/permits/pr-notification-of-construction.html> or contact Public Review Inspections Department@ (713)274-3931

TRAFFIC NOTES:
 1. CONTRACTOR SHALL PROVIDE AND INSTALL TRAFFIC CONTROL DEVICES IN CONFORMANCE WITH PART VI OF THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD - LATEST EDITION WITH REVISIONS).
 2. NO LANES SHALL BE BLOCKED DURING CONSTRUCTION.

HARRIS COUNTY PERMIT PRINT




21932 BELLAIRE BLVD FIBER ASE		NO SCALE A00Z8PX 281-232	
Byers Engineer			
DRAWN BY: RB	DATE: April 20, 2017		
KEY MAP: 525L			
PLANT: 1 of 1			
DWG NAME: 21932 BELLAIRE BLVD			



DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TADOT for any purpose whatsoever. TADOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: _____
FILE: _____



LEGEND

	Channelizing Device
	Work Station
	Advanced Traffic Control
	Traffic Flow
	Flag

GENERAL NOTES

- Flaps attached to signs shall be removed.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.
- Flashing arrow boards shall be used in advance of the work zone.

TYPICAL USAGE

MOBILE	SHORT STATION	INTERMEDIATE STATION	LONG TERM STATION
30	150'	180'	300'
40	200'	240'	400'
50	250'	300'	500'
60	300'	360'	600'
70	350'	420'	700'
80	400'	480'	800'
90	450'	540'	900'
100	500'	600'	1000'

Traffic Department of Transportation

TRAFFIC CONTROL PLAN

CONVENTIONAL ROAD

SHOULDER WORK

TCP (1-1) - 12