

**Fort Bend County Specification Download Acknowledgment**



**Invitation for Bid  
Term Contract for Purchase of Extended Drain Performance Multi-Grade Engine Oil  
BID 18-007**

**VENDORS MUST IMMEDIATELY RETURN THIS FORM VIA EMAIL TO NORMA WEAVER AT:  
[norma.weaver@fortbendcountytexas.gov](mailto:norma.weaver@fortbendcountytexas.gov) .**

**Vendor Responsibilities:**

- Vendors are responsible to download and complete any addendums.  
(Addendums will be posted on the Fort Bend County Website no later than 48 hours prior to Bid Opening)
- Vendors will submit responses in accordance with requirements stated on cover of document.
- Vendors may not submit responses via email or fax.

CERTIFIED LABORATORIES, a division of NCH Corporation  
Legal Name of Contracting Company

Toni Boyd, Bid Manager (Sales & Service - Shea Holder)  
Contact Person

1300 E. Northgate Drive, Irving, TX 75062  
Complete Mailing Address

800-527-9929 Telephone Number 972-438-0634 Facsimile Number

CertifiedLabs.BidDepartment@nch.com  
Email Address

Toni Boyd Signature July 20, 2017 Date

Sent to N. Weaver  
JUL 21 2017

**Fort Bend County, Texas  
Invitation for Bid**



**Term Contract for Purchase of of Extended Drain Performance Multi-Grade Engine Oil  
BID 18-007**

**SUBMIT BIDS TO:**

Fort Bend County  
Purchasing Department  
Travis Annex  
301 Jackson, Suite 201  
Richmond, TX 77469

**\*\*NOTE:**

All correspondence must include the term "Purchasing Department" in the address to assist in proper delivery.

**SUBMIT NO LATER THAN:**

Tuesday, August 1, 2017  
2:00 PM (Central)

**LABEL ENVELOPE:**

**BID 18-007  
EXTENDED PERFORMANCE ENGINE  
OIL**

***ALL BIDS MUST BE RECEIVED IN AND TIME/DATE STAMPED BY THE PURCHASING OFFICE  
OF FORT BEND COUNTY BEFORE THE SPECIFIED TIME/DATE STATED ABOVE.***

***BIDS RECEIVED AS REQUIRED WILL THEN BE OPENED AND PUBLICLY READ.***

***BIDS RECEIVED AFTER THE SPECIFIED TIME, WILL BE RETURNED UNOPENED.***

Results will not be given by phone.  
Results will be provided to bidder  
in writing after the Commissioners  
Court awards.

Fort Bend County is always conscious  
and extremely appreciative of your  
effort in the preparation of this bid.

Requests for information must be in  
writing and directed to:

Cheryl Krejci, CPPB  
Senior Buyer  
[cheryl.krejci@fortbendcountytexas.gov](mailto:cheryl.krejci@fortbendcountytexas.gov)

**Vendor Information**

CERTIFIED LABORATORIES, a division of NCH Corporation  
Legal Name of Contracting Company

75-0457200  
Federal ID Number (Company or Corporation) or Social Security Number (Individual)

800.527.9929 x 0563 Telephone Number      (972) 438 0634 Facsimile Number

1300 E. Northgate Drive  
Complete Mailing Address (for Correspondence)

Irving, TX 75062  
City, State and Zip Code

P.O. Box 971269  
Complete Remittance Address (if different from above)

Dallas, TX 75397  
City, State and Zip Code

Toni L. Boyd, Corporate Bid Manager  
Authorized Representative and Title (printed)

Certified Labs. BidDepartment@nch.com  
Authorized Representative's Email Address

Toni L Boyd Signature of Authorized Representative      7/24/17 Date

**1.0 GENERAL REQUIREMENTS:**

- 1.1 Read this entire document carefully. Follow all instructions. You are responsible for fulfilling all requirements and specifications. Be sure you understand them.
- 1.2 General Requirements apply to all advertised bids, however, these may be superseded, whole or in part, by the scope, special requirements, specifications, special specifications or other data contained herein.
- 1.3 Governing Law: Bidder is advised that these requirements shall be fully governed by the laws of the State of Texas and that Fort Bend County may request and rely on advice, decisions and opinions of the Attorney General of Texas and the County Attorney concerning any portion of these requirements.
- 1.4 Bid Document Completion: Fill out, initial each page, SIGN CONTRACT SHEET, and return ONE (1) complete bid document and ONE (1) electronic Excel file, on CD or Flash Drive, of the Pricing Form, completed by the bidder, to the Fort Bend County Purchasing Department. An authorized representative of the bidder MUST sign the contract sheet. The bid document, copy of completed pricing form, and electronic file, as provided on County's website, must be in the same sealed envelope marked with the appropriate bid number and title. The contract will be binding only when signed by the County Judge of Fort Bend County and a purchase order authorizing the item(s) desired has been issued. The use of correction fluid is NOT acceptable and may result in the disqualification of bid. If an error is made, vendor MUST draw a line through error and initial each change. All response, typed or written information, must be clear and legible.
- 1.5 Bid Returns: Bidders must return entire completed bid document to the Fort Bend County Purchasing Department at 301 Jackson, Suite 201, Richmond, Texas no later than 2:00 P.M. on the date specified. Late bids will not be accepted. Bids must be submitted in a sealed envelope, addressed as follows: Fort Bend County Purchasing Agent, Travis Annex, 301 Jackson, Suite 201, Richmond, Texas 77469.
- 1.6 Governing Document: In the event of any conflict between the terms and provisions of these requirements and the specifications, the specifications shall govern. In the event of any conflict of interpretation of any part of this overall document, Fort Bend County's interpretation shall govern.
- 1.7 Addenda: No interpretation of the meaning of the drawings, specifications or other bid documents will be made to any bidder orally. All requests for such interpretations must be made in writing addressed to Ms. Cheryl Krejci, Senior Buyer, 301 Jackson, Suite 201, Richmond, Texas 77469, e-mail: [cheryl.krejci@fortbendcountytexas.gov](mailto:cheryl.krejci@fortbendcountytexas.gov). Any and all interpretations and any supplemental instructions will be in the form of written addenda to the contract documents which will be posted on Fort Bend County's website. Addenda will **ONLY** be issued by the Fort Bend County Purchasing Agent. It is the sole

Initials of Bidder: \_\_\_\_\_




responsibility of each bidder to insure receipt of any and all addenda. All addenda issued will become part of the contract documents. Bidders must sign and include addendum in the returned bid package. Deadline for submission of questions and/or clarification is **Tuesday, July 25, 2017 at 9:00 a.m. (CST)**. Requests received after the deadline will not be responded to due to the time constraints of this bid process.

- 1.8 **Hold Harmless Agreement:** Contractor shall indemnify and hold Fort Bend County harmless from all claims for personal injury, death and/or property damage arising from any cause whatsoever, resulting directly or indirectly from contractor's performance. Contractor shall procure and maintain, with respect to the subject matter of this bid, appropriate insurance coverage including, as a minimum, public liability and property damage with adequate limits to cover contractor's liability as may arise directly or indirectly from work performed under terms of this bid. Certification of such coverage must be provided to the County upon request.
- 1.9 **Waiver of Subrogation:** Bidder and bidder's insurance carrier waive any and all rights whatsoever with regard to subrogation against Fort Bend County as an indirect party to any suit arising out of personal or property damages resulting from bidder's performance under this agreement.
- 1.10 **Severability:** If any section, subsection, paragraph, sentence, clause, phrase or word of these requirements or the specifications shall be held invalid, such holding shall not affect the remaining portions of these requirements and the specifications and it is hereby declared that such remaining portions would have been included in these requirements and the specifications as though the invalid portion had been omitted.
- 1.11 **Bonds:** If this bid requires submission of bid guarantee and performance bond, there will be a separate page explaining those requirements. Bids submitted without the required bid bond or cashier's checks are not acceptable. Bond/s or cashier's check must be complete with all required signatures.
- 1.12 **Taxes:** Fort Bend County is exempt from all federal excise, state and local taxes unless otherwise stated in this document. Fort Bend County claims exemption from all sales and/or use taxes under Chapter 20, Title 122a, Vernon's Texas Civil Statutes, as amended. Texas Limited Sales Tax Exemption Certificates will be furnished upon written request to the Fort Bend County Purchasing Department.
- 1.13 **Fiscal Funding:** A multi-year lease or lease/purchase arrangement (if requested by the specifications), or any contract continuing as a result of an extension option, must include fiscal funding out. If, for any reason, funds are not appropriated to continue the lease or contract, said lease or contract shall become null and void. After expiration of the lease, leased equipment shall be removed by the bidder from the using department without penalty of any kind or form to Fort Bend County. All charges and physical activity related to delivery, installation, removal and redelivery shall be the responsibility of the bidder.

Initials of Bidder:



- 1.14 Pricing: Prices for all goods and/or services shall be firm for the duration of this contract and shall be stated in the bid spreadsheet. Prices shall be all inclusive. No price changes, additions, or subsequent qualifications will be honored during the course of the contract. All prices must be written in ink or typewritten. Pricing on all transportation, freight, and other charges are to be prepaid by the contractor and included in the bid prices. If there are any additional charges of any kind, other than those mentioned above, specified or unspecified, bidder MUST indicate the items required and attendant costs or forfeit the right to payment for such items.
- 1.15 Silence of Specifications: The apparent silence of specifications as to any detail, or the apparent omission from it of a detailed description concerning any point, shall be regarded as meaning that only the best commercial practice is to prevail and that only material and workmanship of the finest quality are to be used. All interpretations of specifications shall be made on the basis of this statement. The items furnished under this contract shall be new, unused of the latest product in production to commercial trade and shall be of the highest quality as to materials used and workmanship. Manufacturer furnishing these items shall be experienced in design and construction of such items and shall be an established supplier of the item bid.
- 1.16 Supplemental Materials: Bidders are responsible for including all pertinent product data in the returned bid package. Literature, brochures, data sheets, specification information, completed forms requested as part of the bid package and any other facts which may affect the evaluation and subsequent contract award should be included. Materials such as legal documents and contractual agreements, which the bidder wishes to include as a condition of the bid, must also be in the returned bid package. Failure to include all necessary and proper supplemental materials may be cause to reject the entire bid.
- 1.17 Material Safety Data Sheets: Under the "Hazardous Communication Act", commonly known as the "Texas Right To Know Act", a bidder must provide to County and using departments, with each delivery, material safety data sheets, which are, applicable to hazardous substances defined in the Act. Bidders are obligated to maintain a current, updated file in the Fort Bend County Purchasing Department. Failure of the bidder to maintain such a file will be cause to reject any bid applying thereto.
- 1.18 Name Brands: Specifications may reference name brands and model numbers. It is not the intent of Fort Bend County to restrict these bids in such cases, but to establish a desired quality level of merchandise or to meet a pre-established standard due to like existing items. Bidders may offer items of equal stature and the burden of proof of such stature rests with them. Fort Bend County shall act as sole judge in determining equality and acceptability of products offered.
- 1.19 Color Selection: Determination of colors of materials is a right reserved by the using department unless otherwise specified in the bid. Unspecified colors shall be quoted as standard colors, not colors, which require up charges or special handling.

Initials of Bidder: 

Unspecified fabrics or vinyl should be construed as medium grade. If bidder fails to get color/material approvals prior to delivery of merchandise, the using department may refuse to accept the items and demand correct shipment without penalty, subject to other legal remedies.


- 1.20 Evaluation: Evaluation shall be used as a determinant as to which bid items or services are the most efficient and/or most economical for the County. It shall be based on all factors, which have a bearing on price and performance of the items in the user environment. All bids are subject to tabulation by the Fort Bend County Purchasing Department and recommendation to Fort Bend County Commissioners Court. Compliance with all bid requirements, delivery and needs of the using department are considerations in evaluating bids. Pricing is NOT the only criteria for making a recommendation. The Fort Bend County Purchasing Department reserves the right to contact any bidder, at any time, to clarify, verify or request information with regard to any bid.
- 1.21 Inspections: Fort Bend County reserves the right to inspect any item(s) or service location for compliance with specifications and requirements and needs of the using department. If a bidder cannot furnish a sample of a bid item, where applicable, for review, or fails to satisfactorily show an ability to perform, the County can reject the bid as inadequate.
- 1.22 Testing: Fort Bend County reserves the right to test equipment, supplies, material and goods bid for quality, compliance with specifications and ability to meet the needs of the user. Demonstration units must be available for review. Should the goods or services fail to meet requirements and/or be unavailable for evaluation, the bid is subject to rejection.
- 1.23 Disqualification of Bidder: Upon signing this bid document, a bidder offering to sell supplies, materials, services, or equipment to Fort Bend County certifies that the bidder has not violated the antitrust laws of this state codified in section 15.01, et seq., Business & Commerce Code, or the federal antitrust laws, and has not communicated directly or indirectly the bid made to any competitor or any other person engaged in such line of business. Any or all bids may be rejected if the County believes that collusion exists among the bidders. Bids in which the prices are obviously unbalanced may be rejected. If multiple bids are submitted by a bidder and after the bids are opened, one of the bids is withdrawn, the result will be that all of the bids submitted by that bidder will be withdrawn; however, nothing herein prohibits a vendor from submitting multiple bids for different products or services.
- 1.24 Awards: Fort Bend County reserves the right to award this contract on the basis of lowest and best bid in accordance with the laws of the State of Texas, to waive any formality or irregularity, to make awards to more than one bidder, to reject any or all bids. In the event the lowest dollar bidder meeting specifications is not awarded a contract, the bidder may appear before the Commissioners Court and present evidence concerning his responsibility. An award is final only upon formal

Initials of Bidder:



execution by the Fort Bend County Commissioners Court or the Fort Bend County Purchasing Agent. Fort Bend County reserves the right to withdraw any award until execution by the proper authority.

- 1.25 Assignment: The successful vendor may not assign, sell or otherwise transfer this contract without written permission of Fort Bend County Commissioners Court.
- 1.26 Term Contracts: If the contract is intended to cover a specific time period, said time will be given in the specifications under scope.
- 1.27 Maintenance: Maintenance required for equipment bid should be available in Fort Bend County by a manufacturer authorized maintenance facility. Costs for this service shall be shown on the bid sheet as requested or on a separate sheet, as required. If Fort Bend County opts to include maintenance, it shall be so stated in the purchase order and said cost will be included. Service will commence only upon expiration of applicable warranties and should be priced accordingly.
- 1.28 Contract Obligation: Fort Bend County Commissioners Court must award the contract and the County Judge or other person authorized by the Fort Bend County Commissioners Court must sign the contract before it becomes binding on Fort Bend County or the bidders. Department heads are not authorized to sign agreements for Fort Bend County. Binding agreements shall remain in effect until all products and/or services covered by this purchase have been satisfactorily delivered and accepted.
- 1.29 Title Transfer: Title and Risk of Loss of goods shall not pass to Fort Bend County until Fort Bend County actually receives and takes possession of the goods at the point or points of delivery. Receiving times may vary with the using department. Generally, deliveries may be made between 8:30 a.m. and 4:00 p.m., Monday through Friday. Bidders are advised to consult the using department for instructions. The place of delivery shall be shown under the "Special Requirement" section of this bid document and/or on the Purchase Order as a "Ship To:" address.
- 1.30 Purchase Order and Delivery: The successful bidder shall not deliver products or provide services without a Fort Bend County Purchase Order, signed by an authorized agent of the Fort Bend County Purchasing Department. The fastest, most reasonable delivery time shall be indicated by the bidder in the proper place on the bid sheet. Any special information concerning delivery should also be included, on a separate sheet, if necessary. All items shall be shipped F.O.B. inside delivery unless otherwise stated in the specifications. This shall be understood to include bringing merchandise to the appropriate room or place designated by the using department. Every tender or delivery of goods must fully comply with all provisions of these requirements and the specifications including time, delivery and quality. Nonconformance shall constitute a breach, which must be rectified prior to expiration of the time for performance. Failure to rectify within the performance period will be considered cause to reject future deliveries and cancellation of the


Initials of Bidder: 

contract by Fort Bend County without prejudice to other remedies provided by law. Where delivery times are critical, Fort Bend County reserves the right to award accordingly.

- 1.31 Contract Extension: Extensions may be made only by written agreement between Fort Bend County and the bidder. Any price escalations are limited to those stated by the bidder in the original bid.
- 1.32 Termination: Fort Bend County reserves the right to terminate the contract for default if Seller breaches any of the terms therein, including warranties of bidder or if the bidder becomes insolvent or commits acts of bankruptcy. Such right of termination is in addition to and not in lieu of any other remedies, which Fort Bend County may have in law or equity. Default may be construed as, but not limited to, failure to deliver the proper goods and/or services within the proper amount of time, and/or to properly perform any and all services required to Fort Bend County's satisfaction and/or to meet all other obligations and requirements. Contracts may be terminated without cause upon thirty (30) days written notice to either party unless otherwise specified.
- 1.33 Recycled Materials: Fort Bend County encourages the use of products made of recycled materials and shall give preference in purchasing to products made of recycled materials if the products meet applicable specifications as to quantity and quality. Fort Bend County will be the sole judge in determining product preference application.
- 1.34 Interlocal Participation: Additional governmental entities may purchase from this bid. Vendor agrees to accept purchase orders from those participating entities and to invoice each entity separately.
- 1.35 Escalation Clause: Successful bidder may apply for a price increase to the Fort Bend County Commissioners Court. Price increase will be the amount increased to the vendor from his supplier. Written documentation of the increase from vendor's supplier must be provided to the Purchasing Agent. No application for a price increase may be submitted within the first four (4) months of this contract. Increases of more than 25% of the original bid price will not be considered.
- 1.36 Modifications: This instrument contains the entire Contract between the parties relating to the rights herein granted and obligations herein assumed. Any oral or written representations or modifications concerning this instrument shall be of no force and effect excepting a subsequent written modification signed by both parties hereto.

**2.0 TERMS & CONDITIONS:**

- 2.1 Seller to Package Goods: Seller will package goods in accordance with good commercial practice. Each delivery container shall be clearly and permanently

Initials of Bidder: 

marked as follows (a) Seller's name and address; (b) Consignee's name, address and purchase order number and the bid number if applicable; (c) Container number and total number of containers (e.g. box 1 of 4 boxes); and (d) the number of the container bearing the packing slip. Seller shall bear cost of packaging unless otherwise provided. Goods shall be suitably packed to secure lowest transportation costs and to conform to requirements of common carriers and any applicable specifications. Fort Bend County's count or weight shall be final and conclusive on shipments not accompanied by packing list.

- 2.2 Shipment Under Reservation Prohibited: Seller is not authorized to ship goods under reservation and no tender of a bill of lading will operate as a tender of goods.
- 2.3 Title and Risk of Loss: The title and risk of loss of the goods shall not pass to the County until a County employee actually receives and takes possession of the goods at the point or points of delivery.
- 2.4 Delivery Terms: F.O.B. Destination Freight Prepaid, Inside Delivery, unless delivery terms are specified otherwise on Purchase Order.
- 2.5 No Replacement of Defective Tender: Every tender or delivery of goods must fully comply with all provisions of the Purchase Order as to time of delivery, quality and the like. If a tender is made which does not fully conform, this shall constitute a breach and Seller shall not have the right to substitute a conforming tender.
- 2.6 Place of Delivery: The place of delivery shall be that set forth in the block of the purchase order entitled "Ship To". Any change thereto shall be effective by modification as provided for in Clause number 2.20 "Modifications", hereof. The terms of this agreement are "no arrival, no sale", at the discretion of Fort Bend County.
- 2.7 Invoices and Payments:
  - 2.7.1 Seller shall submit separate invoices, in duplicate. Invoices shall indicate the purchase order number and the bid number if applicable. Invoices shall be itemized and transportation charges, if any, shall be listed separately. A copy of the bill of lading, and the freight waybill when applicable should be attached to the invoice.
  - 2.7.2 Fort Bend County's obligation is payable only and solely from funds available for the purpose of this purchase. Lack of funds shall render the order null and void to the extent funds are not available and any delivered but unpaid goods will be returned to Seller by the county.
  - 2.7.3 Do not include Federal Excise, State, or City Sales Tax. Fort Bend County is a tax-exempt governmental entity.

Initials of Bidder:




- 2.8 **Gratuities:** Fort Bend County may, by written notice to the Seller, cancel any order without liability, if it is determined by the County that gratuities, in the form of entertainment, gifts, or otherwise were offered or given by the Seller, or any agent or representative of the Seller to any officer or employee of Fort Bend County with a view toward securing an order. In the event an order is canceled by the County pursuant to this provision, the County shall be entitled, in addition to any other rights and remedies, to recover or withhold the amount of the cost incurred by Seller in providing such gratuities.
- 2.9 **Special Tools and Test Equipment:** If the price stated on the face of an order includes the cost of any special tooling or special test equipment fabricated or required by Seller for the purpose of filing this order, such special tooling equipment and any process sheets related thereto shall become the property of the County and to the extent feasible shall be identified by the Seller as such.
- 2.10 **Warranty/Price:**
- 2.10.1 The price to be paid by the County shall be that contained in Seller's quote or bid which Seller warrants to be no higher than Seller's current prices on orders by others for products of the kind and specification covered by an order for similar quantities under similar or like conditions and methods of purchase. In the event Seller breaches this warranty the prices of the items shall be reduced to the Seller's current prices on orders by others. Fort Bend County may cancel this contract without liability.
- 2.10.2 The Seller warrants that no person or selling agency has been employed or retained to solicit or secure any County order based upon any agreement or understanding for commission, percentage, brokerage, or contingent fee excepting bona fide employees of bona fide established commercial or selling agencies maintained by the Seller for the purpose of securing business. A breach or violation of this warranty gives the County the right, in addition to any other right or rights, to cancel this contract without liability.
- 2.11 **Warranty Product:** Seller shall not limit or exclude any implied warranties and any attempt to do so shall render an order voidable at the option of the County. Seller warrants that the goods furnished will conform to the specifications, drawings, and description listed in the bid invitation and purchase order as applicable, and to the sample(s) furnished by Seller if any. In the event of a conflict between the specifications, drawings, and descriptions, the specifications shall govern.
- 2.12 **Safety Warranty:** Seller warrants that the product sold to Fort Bend County shall conform to the standards promulgated by the U.S. Department of Labor under the Occupational Safety and Health Act of 1970. In the event the product does not conform to OSHA standards, the County may return the product for correction or replacement at the Seller's expense. In the event Seller fails to make the appropriate

correction within 10 days, correction made by the County will be at Seller's expense.


- 2.13 **No Warranty by Fort Bend County Against Infringements:** As part of a contract for sale Seller agrees to ascertain whether goods manufactured in accordance with the specifications will give rise to the rightful claim of any third person by way of infringement. Fort Bend County makes no warranty that the production of goods according to the specification will not give rise to such a claim and in no event shall Fort Bend County be liable to Seller for indemnification in the event the Seller is sued on the grounds of infringement or the like. If Seller is of the opinion that an infringement will result, he will notify Fort Bend County to this effect in writing within two days after the receiving Purchase Order. If the County does not receive notice and is subsequently held liable for the infringement, Seller will defend and save the County harmless. If Seller in good faith ascertains that production of the goods in accordance with the specifications will result in infringement, this contract shall be null and void except that the County will pay Seller the reasonable cost of his search as to infringements.
- 2.14 **Right of Inspection:** The County shall have the right to inspect the goods at delivery before accepting them.
- 2.15 **Cancellation:** Fort Bend County shall have the right to cancel for default all or any part of the undelivered portion of an order if Seller breaches any of the terms hereof including warranties of Seller, or if the Seller becomes insolvent or files for protection under the bankruptcy laws. Such rights of cancellation are in addition to and not in lieu of any other remedies, which Fort Bend County may have in law or equity.
- 2.16 **Termination:** The performance of work under a Purchase Order may be terminated in whole or in part by the County in accordance with this provision. Termination of work there under shall be effected by the delivery to the Seller of a "Notice of Termination" specifying the extent to which performance of work under the order is terminated and the date upon which such termination becomes effective. Such right of termination is in addition to and not in lieu of rights of Fort Bend County set forth in Clause 15 herein.
- 2.17 **Force Majeure:** Force Majeure means a delay encountered by a party in the performance of its obligations under this Agreement, which is caused by an event beyond the reasonable control of that party. Without limiting the generality of the foregoing, "Force Majeure" shall include but not be restricted to the following types of events: acts of God or public enemy; acts of governmental or regulatory authorities; fires, floods, epidemics or serious accidents; unusually severe weather conditions; strikes, lockouts, or other labor disputes; and defaults by subcontractors.

In the event of a Force Majeure, the affected party shall not be deemed to have violated its obligations under this Agreement, and the time for performance of any obligations of that party shall be extended by a period of time necessary to overcome

Initials of Bidder: 

the effects of the Force Majeure, provided that the foregoing shall not prevent this Agreement from terminating in accordance with the termination provisions. If any event constituting a Force Majeure occurs, the affected party shall notify the other parties in writing, within twenty-four (24) hours, and disclose the estimated length of delay, and cause of the delay.

- 2.18 Assignment-Delegation: No right or interest in an order shall be assigned or delegation of any obligation made by Seller without the written permission of Fort Bend County. Any attempted assignment or delegation by Seller shall be wholly void and totally ineffective for all purposes unless made in conformity with this paragraph.
- 2.19 Waiver: No claim or right arising out of a breach of any contract can be discharged in whole or in part by a waiver or renunciation of the claim or right unless the waived or renunciation is supported by consideration and is in writing signed by the aggrieved party.
- 2.20 Modification: A Purchase Order can be modified or rescinded only by a writing signed by both of the parties or their duly authorized agents.
- 2.21 Parol Evidence: This writing is intended by the parties as a final expression of their agreement and is intended also as a complete and exclusive statement of the terms of this agreement. No course of prior dealings between the parties and no usage of the trade shall be relevant to supplement or explain any terms rendered under this agreement and shall not be relevant to determine the meaning of this agreement even though the accepting or acquiescing party has knowledge of the performance and opportunity for objection. Whenever a term defined by the Uniform Commercial Code is used in this agreement, the definition contained in the Code is to control.
- 2.22 Applicable Law: This agreement shall be governed by the Uniform Commercial Code. Whenever the term "Uniform Commercial Code" is used it shall be construed as meaning the Uniform Commercial Code as adopted in the State of Texas and in effective on the date of the purchase order.
- 2.23 Advertising: Seller shall not advertise or publish, without the County's prior consent the fact that Fort Bend County has entered into any contract, except to the extent necessary to comply with proper requests for information from an authorized representative of the federal, state, or local government.
- 2.24 Right to Assurance: Whenever the County in good faith has reason to question the other party's intent to perform. The County may demand that the other party give written assurance of his intent to perform. In the event that a demand is made and no assurance is given within five (5) days, the County may treat this failure as an anticipatory repudiation of the contract.
- 2.25 Venue: Both parties agree that venue for any litigation arising from this contract

Initials of Bidder: 

shall lie in Richmond, Fort Bend County, Texas.

- 2.26 Prohibition Against Personal Interest in Contracts: No officer or employee of the County shall have a financial interest, direct or indirect, in any contract with the County, or shall be financially interested, directly or indirectly, in the sale to the County of any land, materials, supplies, or service, except on behalf of the County as an officer or employee. Any willful violation of this section shall constitute malfeasance in office, and any officer or employee guilty thereof shall be subject to disciplinary action under applicable laws, statutes and codes of the State of Texas. Any violation of this section, with the knowledge, expressed or implied of the person or corporation contracting with the County shall render the contract involved voidable by the County Commissioners Court.

### 3.0 SCOPE:

It is the intent of Fort Bend County to contract with one (1) vendor to provide extended drain performance engine oil, which meets or exceeds the specifications contained herein.

### 4.0 TERM OF CONTRACT:

The term of this contract is **1 October 2017 through 30 September 2018**, renewable annually for four (4) years (through 30 September 2022) under the terms and conditions if mutually agreeable to both parties. Either party for any reason may terminate this contract by giving thirty (30) days written notice of the intent to terminate.

### 5.0 BID DOCUMENT COMPLETION:

**Fill out, initial each page, SIGN CONTRACT SHEET, and return ONE (1) complete bid document and ONE (1) electronic Excel file, on CD or Flash Drive, of the Pricing Form, completed by the bidder, to the Fort Bend County Purchasing Department. An authorized representative of the bidder MUST sign the contract sheet.** The bid document, copy of completed pricing form, and electronic file, as provided on County's website, must be in the same sealed envelope marked with the appropriate bid number and title. The contract will be binding only when signed by the County Judge of Fort Bend County and a purchase order authorizing the item(s) desired has been issued. The use of correction fluid is **NOT** acceptable and may result in the disqualification of bid. If an error is made, vendor **MUST** draw a line through error and initial each change. All response, typed or written information, must be clear and legible.

### 6.0 MODIFICATIONS:

This instrument contains the entire Contract between the parties relating to the rights herein granted and obligations herein assumed. Any oral or written representations or modifications concerning this instrument shall be of no force and effect excepting a subsequent written modification signed by both parties hereto.

Initials of Bidder:



**7.0 TEXAS ETHICS COMMISSION FORM 1295:**

- 7.1 Effective January 1, 2016 all contracts executed by Commissioners Court, regardless of the dollar amount, will require completion of Form 1295 "Certificate of Interested Parties", per the new Government Code Statute §2252.908. All vendors submitting a response to a formal Bid, RFP, SOQ or any contracts, contract amendments, renewals or change orders are required to complete the Form 1295 online through the State of Texas Ethics Commission website. Please visit: [https://www.ethics.state.tx.us/whatsnew/elf\\_info\\_form1295.htm](https://www.ethics.state.tx.us/whatsnew/elf_info_form1295.htm).
- 7.2 On-line instructions:
- 7.2.1 Name of governmental entity is to read: Fort Bend County.
- 7.2.2 Identification number used by the governmental entity is: B18-007.
- 7.2.3 Description is the title of the solicitation: Extended Performance Engine Oil.
- 7.3 Apparent low bidder(s) will be required to provide the Form 1295 within three (3) calendar days from notification. In the event the vendor does not provide the document in the stated time period the vendor's response will be marked as disqualified and the next low bidder will be contacted.

**8.0 AWARD:**

This contract will be awarded to the overall lowest and best bidder meeting specifications.

**9.0 GENERAL INFORMATION:**

Bid price must include FOB inside delivery to any department located within Fort Bend County.

**10.0 SPECIFICATIONS FOR EXTENDED DRAIN PERFORMANCE MULTI-GRADE API CK-4 ENGINE OIL:**

This standard is intended to specify the requirements necessary for ensuring proper engine maintenance and will be considered the mitigating factor in the selection and procurement process of an extended drain performance multi-grade engine oil and accompanying product and service contributions.

- ASTM D 2270 Viscosity Index
- ASTM D 5293 Viscosity by Cold Cranking Simulator
- ASTM D 4683 Viscosity at High Shear Rate and High Temperature
- ASTM D 2896 Total Base Number (TBN)
- ASTM D 5158 Sulfur, Phosphorous/Zinc Content
- ASTM D 874 Sulfated Ash Content
- FTM 203C Stable Pour Point

Initials of Bidder:




- ASTM D 3945 Shear Stability Index
- ASTM D 92 Flash Point

10.1 Advanced Performance Multi-Grade Engine Oil: The product shall be used for all construction engine oil applications for protection against deposit formation, oil breakdown, parts wear, and loss of compression.

10.1.1 Performance Ingredients: The product must contain all of the following ingredients order to be considered.


- 10.1.1.1 Synthetic Blend Base Oil: Delivers greater lubrication protection and resists oxidation to extend service life.
- 10.1.1.2 Acid Neutralizers: Prevents formation of sulfuric acid and sludge.
- 10.1.1.3 Detergents: Minimizes carbon and soot formation at high temperatures.
- 10.1.1.4 Anti-Wear Additives: Reduces metal-to-metal contact under heavy loads and extreme pressures.
- 10.1.1.5 Friction Reducers: Plates high friction surfaces (hot spots) such as valve trains, rocker arms, rings, and cylinder liners with a barrier film that prevents two-surface wear and reduces operating temperatures.
- 10.1.1.6 Dispersants: Prevents build-up of soot, carbon, varnish, sludge, and gum to keep engine surfaces cleaner and compression levels high.
- 10.1.1.7 Oxidation Inhibitors: Extends oil service life by retarding the oxidation process.
- 10.1.1.8 Rust and Corrosion Inhibitors: Shields internal engine surfaces from corrosive acids and water contaminants to prevent chemical wear; provides excellent protection for copper-lead bearings.
- 10.1.1.9 Pour Point Depressants: Increases low temperature flowability and prevents oil thickening.
- 10.1.1.10 Viscosity Index Improvers: Maintains full viscosity over a wider temperature range to ensure full protection in fluctuating conditions; eliminates the need to switch oil grades in different seasons.
- 10.1.1.11 Oil Soluble Synthetic Molybdenum Compound: Plates onto the metal to provide exceptional wear protection.
- 10.1.1.12 Anti-Foam Additives: Reduces foam formation to minimize pressure levels and provide uniform lubrication.

10.1.2 Test Criteria and Performance Requirements: To ensure that the supplied product contains the prescribed additives package and that said additives are in the necessary concentrations to provide the required benefits, all proposed products must meet the following test criteria and performance requirements.

Initials of Bidder: 

All of the tests described below must be carried out and the values must fall within the prescribed limits.

- 10.1.2.1 Viscosity – Tests used to determine the viscosity of an engine oil and the stability of viscosity due to temperature changes.
- 10.1.2.1.1 *Viscosity Index*: ASTM D 2270 measures the variation in kinematic viscosity due to changes in temperature. The higher the number, the better. 10W30 grade engine oil must have a viscosity index of at least 140; 15W40 grade engine oil must have a viscosity index of at least 130.
- 10.1.2.1.2 *Viscosity by Cold Cranking Simulator*: ASTM D 5293 measures the apparent viscosity of the oil at cold temperatures; the results are related to the cranking characteristics of the oil. The lower viscosity reading, the better: 10W30: 6290 cP -25°C, 15W40: 6070 cP -20°C
- 10.1.2.1.3 *Viscosity at High Shear Rate and High Temperature*: ASTM D 4683 mimics conditions encountered in the bearings of automotive engines in severe service; 150°C: 10W30: 3.7cP, 15W40: 4.1cP.
- 10.1.2.2 Engine Oil Contents – Tests used to quantify specific contents of engine oil.
- 10.1.2.2.1 *Total Base Number (TBN)*: ASTM D 2896 measures the engine oil's ability to neutralize acid formation; the higher the TBN, the better. The TBN for 10W30 and 15W40 should be 13 or greater.
- 10.1.2.2.2 *Sulfur, Phosphorous/Zinc Content*: ASTM D 5158 measure the amount of additive elements, wear metals, and contaminants in lubricating oils. Phosphorous and zinc are part of an anti-wear package; a higher percentage is better. 10W30 and 15W40 grade engine oils should have a phosphorous content of greater than 0.12% and zinc content greater than 0.13%.
- 10.1.2.2.3 *Sulfated Ash Content*: ASTM D 874 measures the amount of sulfated ash from unused lubricating oils containing additives; the less amount of sulfated ash, the better. 10W30 and 5W40 grade oils should have sulfated ash of less than 1.0%.
- 10.1.2.3 Fluidity – Tests used to determine the flowability of engine oil at various temperatures. *Stable Pour Point*: FTM 203C measures the lowest temperature at which movement of the fluid is observed; the lower the pour point, the better utility the fluid has for certain applications at low temperatures: 10W30: -40°F & 15W40: -25°F
- 10.1.2.4 Shear Stability – Tests used to determine stability of engine oil in high-shear conditions. *Shear Stability Index*: ASTM D 3945 measures the percent viscosity loss at 100°C of

Initials of Bidder: 

polymer-containing fluids when evaluated by using the Fuel Injector Shear Stability Test (FISST); the less viscosity loss, the better: 10W30: 10.45 cSt, 15W40: 12.87 cSt

10.1.2.5 Safety Precautions – Tests used to determine the safety characteristics of an engine oil.

10.1.2.5.1 *Flash Point*: ASTM D 92 measures the lowest temperature at which application of the test flame causes the vapors above the surface of the liquid to ignite. The higher the temperature, the safer the oil. 10W30 and 15W40 grade engine oils should have a flash point higher than 405°F.

10.1.3 Viscosity Requirements: The engine oil shall be made available in two multi-grade viscosities of 10W30 and 15W40. Multi-grade viscosities provide a wider operating temperature range and eliminate need to switch oil grades in different seasons.


10.14 Packaging Requirements: The product will be made available in 1 gallon, 5 gallon, 55 gallon, and 330 gallon containers in DOT approved packaging with directions for use and all necessary safety precautions.

10.2 Engine Maintenance with a System Purge: The provider of engine oil should also make available an engine System Purge to be used in four stroke and two stroke diesel or gasoline engines. This equipment flushing oil shall be used at least every 3<sup>rd</sup> oil change to flush and clean the engine of dirt, carbon, gum and varnish deposits. The engine System Purge shall clean the system to allow it to run more efficiently, save energy, and reduce wear to prevent downtime and parts replacement and will not harm seals or gaskets. The System Purge shall have a treatment rate of 1 part System Purge to 10 parts engine oil, and the equipment shall have the ability to be in full operation during treatment. The System Purge shall be allowed to circulate 30 minutes to 1 hour in fleet vehicles, and 1 to 2 hours in heavy equipment before draining and refilling with fresh engine oil. The product shall not contain solvents, acids, caustics or any materials that would create the potential for hazardous waste in the waste stream upon flushing.

10.3 Engine Oil Testing: Engine oil testing will be carried out at no additional charge by the supplier on a routine basis to establish the following:

- Wear Metal Concentration: Copper, Iron, Chrome, Lead, Aluminum, Silicon, Molybdenum, Sodium, Magnesium, Tin
- Oil Additives: Zinc, Potassium, Phosphorus, Calcium
- Oil Condition: Soot, Oxidation, Nitration, Sulfur Products, Oil Viscosity, Total Acid Number, Total Base Number
- Contamination Tests: Water, Fuel, Antifreeze
- Large Particle Detection

Test results will be made available to the lubrication team along with written

Initials of Bidder: 

maintenance recommendations from a recognized oil-testing laboratory.

10.4 Value Added Contributions: The supplier must be able to readily supply the following value added contributions at no additional cost:

10.4.1 On-Site Lubrication Training for general lubrication, grease lubrication and application, gear and transmission lubrication, hydraulic Fluid, motor oil, oil analysis training and inventory management and tagging products and suggested procedures.

10.4.2 Internet Based Equipment Maintenance Management Software: The application should allow the user to:

- Manage Equipment Costs
- Schedule unlimited maintenance procedures and work orders on a daily, weekly, monthly, quarterly or annual basis
- Track fuel delivery and usage
- Manage equipment inventory
- Create and manage work orders
- Track and Analyze equipment and part service, reliability and failure history
- Analyze historical maintenance issues and predict future events
- Locate maintenance, equipment or part "hotspots"
- Net Based accessible from any computer at any time
- Three levels of administrative access provides control on information


10.4.3 Plant Survey & Inventory Consolidation Recommendations to include:

- Equipment Efficiency Audits
- Reliability Performance Assessments
- Lubrication Equipment Assessments
- Value Recognition Reports
- Reliability reports and cost reduction based on analysis of downtime, labor costs, parts replacements as it relates to products and services provided by lubricant and supplies.

**11.0 SPECIFICATIONS FOR EXTENDED DRAIN PERFORMANCE API SN/SM, SJ, GM DEXOS 1 COMPLIANT 5W-20; 5W-30 SYNTHETIC ENGINE OIL:**

This standard is intended to specify the requirements necessary for ensuring proper engine maintenance and will be considered the mitigating factor in the selection and procurement process of an extended drain performance API SN/SM, SL, SJ, GM Dexos 1 Compliant 5W-20; 5W-30 Synthetic Engine Oil and accompanying product and service contributions.

- ASTM D 2270 Viscosity Index
- ASTM D 5293 Viscosity by Cold Cranking Simulator

Initials of Bidder: 

- ASTM D 874 Sulfated Ash Content
- FTM 203C Stable Pour Point
- ASTM D 92 Flash Point
- API Service Classification: CJ-4/ SN for diesel and gasoline engines
- ILSAC GF-5
- GM Dexos 1, 6094M
- Ford WSS M2C929/946-A/5W-30
- Chrysler MS-6395S

11.1 Advanced Performance Multi-Grade Engine Oil: The product shall be used for all construction engine oil applications for protection against deposit formation, oil breakdown, parts wear, and loss of compression.

11.1.1 Performance Ingredients: The product must contain all of the following ingredients order to be considered.

11.1.1.1 Synthetic Base Oil: Delivers greater lubrication protection and resists oxidation to extend service life.

11.1.1.2 Acid Neutralizers: Prevents formation of sulfuric acid and sludge.

11.1.1.3 Detergents: Minimizes carbon and soot formation at high temperatures.

11.1.1.4 Anti-Wear Additives: Reduces metal-to-metal contact under heavy loads and extreme pressures.

11.1.1.5 Friction Reducers: Plates high friction surfaces (hot spots) such as valve trains, rocker arms, rings, and cylinder liners with a barrier film that prevents two-surface wear and reduces operating temperatures.

11.1.1.6 Dispersants: Prevents build-up of soot, carbon, varnish, sludge, and gum to keep engine surfaces cleaner and compression levels high.

11.1.1.7 Oxidation Inhibitors: Extends oil service life by retarding the oxidation process.

11.1.1.8 Rust and Corrosion Inhibitors: Shields internal engine surfaces from corrosive acids and water contaminants to prevent chemical wear; provides excellent protection for copper-lead bearings.

11.1.1.9 Pour Point Depressants: Increases low temperature flowability and prevents oil thickening.

11.1.1.10 Viscosity Index Improvers: Maintains full viscosity over a wider temperature range to ensure full protection in fluctuating conditions; eliminates the need to switch oil grades in different seasons.

11.1.1.11 Oil Soluble Synthetic Molybdenum Compound: Plates onto the metal to provide exceptional wear protection.

11.1.1.12 Anti-Foam Additives: Reduces foam formation to minimize pressure levels and provide uniform lubrication.

11.1.2 Test Criteria and Performance Requirements: To ensure that the supplied product contains the prescribed additives package and that said additives are in the necessary concentrations to provide the required benefits, all proposed products must meet the following test criteria and performance requirements. All of the tests described below must be carried out and the values must fall within the prescribed limits.

11.1.2.1 Viscosity – Tests used to determine the viscosity of an engine oil and the stability of viscosity due to temperature changes.

11.1.2.1.1 *Viscosity Index*: ASTM D 2270 measures the variation in kinematic viscosity due to changes in temperature. The higher the number, the better. 5W-20 grade engine oil must have a viscosity index of at least 135; 5W-30 must have a viscosity index of at least 165.

11.1.2.1.2 *Viscosity by Cold Cranking Simulator*: ASTM D 5293 measures the apparent viscosity of the oil at cold temperatures; the results are related to the cranking characteristics of the oil. 5W-20:5,342cP -30°C, 5W-30:5,200cP --30°C.

11.1.2.2 Engine Oil Contents – Tests used to quantify specific contents of engine oil.

11.1.2.2.1 *Sulfated Ash Content*: ASTM D 874 measures the amount of sulfated ash from unused lubricating oils containing additives; the 5W-20 & 5W-30 grade oils should have sulfated ash of less than 0.8%.

11.1.2.2.2 *Total Base Number (TBN)*: ASTM D 2896 measures the engine oil's ability to neutralize acid formation; the higher the TBN, the better. The TBN for 5W-20 & 5W-30 engine oils should be 7 or greater.

11.1.2.3 Fluidity – Tests used to determine the flowability of engine oil at various temperatures. *Stable Pour Point (SPP)*: FTM 203C measures the lowest temperature at which movement of the fluid is observed; the lower the pour point, the better utility the fluid has for certain applications at low temperatures: -49°F

11.1.2.3 Safety Precautions – Tests used to determine the safety characteristics of an engine oil.

11.1.2.3.1 *Flash Point*: ASTM D 92 measures the lowest temperature at which application of the test flame causes the vapors above the surface of the liquid to ignite. The engine oils should have a flash point higher than 455°F.

11.1.3 OEM Requirements: The engine oil shall meet the following specifications:

- API Service Classification: SN/SM, SL, SJ for diesel and gasoline engines
- ILSAC GF-5
- GM Dexos 1, 6094M
- Ford WSS M2C929/946-A/5W-30
- Chrysler MS-6395S

11.1.4 Packaging Requirements: The product will be made available in 1 gallon, 5 gallon, 55 gallon, and 330 gallon containers in DOT approved packaging with directions for use and all necessary safety precautions.

11.2 Engine Maintenance with a System Purge: The provider of engine oil should also make available an engine System Purge to be used in four stroke and two stroke diesel or gasoline engines. This equipment flushing oil shall be used at least every 3<sup>rd</sup> oil change to flush and clean the engine of dirt, carbon, gum and varnish deposits. The engine System Purge shall clean the system to allow it to run more efficiently, save energy, and reduce wear to prevent downtime and parts replacement and will not harm seals or gaskets. The System Purge shall have a treatment rate of 1 part System Purge to 10 parts engine oil, and the equipment shall have the ability to be in full operation during treatment. The System Purge shall be allowed to circulate 30 minutes to 1 hour in fleet vehicles, and 1 to 2 hours in heavy equipment before draining and refilling with fresh engine oil. The product shall not contain solvents, acids, caustics or any materials that would create the potential for hazardous waste in the waste stream upon flushing.

11.3 Engine Oil Testing: Engine oil testing will be carried out at no additional charge by the supplier on a routine basis to establish the following:

- Wear Metal Concentration: Copper, Iron, Chrome, Lead, Aluminum, Silicon, Molybdenum, Sodium, Magnesium, Tin
- Oil Additives: Zinc, Potassium, Phosphorus, Calcium
- Oil Condition: Soot, Oxidation, Nitration, Sulfur Products, Oil Viscosity, Total Acid Number, Total Base Number
- Contamination Tests: Water, Fuel, Antifreeze
- Large Particle Detection

Test results will be made available to the lubrication team along with written maintenance recommendations from a recognized oil-testing laboratory.

11.4 Value Added Contributions: The supplier must be able to readily supply the following value added contributions at no additional cost:

11.4.1 On-Site Lubrication Training for general lubrication, grease lubrication and application, gear and transmission lubrication, hydraulic fluid, motor oil, oil analysis training and inventory management and tagging products and suggested procedures.

11.4.2 Internet Based Equipment Maintenance Management Software: The application should allow the user to:

- Manage Equipment Costs
- Schedule unlimited maintenance procedures and work orders on a daily, weekly, monthly, quarterly or annual basis
- Track fuel delivery and usage
- Manage equipment inventory
- Create and manage work orders
- Track and Analyze equipment and part service, reliability and failure history
- Analyze historical maintenance issues and predict future events
- Locate maintenance, equipment or part "hotspots"
- Net Based accessible from any computer at any time
- Three levels of administrative access provides control on information

11.4.3 Plant Survey & Inventory Consolidation Recommendations to include:

- Equipment Efficiency Audits
- Reliability Performance Assessments
- Lubrication Equipment Assessments

11.4.4 Value Recognition Reports: Reliability reports and cost reduction based on analysis of downtime, labor costs, parts replacements as it relates to products and services provided by lubricant and supplies.

## **12.0 BID PRICING:**

All bid pricing must be completed in the Excel Pricing Form file provided on Fort Bend County's website. Vendors are to download the Excel Pricing Form from Fort Bend County's website, complete the pricing in the Excel file, and include an electronic copy of the completed Excel pricing form on CD or Flash Drive in the same sealed envelope with their copy of bid response. The electronic copy must be capable of being saved by Fort Bend County Purchasing Department to access the vendor's pricing and transferring of bid prices to the Excel tabulation file. A copy of the completed pricing form is to be included with the bid response. Pricing for items must meet the specifications as stated herein and include FOB Fort Bend County and inside delivery to any location within Fort Bend County.

## **13.0 REQUIRED FORMS:**

All vendors submitting are required to complete the attached and return with submission:

Initials of Bidder:



- 13.1 Pricing Form in electronic Excel File
- 13.2 Vendor Form
- 13.3 W9 Form
- 13.4 Tax Form/Debt/Residence Certification
- 13.5 Contractor Acknowledgement of Stormwater Management Program

CONTRACT SHEET  
B18-007

THE STATE OF TEXAS  
COUNTY OF FORT BEND


This memorandum of agreement made and entered into on the 26 day of September, 2017,  
by and between Fort Bend County in the State of Texas (hereinafter designated County), acting herein by  
County Judge Robert Hebert, by virtue of an order of Fort Bend County Commissioners Court, and  
CERTIFIED LABORATORIES (hereinafter designated Contractor).  
(company name)


WITNESSETH:

The Contractor and the County agree that the bid and specifications for **Purchase of Extended Drain Performance Multi-Grade Engine Oil** which are hereto attached and made a part hereof, together with this instrument and the bond (when required) shall constitute the full agreement and contract between parties and for furnishing the items set out and described; the County agrees to pay the prices stipulated in the accepted bid.

It is further agreed that this contract shall not become binding or effective until signed by the parties hereto and a purchase order authorizing the items desired has been issued.

Executed at Richmond, Texas this 26 day of September 2017.

By:  Fort Bend County, Texas  
County Judge Robert E. Hebert

By:   
Signature of Contractor

By: Toni L. Boyd, Corporate Bid Manager  
Printed Name and Title



**COUNTY PURCHASING AGENT**  
Fort Bend County, Texas

Gilbert D. Jalomo, Jr., CPPB  
County Purchasing Agent

(281) 341-8640  
Fax (281) 341-8645

**Vendor Information**

Federal ID # or S.S #	75-0457200	Dun and Bradstreet #	849601570
Type of Business	<input checked="" type="checkbox"/> Corporation/LLC <input type="checkbox"/> Sole Proprietor/Individual <input type="checkbox"/> Partnership <input type="checkbox"/> Tax Exempt Organization		
Legal Company Name	NCH Corporation, dba CERTIFIED LABORATORIES Year Business was Established <u>1919</u>		
Remittance Address	P.O. Box 971269		
City/State/Zip	Dallas, TX 75397		
Physical Address	1300.E. Northgate Drive		
City/State/Zip	Irving, TX 75062		
County	<input type="checkbox"/> Fort Bend County    Other: <u>Dallas County</u>		
Phone/Fax Number	Phone: <u>800-527-9929</u> Fax: <u>972-438-0634</u>		
Contact Person	Toni L. Boyd, Corporate Bid Manager		
E-mail	CertifiedLabs.BidDepartment@nch.com		
Special Notes	(not applicable)		
The Company listed above is a (check all that apply and attached certificate).	<input type="checkbox"/> DBE-Disadvantaged Business Enterprise    Certification # _____ <input type="checkbox"/> SBE-Small Business Enterprise    Certification # _____ <input type="checkbox"/> HUB-Texas Historically Underutilized Business    Certification # _____ <input type="checkbox"/> WBE-Women's Business Enterprise    Certification # _____ <input type="checkbox"/> MBE-Minority Business Enterprise    Certification # _____		
Company's gross annual receipts:	<input type="checkbox"/> < \$500,000 <input type="checkbox"/> \$500,000-\$4,999,999 <input type="checkbox"/> \$5,000,000-\$16,999,999 <input type="checkbox"/> \$17,000,000-\$22,399,999 <input checked="" type="checkbox"/> >\$22,400,000		
NAICs codes (Please enter all that apply).	<u>325110</u> <u>325180</u> <u>324191</u> <u>325320</u> <u>325510</u> <u>325520</u> <u>325414</u> <u>325611</u> <u>325613</u> <u>325998</u>  <u>424690</u> <u>423720</u> <u>423830</u> <u>238220</u>		

**PLEASE NOTE:** W-9 needs to be attached in order to be entered into our system

## Request for Taxpayer Identification Number and Certification

**Give Form to the  
 requester. Do not  
 send to the IRS.**

Print or type See Specific Instructions on page 2.	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. <b>NCH CORPORATION</b>		
	2 Business name/disregarded entity name, if different from above <b>CERTIFIED LABORATORIES DIVISION</b>		
	3 Check appropriate box for federal tax classification; check only <b>one</b> of the following seven boxes: <input type="checkbox"/> Individual/sole proprietor or single-member LLC <input checked="" type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ <b>Note.</b> For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. <input type="checkbox"/> Other (see instructions) ▶ _____		4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) <u>5</u> Exemption from FATCA reporting code (if any) _____ <i>(Applies to accounts maintained outside the U.S.)</i>
	5 Address (number, street, and apt. or suite no.) <b>1300 E. NORTHGATE DRIVE</b>		Requester's name and address (optional)
	6 City, state, and ZIP code <b>IRVING, TX 75062</b>		
	7 List account number(s) here (optional)		

**Part I Taxpayer Identification Number (TIN)**

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

**Note.** If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter.

<b>Social security number</b>																									
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> </table>													-	-	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> <td style="width: 20px; height: 20px;"></td> </tr> </table>										
<b>or</b>																									
<b>Employer identification number</b>																									
7	5	-	0	4	5	7	2	0	0																

**Part II Certification**

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

**Certification instructions.** You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

<b>Sign Here</b>	Signature of U.S. person ▶	Date ▶ 7/24/17
------------------	----------------------------	----------------

**General Instructions**

Section references are to the Internal Revenue Code unless otherwise noted.

**Future developments.** Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at [www.irs.gov/fw9](http://www.irs.gov/fw9).

**Purpose of Form**

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See *What is backup withholding?* on page 2.

By signing the filled-out form, you:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

Job No.: B18-007

**TAX FORM/DEBT/RESIDENCE CERTIFICATION**  
**(for Advertised Projects)**

Taxpayer Identification Number (T.I.N.): 75-0457200

Company Name submitting Bid/Proposal: CERTIFIED LABORATORIES, a division of NCH Corporation

Mailing Address: 1300 E. Northgate Drive, Irving, TX 75062

Are you registered to do business in the State of Texas?  Yes  No

If you are an individual, list the names and addresses of any partnership of which you are a general partner or any assumed name(s) under which you operate your business  
n/a

I. **Property:** List all taxable property in Fort Bend County owned by you or above partnerships as well as any d/b/a names. Include real and personal property as well as mineral interest accounts. (Use a second sheet of paper if necessary.)  
n/a

<u>Fort Bend County Tax Acct. No.*</u>	<u>Property address or location**</u>

\* This is the property account identification number assigned by the Fort Bend County Appraisal District.

\*\* For real property, specify the property address or legal description. For business personal property, specify the address where the property is located. For example, office equipment will normally be at your office, but inventory may be stored at a warehouse or other location.

II. **Fort Bend County Debt** - Do you owe any debts to Fort Bend County (taxes on properties listed in I above, tickets, fines, tolls, court judgments, etc.)?

Yes  No  If yes, attach a separate page explaining the debt.


III. **Residence Certification** - Pursuant to Texas Government Code §2252.001 *et seq.*, as amended, Fort Bend County requests Residence Certification. §2252.001 *et seq.* of the Government Code provides some restrictions on the awarding of governmental contracts; pertinent provisions of §2252.001 are stated below:

- (3) "Nonresident bidder" refers to a person who is not a resident.
- (4) "Resident bidder" refers to a person whose principal place of business is in this state, including a contractor whose ultimate parent company or majority owner has its principal place of business in this state.

I certify that NCH Corporation is a Resident Bidder of Texas as defined in Government Code §2252.001.  
[Company Name]

I certify that \_\_\_\_\_ is a Nonresident Bidder as defined in Government Code §2252.001 and our principal place of business is \_\_\_\_\_.  
[Company Name] [City and State]

**Mandatory Form**



**Contractor Acknowledgement of Stormwater Management Program**

I hereby acknowledge that I am aware of the stormwater management program and standard operating procedures developed by Fort Bend County in compliance with the TPDES General Permit No. TXR040000. I agree to comply with all applicable best management practices and standard operating procedures while conducting my services for Fort Bend County. I agree to conduct all services in a manner that does not introduce illicit discharges of pollutants to streets, stormwater inlets, drainage ditches or any portion of the drainage system. The following materials and/or pollutant sources must not be discharged to the drainage system as a result of any services provided:

1. Grass clippings, leaves, mulch, rocks, sand, dirt or other waste materials resulting from landscaping activities, (except those materials resulting from ditch mowing or maintenance activities)
2. Herbicides, pesticides and/or fertilizers, (except those intended for aquatic use)
3. Detergents, fuels, solvents, oils and/or lubricants, other equipment and/or vehicle fluids,
4. Other hazardous materials including paints, thinners, chemicals or related waste materials,
5. Uncontrolled dewatering discharges, equipment and/or vehicle wash waters,
6. Sanitary waste, trash, debris, or other waste products
7. Wastewater from wet saw machinery,
8. Other pollutants that degrade water quality or pose a threat to human health or the environment.

Furthermore, I agree to notify Fort Bend County immediately of any issue caused by or identified by:

NCH Corporation and Certified Laboratories

(Company/Contractor)

that is believed to be an immediate threat to human health or the environment.

Toni L Boyd  
Contractor Signature


7/24/17  
Date

Toni L. Boyd  
Printed Name

Corporate Bid Manager  
Title

# Spectra™ Xtreme d1

Advanced Performance Full  
Synthetic GM dexos1 Motor Oil  
SAE 5W-30, 5W-20, 0W-20



**Provides superior protection against deposit formation, oil breakdown, parts wear, and loss of compression.**

**Full Synthetic, dexos1 Gasoline Engine Oil  
Formulated for Severe Duty and Extended  
Drain Intervals**

Specifically Engineered for

- ❖ Construction
- ❖ Trucking & Fleet
- ❖ Waste Hauling
- ❖ Marine
- ❖ Federal, State & Local Agencies
- ❖ Agriculture
- ❖ Logging
- ❖ Material Handling Equipment
- ❖ Other Industries that Utilize Heavy Equipment

For Peak Performance, use  
with Certified Labs System Purge

**Meets or Exceeds the Following  
Performance Requirements**

- APIT Service Classification: SN SM, SL, SJ (gasoline)
- GM Dexos1M
- ILSAC GF-5, GF-4 and GF-3
- API Resource Conserving
- Ford WSS M2C929
- 946-A EcoBoost™ Engines
- GM 6094M
- Chrysler MS-6395S

- Full Synthetic Formula Engineered for Extended Drain Intervals\*
- Meets ILSAC GF-5 for Improved Fuel Economy
- Meets or Exceeds OEM Warranty Requirements
- Superior Thermal Stability for Higher Temperature Operation
- High Detergent Retention Prevents Deposit Build-up
- Highly Resistant to Oxidation for Longer Oil Life
- High V.I. Number Provides Stable Viscosity Over a Wide Temperature Range
- Superior Cold Cranking and Oil Pumpability at Low Temperature (to -22°F or -30°C)
- Compatible with Synthetic, Synthetic Blend, and Mineral Based Motor Oils
- Engineered to be Used With Flex-Fuel Technology and GM EOLS Systems

\*Always use oil analysis to establish new drain intervals

# SPECTRA XTREME motor oils contains a total additive package that sets it apart from all other motor oils

Additives	User Benefits
Premium Synthetic Base Oil	Highly-refined, oxidation-resistant synthetic base oils provides long-term lubrication to reduce friction, decrease heat, and prevent wear and provide excellent low temperature performance.
Acid Neutralizers	Helps prevent the formation of various acids and sludge and outlasts conventional oils by up to 300% due to its high residual TBN.
Friction Reducers	Plates out on metal surfaces to prevent friction and wear under heavy loads.
Anti-Wear Agents	Forms a lubricant film on metal surfaces in the presence of heavy loads and high temperatures. Prevents cold welding.
Shear Stabilizers	Increase surface viscosity and improve shear stability to carry heavier loads, withstand extreme pressures and prevent shock impact.
Dispersants	Keep sludge, carbon, soot, varnish and gum suspended in the oil and carry them to the filter. Prevent deposits on high-contact surfaces.
Detergents	Keep surfaces clean and free of deposits that cause wear and increase blow-by.
Oxidation Inhibitors	Extends service life of the lubricant by retarding the oxidation or breakdown process.
Corrosion Inhibitors	Shield sensitive metals against acids and other corrosive compounds.
Rust Inhibitors	Plate metal surfaces to retard metal deterioration and reduce abrasive rust contaminants.
Viscosity Index Improvers	Maintain full viscosity over a wider temperature range to ensure full protection in fluctuating conditions. Eliminates the need to switch oil grades in different seasons.
Pour Point Depressants	Keeps oil flowing properly in cold temperatures. Lowers frictional drag and keeps equipment running in extreme low temperatures.

Physical Properties		
	5W-30	0W-20
Specific Gravity (API)	34.7	35.1
Viscosity, CCS		
cP, Max	5,200 @ -30°C	5,700 @ -35°C
Viscosity SUS		
cSte @ 40°C	50	45
cSte @ 100°C	11	8.5
Viscosity Index	165	169
Flash Point °F (°C)	455 (235)	444 (228)
Pour Point °F (°C)	-49 (-45)	-49 (-45)
MRV-TP1		
cP	19,500 @ -35°C	21,000 @ -40°C
High Temp / High Shear		
(HTHS) cP @ 150°C	3.3	2.7


**IDEAL FOR USE:** Compatible with gasoline or diesel engines or combustion engines which require oils to meet GM dexos1 standards.

**DO NOT USE:** Not compatible with 2-cycle gasoline engines that mix oil with fuel.

# Spectra™ Xtreme CK-4

Advanced Performance  
Synthetic Blend Motor Oil

SAE 15W-40 (Available January 1, 2017)  
SAE 10W-30 (Available March 1, 2017)



Synthetic blend, multi-grade Diesel or Gasoline motor oil formulated for severe duty and extended drain intervals

Specifically Engineered for

- ❖ Construction
- ❖ Trucking & Fleet
- ❖ Waste Hauling
- ❖ Marine
- ❖ Federal, State & Local Agencies
- ❖ Agriculture
- ❖ Logging
- ❖ Material Handling Equipment
- ❖ Other Industries that Utilize Heavy Equipment

Provides superior protection against deposit formation, oil breakdown, parts wear, and loss of compression.

For Peak Performance, use with Certified Labs System Purge

#### Meets or Exceeds the Following Performance Requirements

- API Service Classification: CK-4, CJ-4, CI-4, CI-4 Plus, CH-4 Plus, CH-4, and SM for gasoline engines
- ACEA E&-04 (2004), E-07 (2007), E-19 (2012)
- Allison C-4 (also acceptable for TES-439 applications)
- MIL-PRF-2104G, CID-A-A-52306A, and CID-A-A-52039B
- Mack EO-O Premium Plus 07, EO-N
- MTU Type 2, Type 2.1
- MAN 3275, MAN M3575
- Caterpillar ECF-1-A, ECF-2, ECF-3
- Cummins CES 20081
- Renault RVI RLD-3
- Daimler Chrysler MB228.31, MB228.3
- Detroit Diesel PGOS 93K218, 93K215
- Volvo VDS-3, VDS-4
- Ford WSS-M2C171-F1

- Synthetic Blend Formula Engineered for Extended Drain Intervals\*
- TBN of 13.3 Provides Extended Acid Neutralization While Maintaining Low Ash
- Excellent Performance with EGR, ACERT, ASET, Turbo Charged Equipment and Tier 4 Final Engines
- Superior Thermal Stability for Higher Temperature Operation
- High Detergent Retention Prevents Deposit Build-up
- Contains MOLYSOL\*\* for Superior Wear Protection
- Highly Resistant to Oxidation for Longer Oil Life
- High V.I. Number Provides Stable Viscosity Over a Wide Temperature Range
- Superior Cold Cranking and Oil Pumpability at Low Temperature
- Compatible with Synthetic, Synthetic Blend, and Mineral Based Motor Oils

\*Always use oil analysis to establish new drain intervals

\*\* MOLYSOL is an oil soluble synthetic molybdenum compound

# SPECTRA XTREME motor oils contains a total additive package that sets it apart from all other motor oils

Additives	User Benefits
Premium Synthetic Blend Base Oil	Highly-refined, oxidation-resistant synthetic blend base oils provides exceptional, long-term lubrication to reduce friction, decrease heat, and prevent wear.
Acid Neutralizers	Helps prevent the formation of various acids and sludge and outlasts conventional oils by up to 300% due to its high residual TBN.
Friction Reducers	Plates out on metal surfaces to prevent friction and wear under heavy loads.
Anti-Wear Agents	Forms a lubricant film on metal surfaces in the presence of heavy loads and high temperatures. Prevents cold welding.
Shear Stabilizers	Increase surface viscosity and improve shear stability to carry heavier loads, withstand extreme pressures and prevent shock impact.
Dispersants	Keep sludge, carbon, soot, varnish and gum suspended in the oil and carry them to the filter. Prevent deposits on high-contact surfaces.
Detergents	Keep surfaces clean and free of deposits that cause wear and increase blow-by.
Oxidation Inhibitors	Extends service life of the lubricant by retarding the oxidation or breakdown process.
Corrosion Inhibitors	Shield sensitive metals against acids and other corrosive compounds.
Rust Inhibitors	Plate metal surfaces to retard metal deterioration and reduce abrasive rust contaminants.
Viscosity Index Improvers	Maintain full viscosity over a wider temperature range to ensure full protection in fluctuating conditions. Eliminates the need to switch oil grades in different seasons.
Pour Point Depressants	Keeps oil flowing properly in cold temperatures. Lowers frictional drag and keeps equipment running in extreme low temperatures.
Molysol	An oil soluble synthetic molybdenum compound that plates onto the metal to provide exceptional wear protection.

Physical Properties		
	15W-40	10W-30
Specific Gravity (API)	29.7	34
Viscosity, CCS		
cP @ -20°C, Max	6070	6290
cP @ -15°C, Max		
Viscosity SUS		
cSte @ 40°C	122.1	82.9
cSte @ 100°C	16	12.2
Viscosity Index	139.5	143
Flash Point °F (°C)	400 (205)	400 (205)
Pour Point °F (°C)	-27 (-32)	-40 (-40)
ASTM D130 Corrosion	1A	1A
Foam Suppression		
Sequence I	0	0
Sequence II	0	0
Sequence III	0	0
Sulphated Ash, %	1.0	1.0
TBN	13.3	13.3

**IDEAL FOR USE: Compatible with gasoline or diesel engines or combustion engines which have been converted to natural gas.**

**DO NOT USE: Not compatible with 2-cycle gasoline engines that mix oil with fuel.**

**Fort Bend County Bid Pricing Form**

**Bid 18-007**

**Term Contract for Extended Performance Multi-Grade Engine Oil**

**Vendor's Name: CERTIFIED LABORATORIES, A DIV. OF NCH CORP**

<b>Section 1: Multi-Grade Engine Oil, price per gallon</b>			
<b>5W-30</b>	<b>Estimated Annual Quantity</b>	<b>Unit Bid Price</b>	<b>Extended Total</b>
Per Gallon in 55 Gallon Drum	250	\$ 24.32	\$ 6,080.00
Per Gallon in 330 Gallon Tote	1	\$ 22.32	\$ 22.32
<b>15W40</b>	<b>Estimated Annual Quantity</b>	<b>Unit Bid Price</b>	<b>Extended Total</b>
Per Gallon in 1 Gallon Pail	25	\$ 27.32	\$ 683.00
Per Gallon in 55 Gallon Drum	110	\$ 24.32	\$ 2,675.20
Per Gallon in 330 Gallon Tote	1000	\$ 22.32	\$ 22,320.00
<b>Section 2: API CJ-4/SN GM Dexos 1 Compliant Synthetic Engine Oil, price per gallon</b>			
<b>0W-20</b>	<b>Estimated Annual Quantity</b>	<b>Unit Bid Price</b>	<b>Extended Total</b>
Per Gallon in 55 Gallon Drum	1	\$ 24.32	\$ 24.32
Per Gallon in 330 Gallon Tote	1	\$ 22.32	\$ 22.32
<b>5W-20</b>	<b>Estimated Annual Quantity</b>	<b>Unit Bid Price</b>	<b>Extended Total</b>
Per Gallon in 55 Gallon Drum	1	\$ 24.32	\$ 24.32
Per Gallon in 330 Gallon Tote	1	\$ 22.32	\$ 22.32
<b>5W-30</b>	<b>Estimated Annual Quantity</b>	<b>Unit Bid Price</b>	<b>Extended Total</b>
Per Gallon in 55 Gallon Drum	1	\$ 24.32	\$ 24.32
Per Gallon in 330 Gallon Tote	2500	\$ 22.32	\$ 55,800.00
<b>Estimated Annual Total</b>			<b>\$ 87,698.12</b>

**CERTIFIED LABORATORIES,  
 A DIV. OF NCH CORP.  
 P.O. BOX 2493  
 FORT WORTH, TX 76113-2493**

# CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.  
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

## OFFICE USE ONLY CERTIFICATION OF FILING

**1 Name of business entity filing form, and the city, state and country of the business entity's place of business.**

Certified Laboratories, a division of NCH Corporation  
 Irving, TX United States

**Certificate Number:**  
 2017-240061

**Date Filed:**  
 07/24/2017

**2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.**

FORT BEND COUNTY

**Date Acknowledged:**

**3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.**


Bid 18-007  
 Term Contract for Extended Performance Multi-Grade Engine Oil

4	Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
			Controlling	Intermediary

**5 Check only if there is NO Interested Party.**

**6 AFFIDAVIT**

I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.



*Toni Boyd*  
 \_\_\_\_\_  
 Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said Toni Boyd, this the 24 day of July, 2017, to certify which, witness my hand and seal of office.

*[Signature]* \_\_\_\_\_  
 Signature of officer administering oath

Teresa Ambrose  
 Printed name of officer administering oath

Mgr  
 Title of officer administering oath

# CERTIFICATE OF INTERESTED PARTIES

FORM 1295

1 of 1

Complete Nos. 1 - 4 and 6 if there are interested parties.  
 Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.

### OFFICE USE ONLY CERTIFICATION OF FILING

**1 Name of business entity filing form, and the city, state and country of the business entity's place of business.**

Certified Laboratories, a division of NCH Corporation  
 Irving, TX United States

**Certificate Number:**  
 2017-240061

**Date Filed:**  
 07/24/2017

**2 Name of governmental entity or state agency that is a party to the contract for which the form is being filed.**

FORT BEND COUNTY

**Date Acknowledged:**  
 09/26/2017

**3 Provide the identification number used by the governmental entity or state agency to track or identify the contract, and provide a description of the services, goods, or other property to be provided under the contract.**

Bid 18-007  
 Term Contract for Extended Performance Multi-Grade Engine Oil

4	Name of Interested Party	City, State, Country (place of business)	Nature of interest (check applicable)	
			Controlling	Intermediary

**5 Check only if there is NO Interested Party.**

**6 AFFIDAVIT** I swear, or affirm, under penalty of perjury, that the above disclosure is true and correct.

\_\_\_\_\_  
 Signature of authorized agent of contracting business entity

AFFIX NOTARY STAMP / SEAL ABOVE

Sworn to and subscribed before me, by the said \_\_\_\_\_, this the \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_, to certify which, witness my hand and seal of office.

\_\_\_\_\_  
 Signature of officer administering oath      Printed name of officer administering oath      Title of officer administering oath