

**REVIEW BY FORT BEND COUNTY
COMMISSIONERS COURT**

**Fort Bend County
Engineering Department**
301 Jackson Suite 401
Richmond, Texas 77469
281.633.7500
Permits@fortbendcountytexas.gov



Right of Way Permit



Commercial Driveway Permit

Permit No: 2017-16332

Applicant: Consolidated Communications

Job Location Site: Barek Road, Needville, TX 77461

Bond No. **Date of Bond:** 6/29/2004 **Amount:** \$50,000.00

The above applicant came to make use of certain Fort Bend County property subject to, "The Order Regulating the Laying, Construction, Maintenance, and Repair of Buried Cables, Conduits, and Pole Lines, In, Under, Across or Along Roads, Streets, Highways, and Drainage Ditches in Fort Bend County, Texas, Under the Jurisdiction of the Commissioners Court of Fort Bend County, Texas," as passed by the Commissioners Court of Fort Bend County, Texas, of the Minutes of the Commissioners Court of Fort Bend County, Texas, to the extent that such order is not inconsistent with Chapter 181, Vernon's Texas Statutes and Codes Annotated.

Notes:

1. Evidence of review by the Commissioners Court must be kept on the job site and failure to do so constitutes grounds for job shutdown.
2. Written notices are required:
 - a. 48 hours in advance of construction start up, and
 - b. When construction is completed and ready for final inspection, submit notification to Permit Administrator thru MyGovernmentOnline.org portal.
3. This permit expires one (1) year from date of permit if construction has not commenced.

On this 7th day of November, 2017, Upon Motion of Commissioner Meyers, seconded by Commissioner Morales, duly put and carried, it is ORDERED, ADJUDGED AND DECREED that said notice of said above purpose is hereby acknowledged by the Commissioners Court of Fort Bend County, Texas, and that said notice be placed on record according to the regulation order thereof.

Signature

Presented to Commissioners Court and approved.

By: Charles O. Ay
for County Engineer


Date Recorded 11-14-2017 Comm. Court No. 126

By: N/A

Drainage District Engineer/Manager

Clerk of Commissioners Court

By: Arinda Wilkins
Deputy



**PERMIT APPLICATION REVIEW FORM FOR
CABLE, CONDUIT, AND POLE LINE ACTIVITY
IN FORT BEND COUNTY**

**Fort Bend County
Engineering Department**
301 Jackson Suite 401
Richmond, Texas 77469
281.633.7500
Permits@fortbendcountytexas.gov

- ☒ Right of Way Permit
☐ Commercial Driveway Permit

Permit No: 2017-16332

The following "Notice of Proposed Cable, Conduit, and/or Pole Line activity in Fort Bend County" and accompanying attachments have been reviewed and the notice conforms to appropriate regulations set by Commissioner's Court of Fort Bend County, Texas.

(1) COMPLETE APPLICATION FORM:

- ☒ a. Name of road, street, and/or drainage ditch affected.
☒ b. Vicinity map showing course of directions
☒ c. Plans and specifications

(2) BOND:

- ☐ County Attorney, approval when applicable.
- ☒ Perpetual bond currently posted. Bond No: [REDACTED] Amount: \$50,000.00
- ☐ Performance bond submitted. Bond No: _____ Amount: _____
- ☐ Cashier's Check Check No: _____ Amount: _____

(3) DRAINAGE DISTRICT APPROVAL (WHEN APPLICABLE):

Drainage District Approval

Date


We have reviewed this project and agree it meets minimum requirements.

Charles O. Ay

Permit Administrator

10/27/2017

Date



Hwy 36

Existing

24X36X36 HH

58+10

Barak Rd

44+00

New 24" x 36" x 48" HH
100' Slack Coil

6'

Proposed New Fiber Line

Marek Rd

31+10

New 24" x 36" x 48" HH
100' Slack Coil

0+00

New 24" x 36" x 48" HH
100' Slack Coil

Quail Covey Ln

CCI Proposes to Place New Fiber Cable in the South
ROW of Barak Rd at 6' Off ROW and at Depth of 48"
beginning at Quail Covey Ln going North East for
5810' to Hwy 36.

Project Description:

Drawn By:

Robert Rychlik

Completed By:

Date Drawn:

10-6-17

Date Completed:

Date Issued:

10-6-17

Attachment A


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TCEM for any purpose whatsoever. TCEM assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:

WORK SPACE NEAR SHOULDER

Conventional Roads


TCP (2-1a)



WORK SPACE ON SHOULDER

Conventional Roads


TCP (2-1b)



WORK VEHICLES ON SHOULDER

Conventional Roads

TCP (2-1c)



GENERAL NOTES

1. Flare attached to sign where shown, as required.
2. All traffic control devices illustrated are REQUIRED, except those shown with the triangle symbol may be omitted when the Engineer, in the presence of the contractor, determines that the use of the device is not warranted.
3. Staggered traffic signs should be placed at a minimum of 30 feet from nearest travel way.
4. Shoulder vehicle with two or high intensity rotating, flashing, oscillating or arrow lights. A shadow vehicle with a sign should be used to back up the work area.
5. The use of a shadow vehicle is required when the work area is in the travel lane or on the shoulder of a highway.
6. Performance or quality of the work, if workers are no longer present, but road or work conditions require the traffic control to remain in place, use Type 3 barricades or other channelizing devices may be used.
7. Additional Signage: a. See TCEM-11 for additional signs and their use. b. See TCEM-11 for additional signs and their use. c. See TCEM-11 for additional signs and their use.
8. See TCEM-11 for additional signs and their use.
9. See TCEM-11 for additional signs and their use.
10. See TCEM-11 for additional signs and their use.
11. See TCEM-11 for additional signs and their use.
12. See TCEM-11 for additional signs and their use.
13. See TCEM-11 for additional signs and their use.
14. See TCEM-11 for additional signs and their use.
15. See TCEM-11 for additional signs and their use.
16. See TCEM-11 for additional signs and their use.
17. See TCEM-11 for additional signs and their use.
18. See TCEM-11 for additional signs and their use.
19. See TCEM-11 for additional signs and their use.
20. See TCEM-11 for additional signs and their use.
21. See TCEM-11 for additional signs and their use.
22. See TCEM-11 for additional signs and their use.
23. See TCEM-11 for additional signs and their use.
24. See TCEM-11 for additional signs and their use.
25. See TCEM-11 for additional signs and their use.
26. See TCEM-11 for additional signs and their use.
27. See TCEM-11 for additional signs and their use.
28. See TCEM-11 for additional signs and their use.
29. See TCEM-11 for additional signs and their use.
30. See TCEM-11 for additional signs and their use.
31. See TCEM-11 for additional signs and their use.
32. See TCEM-11 for additional signs and their use.
33. See TCEM-11 for additional signs and their use.
34. See TCEM-11 for additional signs and their use.
35. See TCEM-11 for additional signs and their use.
36. See TCEM-11 for additional signs and their use.
37. See TCEM-11 for additional signs and their use.
38. See TCEM-11 for additional signs and their use.
39. See TCEM-11 for additional signs and their use.
40. See TCEM-11 for additional signs and their use.
41. See TCEM-11 for additional signs and their use.
42. See TCEM-11 for additional signs and their use.
43. See TCEM-11 for additional signs and their use.
44. See TCEM-11 for additional signs and their use.
45. See TCEM-11 for additional signs and their use.
46. See TCEM-11 for additional signs and their use.
47. See TCEM-11 for additional signs and their use.
48. See TCEM-11 for additional signs and their use.
49. See TCEM-11 for additional signs and their use.
50. See TCEM-11 for additional signs and their use.
51. See TCEM-11 for additional signs and their use.
52. See TCEM-11 for additional signs and their use.
53. See TCEM-11 for additional signs and their use.
54. See TCEM-11 for additional signs and their use.
55. See TCEM-11 for additional signs and their use.
56. See TCEM-11 for additional signs and their use.
57. See TCEM-11 for additional signs and their use.
58. See TCEM-11 for additional signs and their use.
59. See TCEM-11 for additional signs and their use.
60. See TCEM-11 for additional signs and their use.
61. See TCEM-11 for additional signs and their use.
62. See TCEM-11 for additional signs and their use.
63. See TCEM-11 for additional signs and their use.
64. See TCEM-11 for additional signs and their use.
65. See TCEM-11 for additional signs and their use.
66. See TCEM-11 for additional signs and their use.
67. See TCEM-11 for additional signs and their use.
68. See TCEM-11 for additional signs and their use.
69. See TCEM-11 for additional signs and their use.
70. See TCEM-11 for additional signs and their use.
71. See TCEM-11 for additional signs and their use.
72. See TCEM-11 for additional signs and their use.
73. See TCEM-11 for additional signs and their use.
74. See TCEM-11 for additional signs and their use.
75. See TCEM-11 for additional signs and their use.
76. See TCEM-11 for additional signs and their use.
77. See TCEM-11 for additional signs and their use.
78. See TCEM-11 for additional signs and their use.
79. See TCEM-11 for additional signs and their use.
80. See TCEM-11 for additional signs and their use.
81. See TCEM-11 for additional signs and their use.
82. See TCEM-11 for additional signs and their use.
83. See TCEM-11 for additional signs and their use.
84. See TCEM-11 for additional signs and their use.
85. See TCEM-11 for additional signs and their use.
86. See TCEM-11 for additional signs and their use.
87. See TCEM-11 for additional signs and their use.
88. See TCEM-11 for additional signs and their use.
89. See TCEM-11 for additional signs and their use.
90. See TCEM-11 for additional signs and their use.
91. See TCEM-11 for additional signs and their use.
92. See TCEM-11 for additional signs and their use.
93. See TCEM-11 for additional signs and their use.
94. See TCEM-11 for additional signs and their use.
95. See TCEM-11 for additional signs and their use.
96. See TCEM-11 for additional signs and their use.
97. See TCEM-11 for additional signs and their use.
98. See TCEM-11 for additional signs and their use.
99. See TCEM-11 for additional signs and their use.
100. See TCEM-11 for additional signs and their use.

* Conventional Roads Only

** Temporary Roadways Only

L=Length of Travel LFT Width of Offset (LFT) Suggested Speed (MPH)

TYPICAL USAGE			
MOBILE	STATIONARY	INTERMEDIATE	LONG TERM
DURATION	STATIONARY	STATIONARY	STATIONARY

Sign	Minimum Spacing of Signs (ft)	Minimum Spacing of Signs (ft)	Minimum Spacing of Signs (ft)
1	150'	150'	150'
2	150'	150'	150'
3	150'	150'	150'
4	150'	150'	150'
5	150'	150'	150'
6	150'	150'	150'
7	150'	150'	150'
8	150'	150'	150'
9	150'	150'	150'
10	150'	150'	150'
11	150'	150'	150'
12	150'	150'	150'
13	150'	150'	150'
14	150'	150'	150'
15	150'	150'	150'
16	150'	150'	150'
17	150'	150'	150'
18	150'	150'	150'
19	150'	150'	150'
20	150'	150'	150'
21	150'	150'	150'
22	150'	150'	150'
23	150'	150'	150'
24	150'	150'	150'
25	150'	150'	150'
26	150'	150'	150'
27	150'	150'	150'
28	150'	150'	150'
29	150'	150'	150'
30	150'	150'	150'
31	150'	150'	150'
32	150'	150'	150'
33	150'	150'	150'
34	150'	150'	150'
35	150'	150'	150'
36	150'	150'	150'
37	150'	150'	150'
38	150'	150'	150'
39	150'	150'	150'
40	150'	150'	150'
41	150'	150'	150'
42	150'	150'	150'
43	150'	150'	150'
44	150'	150'	150'
45	150'	150'	150'
46	150'	150'	150'
47	150'	150'	150'
48	150'	150'	150'
49	150'	150'	150'
50	150'	150'	150'
51	150'	150'	150'
52	150'	150'	150'
53	150'	150'	150'
54	150'	150'	150'
55	150'	150'	150'
56	150'	150'	150'
57	150'	150'	150'
58	150'	150'	150'
59	150'	150'	150'
60	150'	150'	150'
61	150'	150'	150'
62	150'	150'	150'
63	150'	150'	150'
64	150'	150'	150'
65	150'	150'	150'
66	150'	150'	150'
67	150'	150'	150'
68	150'	150'	150'
69	150'	150'	150'
70	150'	150'	150'
71	150'	150'	150'
72	150'	150'	150'
73	150'	150'	150'
74	150'	150'	150'
75	150'	150'	150'
76	150'	150'	150'
77	150'	150'	150'
78	150'	150'	150'
79	150'	150'	150'
80	150'	150'	150'
81	150'	150'	150'
82	150'	150'	150'
83	150'	150'	150'
84	150'	150'	150'
85	150'	150'	150'
86	150'	150'	150'
87	150'	150'	150'
88	150'	150'	150'
89	150'	150'	150'
90	150'	150'	150'
91	150'	150'	150'
92	150'	150'	150'
93	150'	150'	150'
94	150'	150'	150'
95	150'	150'	150'
96	150'	150'	150'
97	150'	150'	150'
98	150'	150'	150'
99	150'	150'	150'
100	150'	150'	150'

LEGEND	
	Type 3 Barricade
	Heavy Work Vehicle
	Trailer Mounted
	Portable Channelizing
	Flashing Arrow Board
	Message Sign (FMS)
	Sign
	Flagger
	Traffic Flow

Texas Department of Transportation
Traffic Services Division

TRAFFIC CONTROL PLAN
CONVENTIONAL ROAD
SHOULDER WORK

TCP (2-1) - 12

For construction or maintenance contract work, specific project requirements for additional signs may be found in the project GENERAL NOTES for Item 502.

Barricades, Signs and Traffic Control.

Legend:

- Type 3 Barricade
- Heavy Work Vehicle
- Trailer Mounted
- Portable Channelizing
- Flashing Arrow Board
- Message Sign (FMS)
- Sign
- Flagger
- Traffic Flow

Legend:

- Type 3 Barricade
- Heavy Work Vehicle
- Trailer Mounted
- Portable Channelizing
- Flashing Arrow Board
- Message Sign (FMS)
- Sign
- Flagger
- Traffic Flow