PERFORMANCE TRUCK - BROOKSHIRE

34211 Katy Freeway, Brookshire, Texas 77423

Phone: (281) 239-7383

BUYER'S ORDER

Date Prepared: 02-16-2023 Delivery Date: *Q3 2023 Salesman: Drew Vest Branch: Brookshire					
Purchaser: Fort Bend County	Telephone: 281-342-6185 Fax:				
Mailing Address: 301 Jackson City: Richmond State: TX Zip: 77469		County: Fort Bend			
Physical Address: 201 Payne Lane City: Richmond State: TX Zip: 77469		County: Fort Bend			
Description: NEW 2024 KENWORTH T480, Unit ID # 272884	Email Address: mike.starkey@	fortbendcountytx.gov			
Mileage: Color: L0436EY SIERRA BLUE NOTE: Sales tax and license	e fee may apply but are not included in this que	ote.			
VIN: 347176 Comments: See attached spec's	·				
Purchaser's Agent: Mike Starkey Title: GM Fleet Operations	License Type: Commerci	ial Account # FBC			
LICENSE - TITLE INFORM	MATION				
Months: 12 Tractor: Truck: X Trailer: Body Type: N/A Colo	or: BLU Tons:	GCW: 56000			
Apportioned: IMC # Combination: Com'l: X Token Traile	r: Gas: Diesel: X				
INSURANCE INFORMATION					
AGENCY:	SELLING PRICE*	139,814.80			
NAME: PHONE:	ETNYRE 3500 GALLON DISTRIBUTOR	196,300.00			
LIEN INFORMATION	CASH PRICE W/ACCESS.	336,114.80			
NAME: LIEN DATE:	TRADE IN ALLOWANCE	-			
ADDRESS: PHONE:	NET CASH DIFFERENCE	336,114.80			
CITY, STATE, ZIP:	FEDERAL RETAIL EXCISE TAX	-			
COMMENTS:	NET PRICE	336,114.80			
AMOUNT: NAME:	STATE SALES TAX	-			
	LICENSE MO. & FEE	-			
ADDITIONAL INFORMATION	TITLE FEE (INCLUDES \$5 TAG FEE)	5.00			
Updated proposal for 1 unit for ASAP build, FOB - Brookshire, TX.	COMMERCIAL INSPECTION FEE	-			
Customer PO # 217091	DEALER'S INVENTORY TAX	-			
	DOCUMENTARY FEE**	75.00			
New Kenworth T480 Straight Truck	EXTENDED WARRANTY	3,575.00			
Paccar PX9 Engine (350 HP) / Fuller RTO14908LL 10 Spd Trans	SUBTOTAL	339,769.80			
Buy Board Contract 601-19 Fee Included	BALANCE OWED ON TRADE	-			
	SUBTOTAL	339,769.80			
Ext Wty for 5 yrs/100k miles on Engine, Aftertreatment & KW Basic Vehicle.	PREPAYMENT	-			
*Estimated delivery in Q3 2023.	BALANCE DUE UPON DELIVERY	339,769.80			
DISCI AIMED DE MADDANTV					
DISCLAIMER OF WARRANTY Any warranties on the products sold hereby are those made by the manufacturer. The seller,	* PRICE IS SUBJECT TO INDUSTRY AND COST IMPACTS BEYOND THE CONTROL OF				
CLEVELAND MACK SALES, INC., PERFORMANCE TRUCK OR PERFORMANCE TRAILER,	** A DOCUMENTARY FEE IS NOT AN OFFICIAL				
hereby expressly disclaims all warranties, either express or implied, including any implied warranty	FEE IS NOT REQUIRED BY LAW, BUT MAY BE CHARGED TO BUYERS				
of merchantability or fitness for a particular purpose, and CLEVELAND MACK SALES, INC.,	FOR HANDLING DOCUMENTS RELATING TO THE SALE. A DOCUMENTARY				
PERFORMANCE TRUCK OR PERFORMANCE TRAILER neither assumes nor authorizes	FEE MAY NOT EXCEED A REASONABLE AMOUNT AGREED TO BY THE				
any other person to assume for it any liability in connection with the sale of said products.	PARTIES. THIS NOTICE IS REQUIR	RED BY LAW.			
Vehicle(s) are subject to prior sale and will not be hel	ld more than five working days.				

PURCHASER	THIS ORDER NOT BINDING UNTIL ACCEPTED BY DEALER.
SALESPERSON	ACCEPTED BY

CUSTOMIZED PRODUCT PRICING SUMMARY BASED ON CONTRACT

BUYBOARD 597-19

End User: Fort Bend County Road and Bridge		R.B. Everett & Co. Rep: 281-991-8161	Ryan Newton 832-407-3969		
Contact: Mike Starkey		_ Date:	01/18/23		
Product Description: Etnyre Asphalt Dist	tributor	A. Base Price:	\$ 144,400.00		
B. Published Options [Itemize Each Be	elow]	REVISED			
Options	Bid Price	Options	Bid Price		
Power Washdown System	\$600.00				
Spray Bar Extensions (4)	\$2,080.00				
H.D. Hydraulic Pump 4.57 cubic inch	\$2,750.00				
displacement					
Heating System (2) Flues (2) Fuel Oil Burners	\$15.00				
Electric Belly Heat, 220V Single Phase	\$7,000.00				
Wet Storage Box	\$300.00				
Cone Type Strainer	\$160.00				
12' x 3" Rubber Fill Hose	\$550.00				
LED Strobe Light (mounted on top of Tank)	\$550.00				
		Total of B. Published Options:	\$ 14,005.00		
C. Unpublished Options [Itemize each I	below, not t	o exceed 25%]			
Options	Bid Price	Options	Bid Price		
Additional Diesel Tank (if space allows) Override Switch for Suckback	\$850.00				
Manufacturer's Material Surcharge	\$100.00 \$38,650.00				
		Total of C. Unpublished Options:	\$ 39,600.00		
D. Contract Price Adjustment	Discount:	6%	(\$9,505.00)		
E. Freight Charges:			\$6,300.00		
F. Total of A + B + C + D + E = F			\$ 194,800.00		
G. Quantity Ordered	1	x F =	\$ 194,800.00		
H. Non-Equipment Charges & Credits					
		P. D. I.	\$1,500.00		



Specification Sheet

Quote: 0044574-03

Quoted: 1/18/2023

Custom Built For:

Fort Bend County

Series: **DISTRIBUTOR**

Model: **BLACKTOPPER**

Description	Selles. DISTRIBUTOR	Woder: BLACKTOPPER
TANK CODE MEETS DOT 49CFR173.247 FIBERGLASS INSULATION 2" .040" ALUMINUM JACKETING MANHOLE 20" WITH INTERNAL OVERFLOW NON-RELIEVING SAMPLE VALVE LOCATED IN REAR HEAD LADDER	Item	Description
FIBERGLASS INSULATION 2" IO40" ALUMINUM JACKETING MANHOLE 20" WITH INTERNAL OVERFLOW NON-RELIEVING SAMPLE VALVE LOCATED IN REAR HEAD WALKWAY TO MANHOLE TANK GAUGE TANK GAUGE THERMOMETER 2" DIAL CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS LUCATED IN TAND REAR, 50 GALLON INCREMENTS THERMOMETER 2" DIAL CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS LUCATED IN TANK AND LINE POWER WASHDOWN SYSTEM MINCLUDES FUEL OIL TANK AND LINE FOWER WASHDOWN SYSTEM MINCLUDES FUEL OIL TANK AND LINE FOWER WASHDOWN SYSTEM MINCLUDES AWAND ADDITIONAL DIESEL TÄNK (IF SPACE ALLOWS REF. 57466) SPRAY BAR - CAB CONTROL 12" BAR, 1" ONOFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1" WIELEGTRIC-AIR ON/OFF (16" TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERD BAR LATCH CONTROL AT FRONT AND REAR HEAVY DUTY HYDRAULIC PUMP 4.5" CUBIC INCH DISPLACEMENT CONTROL SINSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) BURNIERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) BURNIERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTATING LUCES (2) FUEL OIL BURNERS 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTATING LUCES (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25" RUBBER HOSE LIGHTING SYSTEM LLE.D. SEALED WITH 15" RUBBER HOSE LIGHTING SYSTEM LLE.D. SEALED WITH 15" RUBBER FILL HOSE WITH 15" RUBBER FILL HOS	TANK SIZE	3,500 GALLONS
MANHOLE 20" WITH INTERNAL OVERFLOW SAMPLE VALVE LOCATED IN REAR HEAD LADDER WALKWAY TO MANHOLE TANK GAUGE FRONT AND REAR, 50 GALLON INCREMENTS THERMOMETER 2" DIAL CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) SELF FLUSHING SYSTEM INCLUDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM WHOSE & WAND ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDES SWITCH FOR SUCKBACK TOOL BOX HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY VINIT SELECTRIC HEAT STRIPS ON TANK BELLY LIGHTING SYSTEM LECTRIC HEAT STRIPS ON TANK BELLY NOT THE PROTECTION. TRAVEL LOCK OUT. HEATING SYSTEM LECTRIC HEAT STRIPS ON TANK BELLY LIGHTING SYSTEM LECTRIC HEAT STRIPS ON TANK BELLY LIGHTING SYSTEM LECTRIC HEAT STRIPS ON TANK BELLY LIGHTING SYSTEM LECTRIC HEAT S	TANK CODE	MEETS DOT 49CFR173.247
SAMPLE VALVE LADDER WALKWAY TO MANHOLE TANK GAUGE FRONT AND REAR, 50 GALLON INCREMENTS THERMOMETER 2° DIAL CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) IN BOX AT REAR) SELF FLUSHING SYSTEM W/ HOSE & WAND ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWER BAR EXTENSIONS 1' WILLESTRIC, AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) PLUES, (2) PLUE LOIS BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. LECTRIC HEAT STRIPS ON TANK BELLY (2) FLUES, (2) PLUES, (2) PLUE LOIS BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LEDTRIC STRIPS ON TANK BELLY WITH 25' RUBBER HOSE LIGHTING SYSTEM LE.D. SEALED WITH 12' RUBBER HOSE LIGHTING SYSTEM LE.D. SEALED WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	FIBERGLASS INSULATION 2"	.040" ALUMINUM JACKETING
LADDER TANK GAUGE FRONT AND REAR, 50 GALLON INCREMENTS THERMOMETER 2" DIAL CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) SELF FLUSHING SYSTEM INCLUDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1' WIELECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE TOOL BOX HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM LED. SEALED WHY STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC W/ 3" RUBBER FILL HOSE	MANHOLE 20" WITH INTERNAL OVERFLOW	NON-RELIEVING
TANK GAUGE THERMOMETER 2º DIAL CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) SELF FLUSHING SYSTEM INCLUDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM VINDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12° BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL 12° BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1' WIELECTRIC-AIR ON/OFF (16° TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK, TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V. SINGLE-PHASE. HOCLUDES SETTABLE THERMOSTAT NCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD PAINT ALL STEEL PARTS BLACK WITH 25' RUBBER HOSE LIGHTING SYSTEM LED. SALED WET STORAGE BOX WIHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC W/ 3" MALE THREAD EACH END	SAMPLE VALVE	LOCATED IN REAR HEAD
THERMOMETER CIRCULATION SYSTEM 400 GPM PUMP VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) SELF FLUSHING SYSTEM INCLUDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL SPRAY BAR EXTENSIONS 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1'-WELECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY ALL STEEL PARTS BLACK WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X'3" RUBBER FILL HOSE W/3" MALE THREAD EACH END	LADDER	WALKWAY TO MANHOLE
CIRCULATION SYSTEM VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) SELF FLUSHING SYSTEM INCLUDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM ADDITIONAL DIESEL TANK (IF SPAGE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1' WELECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREED CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V. SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT. INCLUDES ADDITIONAL PLUGE FOR GUSTOMER'S POWER CORD, PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM LED SCALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W3' MALE THREAD EACH END	TANK GAUGE	FRONT AND REAR, 50 GALLON INCREMENTS
VALVES/CONTROLS 4-WAY ASPHALT VALVE AND SUCKBACK VALVES (WITH TOUCH PAD IN BOX AT REAR) SELF FLUSHING SYSTEM INCLUDES FUEL OIL TANK AND LINE POWER WASHDOWN SYSTEM ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1' WELEGTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, TREMOSTATICALLY CONTROLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W// 3" MALE THREAD EACH END	THERMOMETER	2" DIAL
IN BOX AT REAR SELF FLUSHING SYSTEM	CIRCULATION SYSTEM	400 GPM PUMP
POWER WASHDOWN SYSTEM ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1' WELLECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE: TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE, INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM LE.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG BACK-UP ALARM ELECTRONIC W/ 3" MALE THREAD EACH END	VALVES/CONTROLS	
ADDITIONAL DIESEL TANK (IF SPACE ALLOWS, REF. S7466) SPRAY BAR - CAB CONTROL 12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES. SPRAY BAR EXTENSIONS 1' WELECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205-NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/3" MALE THREAD EACH END	SELF FLUSHING SYSTEM	
SPRAY BAR - CAB CONTROL SPRAY BAR EXTENSIONS 1' W/ELECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205- NOZZLES. SPRAY BAR - CAB CONTROL POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE, INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX W/HINGED COVER & DRAIN PLUG BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/3" MALE THREAD EACH END	POWER WASHDOWN SYSTEM	W/ HOSE & WAND
SPRAY BAR EXTENSIONS 1' W/ELECTRIC-AIR ON/OFF (16' TOTAL BAR LENGTH) WITH 3352205- NOZZLES. SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V. SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT. INCLUDES ADDITIONAL PLUG FOR GUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX W/HINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	ADDITIONAL DIESEL TANK	
SPRAY BAR - CAB CONTROL POWER SHIFT, LIFT AND WING FOLD POWERED BAR LATCH CONTROL AT FRONT AND REAR HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX W/HINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	SPRAY BAR - CAB CONTROL	12' BAR, 1' ON/OFF CONTROL WITH 3352205-NOZZLES.
POWERED BAR LATCH HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V. SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM LE.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE WX 3" MALE THREAD EACH END	SPRAY BAR EXTENSIONS	
HYDROSTATIC DRIVE OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE, INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/3" MALE THREAD EACH END	SPRAY BAR - CAB CONTROL	POWER SHIFT, LIFT AND WING FOLD
SPEED HYDRAULIC MOTOR HEAVY DUTY HYDRAULIC PUMP 4.57 CUBIC INCH DISPLACEMENT CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	POWERED BAR LATCH	CONTROL AT FRONT AND REAR
CONTROLS/INSTRUMENTATION TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE, INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	HYDROSTATIC DRIVE	OFF CRANKSHAFT PTO (TRUCK MUST ACCEPT), INCLUDES SINGLE SPEED HYDRAULIC MOTOR
OVERRIDE SWITCH FOR SUCKBACK TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE. SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V; SINGLE-PHASE, INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	HEAVY DUTY HYDRAULIC PUMP	4.57 CUBIC INCH DISPLACEMENT
TOOL BOX SIDE OPENING WITH FLUSH-TYPE LOCK HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	CONTROLS/INSTRUMENTATION	TOUCH SCREEN CONTROLS IN FRONT AND REAR CONTROL BOXES
HEATING SYSTEM (2) FLUES, (2) BURNERS WITH DIGITAL TEMPERATURE READOUT, THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER GORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	OVERRIDE SWITCH FOR SUCKBACK	TO OPEN SUCKBACK LINES WHEN UNIT IS IN BAR CIRCULATE.
THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE PROTECTION, TRAVEL LOCK OUT. HEATING SYSTEM (2) FLUES, (2) FUEL OIL BURNERS ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	TOOL BOX	SIDE OPENING WITH FLUSH-TYPE LOCK
ELECTRIC HEAT STRIPS ON TANK BELLY 220V, SINGLE-PHASE. INCLUDES SETTABLE THERMOSTAT, INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	HEATING SYSTEM	THERMOSTATICALLY CONTROLLED SHUT DOWN, OUTFIRE
INCLUDES ADDITIONAL PLUG FOR CUSTOMER'S POWER CORD. PAINT ALL STEEL PARTS BLACK HANDSPRAY ASSEMBLY WITH 25' RUBBER HOSE LIGHTING SYSTEM L.E.D. SEALED WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	HEATING SYSTEM	(2) FLUES, (2) FUEL OIL BURNERS
HANDSPRAY ASSEMBLY LIGHTING SYSTEM WET STORAGE BOX CONE TYPE STRAINER BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE WITH 25' RUBBER HOSE L.E.D. SEALED WHINGED COVER & DRAIN PLUG IN FILL LINE ELECTRONIC W/ 3" MALE THREAD EACH END	ELECTRIC HEAT STRIPS ON TANK BELLY	
LIGHTING SYSTEM WET STORAGE BOX WHINGED COVER & DRAIN PLUG CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	PAINT	ALL STEEL PARTS BLACK
WET STORAGE BOX CONE TYPE STRAINER BACK-UP ALARM 12' X 3" RUBBER FILL HOSE W/HINGED COVER & DRAIN PLUG IN FILL LINE ELECTRONIC W/ 3" MALE THREAD EACH END	HANDSPRAY ASSEMBLY	WITH 25' RUBBER HOSE
CONE TYPE STRAINER IN FILL LINE BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END		L.E.D. SEALED
BACK-UP ALARM ELECTRONIC 12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	WET STORAGE BOX	WIHINGED COVER & DRAIN PLUG
12' X 3" RUBBER FILL HOSE W/ 3" MALE THREAD EACH END	CONE TYPE STRAINER	IN FILL LINE
	BACK-UP ALARM	ELECTRONIC
BEACON LIGHT MOUNTED ON TOP OF TANK AT FRONT	12' X 3" RUBBER FILL HOSE	W/3" MALE THREAD EACH END
	BEACON LIGHT	MOUNTED ON TOP OF TANK AT FRONT

Etnyre reserves the right to modify pricing on all quotes and orders with material and labor surcharges as needed

CERTIFICATE OF INTERESTED PARTIES

FORM **1295**

						1 01 1
	Complete Nos. 1 - 4 and 6 if there are interested parties. Complete Nos. 1, 2, 3, 5, and 6 if there are no interested parties.				FFICE USE	
1	Name of business entity filing form, and the city, state and coun of business.	try of the business er	ntity's place	Certific 2023-9	ate Number:	
	Cleveland Mack Sales, Inc. dba Performance Truck			2023-9	3 7 91 <i>1</i>	
_	CLEVELAND, TX United States		the ferry !-	Date Fil		
2	Name of governmental entity or state agency that is a party to the being filed.	ie contract for which t	ine torm is	03/08/2023		
	Fort Bend County			Date Acknowledged: 03/14/2023		
3	Provide the identification number used by the governmental ent description of the services, goods, or other property to be provided in the property to be provided in the prov			the con	tract, and prov	vide a
	217091 2024 KW T480					
4	No. of the control Borton	Name of Interested Party City, State, Country (place of busing		Nature of interest		
	Name of Interested Party			(check applicable) Controlling Intermed		
Sv	veeten, RC	Cleveleand, TX U	Inited States		X	
Ma	artin, Skip	Cleveland, TX Ur	nited States		X	
5	Check only if there is NO Interested Party.					
6	UNSWORN DECLARATION					
	My name is	;	, and my date of	birth is _		·
	My address is(street)	,(city)		, ate)	(zip code)	., (country)
	I declare under penalty of perjury that the foregoing is true and correct	ct.				
	Executed inCount	tv. State of	. on the	dav	/ of	, 20 .
		> .			(month)	
		Signature of author	ized agent of cont	tracting b	usiness entity	
(Declarant)					,	